



TSK51x/TSK52x RTOS

Legacy documentation
refer to the Altium Wiki for current information

Software, hardware, documentation and related materials:

Copyright © 2008 Altium Limited. All Rights Reserved.

The material provided with this notice is subject to various forms of national and international intellectual property protection, including but not limited to copyright protection. You have been granted a non-exclusive license to use such material for the purposes stated in the end-user license agreement governing its use. In no event shall you reverse engineer, decompile, duplicate, distribute, create derivative works from or in any way exploit the material licensed to you except as expressly permitted by the governing agreement. Failure to abide by such restrictions may result in severe civil and criminal penalties, including but not limited to fines and imprisonment. Provided, however, that you are permitted to make one archival copy of said materials for back up purposes only, which archival copy may be accessed and used only in the event that the original copy of the materials is inoperable. Altium, Altium Designer, Board Insight, DXP, Innovation Station, LiveDesign, NanoBoard, NanoTalk, OpenBus, P-CAD, SimCode, Situs, TASKING, and Topological Autorouting and their respective logos are trademarks or registered trademarks of Altium Limited or its subsidiaries. All other registered or unregistered trademarks referenced herein are the property of their respective owners and no trademark rights to the same are claimed. v8.0 31/3/08

Table of Contents

Introduction to the RTOS Kernel	1-1
1.1 Real-time Applications	1-1
1.2 What is OSEK/VDX	1-2
1.3 The OSEK/VDX Documentation	1-3
1.4 The Altium RTOS	1-3
1.5 Why Using the Altium RTOS?	1-3
Getting Started	2-1
2.1 What is an RTOS Project?	2-1
2.2 The Design Environment "Altium Designer"	2-4
2.3 Create a new Project Space for the MYRTOS Project	2-5
2.4 Edit the Application Files	2-7
2.5 Set the Project Options	2-9
2.6 Build Your Application	2-9
2.7 Debug Your Application	2-10
The OSEK/VDX Implementation Language (OIL)	3-1
3.1 Why an OIL Language	3-1
3.2 What are the OIL System Objects?	3-1
3.2.1 Standard and Non-Standard Attributes	3-1
3.2.2 Overview of System Objects and Attributes	3-2
3.2.3 Non-Standard Attributes for the TSK51x/TSK52x	3-3
3.3 The Structure of an OIL File	3-5
3.3.1 Implementation Part	3-5
3.3.2 Application Part	3-5
3.4 Preprocessor Commands	3-10
The Startup Process	4-1
4.1 Introduction	4-1
4.2 System Boot	4-1
4.3 The main() Module	4-2
4.3.1 What are Application Modes?	4-2
4.3.2 Defining Application Modes	4-2
4.3.3 Changing Application Modes: Application Reset.	4-3
4.3.4 Non-mutually Exclusive Application Modes	4-4
4.4 The RTOS Initialization	4-4
4.5 The Shut-down Process	4-6
4.6 Shut-down RTOS Application Errors	4-7
Task Management	5-1
5.1 What is a Task?	5-1
5.2 Defining a Task in the C Source	5-1
5.3 The States of a Task	5-2
5.3.1 Basic Tasks	5-2
5.3.2 Extended Tasks	5-3
5.4 The Priority of a Task	5-3
5.4.1 Virtual versus Physical Priorities	5-4
5.4.2 Fast Scheduling	5-5
5.5 Activating and Terminating a Task	5-6
5.6 Scheduling a Task	5-8
5.6.1 Full-preemptive Tasks	5-8
5.6.2 Non-preemptive Tasks	5-8
5.6.3 Scheduling Policy	5-9

5.7	The Stack of a Task	5-10
5.7.1	The Memory Model	5-10
5.7.2	The System Stack	5-11
5.7.2.1	The Run-Time System Stack	5-11
5.7.2.2	Saving the System Stack	5-12
5.7.3	The Virtual Stack	5-12
5.7.3.1	The Run-Time Virtual Stack	5-12
5.7.4	Stack Implementation Parameters	5-13
5.8	The C Interface for Tasks	5-14
Events		6-1
6.1	Introduction	6-1
6.2	Configuring Events	6-1
6.3	The Usage of Events	6-1
6.4	The C Interface for Events	6-5
Resource Management		7-1
7.1	Key Concepts	7-1
7.2	What is a Resource?	7-2
7.3	The Ceiling Priority Protocol	7-8
7.3.1	Priority Inversion	7-8
7.3.2	Deadlocks	7-8
7.3.3	Description of The Priority Ceiling Protocol	7-8
7.3.4	Calculating the Ceiling Priority	7-9
7.4	Grouping Tasks	7-11
7.5	The Scheduler as a Special Resource	7-13
7.6	The C Interface for Resources	7-13
Alarms		8-1
8.1	Introduction	8-1
8.2	Counters	8-1
8.2.1	What is a Counter?	8-1
8.2.2	The RTOS System Counter	8-2
8.3	What is an Alarm?	8-4
8.4	The C Interface for Alarms	8-8
Interrupts		9-1
9.1	Introduction	9-1
9.2	The ISR Object	9-1
9.2.1	The ISR Non-Standard Attributes	9-2
9.3	Defining an Interrupt in the C Source	9-2
9.4	The Category of an ISR Object	9-3
9.5	Nested ISRs	9-3
9.6	ISRs and Resources	9-4
9.7	ISRs and Messages	9-5
9.8	Fast Disable/Enable API Services	9-6
9.8.1	Disable/Enable All Interrupts	9-6
9.8.2	Suspend/Resume All Interrupts	9-8
9.8.3	Suspend/Resume OS Interrupts	9-8
9.9	The C Interface for Interrupts	9-9
Interprocess Communication		10-1
10.1	Introduction	10-1
10.2	Basic Concepts	10-2
10.3	Configuring Messages	10-3
10.4	Message Transmission	10-5
10.4.1	Sending a Message	10-5

10.4.2	How to Define the Data Type of a Message	10-5
10.4.3	Receiving a Message	10-6
10.4.4	Initializing Unqueued Messages	10-8
10.4.5	Long versus Short Messages	10-10
10.5	Message Notification	10-10
10.5.1	Notification Example: Activate Task	10-11
10.5.2	Notification Example: Set Event	10-12
10.5.3	Notification Example: Flag	10-13
10.5.4	Notification Example: Callback	10-15
10.6	Starting and Ending the COM	10-16
10.6.1	Starting the COM	10-16
10.6.2	Starting the COM Extension	10-16
10.6.3	Stopping the COM	10-17
10.7	The C Interface for Messages	10-17
Error Handling		11-1
11.1	Introduction	11-1
11.2	Error Handling	11-1
11.2.1	Standard Versus Extended Status	11-1
11.2.2	Fatal Errors	11-2
11.2.3	The ErrorHandler Routine	11-2
11.2.4	The COMErrorHandler Routine	11-5
11.3	Debug Routines	11-7
11.4	OIL Examples	11-8
Debugging an RTOS Application		12-1
12.1	Introduction	12-1
12.2	How to Debug the System Status	12-2
12.3	How to Debug Tasks	12-3
12.4	How to Debug Resources	12-3
12.5	How to Debug Alarms	12-4
12.6	How to Debug ISRs	12-4
12.7	How to Debug Messages	12-5
12.8	How to Debug Contexts	12-5
12.9	How to Debug Stacks	12-6
Implementation Parameters		A-1
A.1	Introduction	A-1
A.2	Functionality Implementation Parameters	A-2
A.3	Hardware Resource Implementation Parameters	A-3
A.3.1	The ROM Usage by System Services	A-4
A.3.2	The ROM/RAM Usage of OIL Objects	A-5
A.3.3	Miscellaneous	A-5
A.4	Performance Implementation Parameters	A-6
A.4.1	ISR Latency	A-6
A.4.2	Context Switch Latency	A-7
A.4.3	System Timer Latency	A-7
Stack Overflow		B-1
B.1	Introduction	B-1
B.2	Run-time Stack Monitoring	B-2
B.2.1	IsStackInRange	B-3

Index

Manual Purpose and Structure

Manual Purpose

This manual aims to provide you with the necessary information to build real-time applications using the RTOS (Real Time Operating System) micro kernel delivered with the toolset.

After reading the document, you should:

- know how to build real-time RTOS applications.
- understand the benefits of using the RTOS.
- be able to customize the RTOS to your project needs.
- be familiar with the most relevant RTOS concepts.
- know how to debug RTOS applications.

This manual assumes that you have already read the User's Manual of the toolset documentation. The manual leads you through the hottest topics of configuring and building RTOS applications, overview of the functionality, design hints, debugging facilities and performance.



This manual expects you to have gone through the main topics of the online OSEK/VDX standard documents. These documents should be, in fact, a constant reference during the reading of this manual. Please refer to <http://www.osek-vdx.org/>.

Short Table of Contents

Chapter 1: Introduction to the RTOS Kernel

Provides an introduction to the RTOS real-time multitasking kernel. It discusses the choice of making the RTOS compliant with the OSEK standard. Additionally, this chapter provides a high-level introduction to real-time concepts.

Chapter 2: Getting Started

Overviews the files (and their interrelations) involved in every RTOS application and includes a self explanatory diagram of the development process as a whole. Describes also how you can build your very first RTOS application guiding you step by step through the process.

Chapter 3: The OSEK/VDX Implementation Language (OIL)

Describes how you can configure your application with a file written in OIL (Osek Implementation Language) language (which needs to be added to the project as a project member). The chapter ends with a working example of an OIL file.

Chapter 4: The Startup Process

Opens the black-box of what happens in the system since application reset until the first application task is scheduled and describes how you can interfere with the start-up process by customizing certain Hook Routines.

Chapter 5: Task Management

Explains how the RTOS manages tasks (scheduling policies, tasks states, ..) and describes how you can declare TASK objects in the OIL file in order to optimize your task configuration.

Chapter 6: Events

Explains how the RTOS may synchronize tasks via events and describes how you can declare EVENT objects in the OIL file in order to optimize your event configuration.

Chapter 7: Resource Management

Explains how the RTOS performs resource management (resource occupation, ceiling priority protocol, internal resources,...) and describes how you can declare RESOURCE objects in the OIL file in order to optimize your resource configuration.

Chapter 8: Alarms

Describes how the RTOS offers alarms mechanisms based on counting specific recurring events and describes how you can declare these objects in the OIL file in order to optimize your alarm configuration.

Chapter 9: Interrupts

Describes how you can declare ISR objects in the application OIL file in order to optimize the interrupt configuration.

Chapter 10: Interprocess Communication

Describes why the communication services offer you a robust and reliable way of data exchange between tasks and/or interrupt service routines and how you can declare MESSAGE and COM objects in the application OIL file.

Chapter 11: Error Handling

Helps you to understand the available debug facilities and error checking possibilities. Describes which services and mechanisms are available to handle errors in the system and how you can interfere with them by means of customizing certain Hook Routines.

Chapter 12: Debugging an RTOS Application

Explains how you can easily debug RTOS information with the debugger and describes in detail all the information that you can obtain.

Appendix A: Implementation Parameters

The implementation parameters provide detailed information concerning the functionality, performance and memory demand. From the implementation parameters you can obtain valuable information about the impact of the RTOS on your application.

Appendix B: Stack Overflow

Describes how you can avoid problems caused by stack overflow.



1 Introduction to the RTOS Kernel

Summary

This chapter provides an introduction to the RTOS real-time multitasking kernel. It discusses the choice of making the RTOS compliant with the OSEK standard. Additionally, this chapter provides a high-level introduction to real-time concepts.

1.1 Real-time Applications

A real-time system is used when there are rigid time requirements on the operations of a processor to perform certain tasks. There are two flavors of real-time systems. A *hard real-time* system must guarantee that critical tasks complete on time. Processing must be done within the defined constraints or the system will fail. A *soft real-time* system is less restrictive; a critical task gets priority over other tasks and retains that priority until a point of rescheduling. In a soft real-time system, failure to produce the correct response at the correct time is also undesirable but not fatal.

In reality most applications consist of tasks with both hard and soft real-time constraints. If these tasks are single purposed they could be implemented as semi-independent program segments. Still the programmer needs to embed the processor allocation logic inside the application tasks. Implementations of this kind typically take the form of a control loop that continually checks for tasks to execute. Such techniques suffer from numerous problems and represent no solutions for regular applications. Besides they complicate the maintenance and reusability of the software.

An RTOS (Real Time Operating System) is a dedicated operating system fully compromised to overcome the time constraints of a real-time system. An RTOS provides, like any other operating system, an environment in which a user can execute programs in a convenient and structured manner but at no risk of failing with the real-time constraints. The benefits of using an RTOS are:

- An RTOS eliminates the need for processor allocation in the application software.
- Modifications, and even additions of completely new tasks can be made in the application software without affecting critical system response requirements.
- Besides managing task execution most real-time operating systems also provide facilities that include task communication, task synchronization, timers, memory management etc.
- An RTOS hides the underlying hardware specific concerns to the user offering a runtime environment that is completely independent of the target processor.
- Easy migration to other targets (provided that the RTOS vendor offers support for these other processor families).

1.2 What is OSEK/VDX

In May 1993 OSEK was founded as a joint project in the German automotive industry aiming at an industry standard for an open-ended architecture for distributed control units in vehicles. OSEK is an abbreviation for the German term "Offene Systeme und deren Schnittstellen für die Elektronik im Kraftfahrzeug" ("Open Systems and the Corresponding Interfaces for Automotive Electronics"). Meanwhile in France, PSA and Renault were developing a similar system called VDX, or "Vehicle Distributed eXecutive". The two projects merged in 1994, and a year later OSEK/VDX was presented.

Although the OSEK/VDX standards were originally developed for the automotive industry, the resulting specifications describe a small, real-time OS ideal for most embedded systems that are statically defined, i.e. with no dynamic (run-time) allocation of memory.

The OSEK/VDX specification consists of five normative documents:

- OS – operating system
- COM – communication
- NM – network monitoring (not discussed in this manual)
- OIL – osek implementation language
- ORTI – osek/vdx real-time interface

An *OSEK/VDX implementation* refers to a particular implementation of one or more of the standards. These standards tend to define the minimum requirements for a compliant system but individual implementations can vary because of different processor requirements and/or capabilities.

An *OSEK/VDX application* refers to an application that was developed using a particular OSEK/VDX implementation.

OSEK/VDX operating system (OS)

The specification of the OSEK/VDX OS covers a pool of services and processing mechanisms. The operating system controls the real-time execution in concurrent executing applications and provides you with a dedicated programming environment. The architecture of the OSEK/VDX OS distinguishes three processing levels: an interrupt level, a logical level for operating system activities and a task level. The interrupt level is assigned higher priorities than the task level.

In addition to the management of the processing levels, the operating system offers also *system services* to manage tasks, events, resources, counters, alarms, and to handle errors. You can consider system services as library functions in C.



The OSEK/VDX standards do not explicitly cover I/O.

OSEK/VDX communication (COM)

The communication specification provides interfaces for the transfer of data within vehicle networks systems. This communication takes place between and within network stations (CPUs). This specification defines an interaction layer and requirements to the underlying network layer and/or data link layer. The interaction layer provides the *application programming interface* (API) of OSEK/VDX COM to support the transfer of messages within and between network stations. For network communication, the interaction layer uses services provided by the lower layers. CPU-internal communication is handled by the interaction layer only.

OSEK/VDX Implementation Language (OIL)

To reach the original goal of the OSEK/VDX project in having portable software, a way of describing an OSEK/VDX system is defined. This is the motivation for the definition of a standardised *OSEK/VDX Implementation Language*, abbreviated OIL.

OSEK/VDX Run Time Interface (ORTI)

To provide debugging support on the level of OSEK objects, it is necessary to have debuggers that are capable of displaying and debugging OSEK components. The ORTI specification provides an interface for debugging and monitoring tools to access OSEK objects in target memory. Tools can evaluate internal data structures of OSEK objects and their location in memory. ORTI consists of a language to describe kernel objects (KOIL: *Kernel Object Interface Language*) and a description of OSEK specific objects and attributes.

1.3 The OSEK/VDX Documentation

Information about the OSEK/VDX organization (including all the standards) is available online at www.osek-vdx.org.

Currently the Altium RTOS is implemented to follow:

- Operating System (OS) Version 2.2.2
- Communication (COM) Version 3.0.3
- OSEK Implementation Language (OIL) Version 2.5
- OSEK/VDX Run Time Interface (ORTI) Version 2.1.1

1.4 The Altium RTOS

The Altium RTOS is a real-time, preemptive, multitasking kernel, designed for time-critical embedded applications and is developed by Altium.

The RTOS is written in ANSI C and assembly and delivered as source code.

For every RTOS application the RTOS source code is compiled (after some mandatory configurational input from the application developer) to generate a customized RTOS library. The RTOS image is actually this generated library. The application source code must be linked with this RTOS library in order to build the final application object.

1.5 Why Using the Altium RTOS?

The benefits of using the RTOS to build embedded applications (a natural consequence of its future conformance with OSEK/VDX products) are listed below:

- High degree of modularity and ability for flexible configurations.
- Focusing on the time-critical aspects, the dynamic generation of system objects is left out. Instead, generation of system objects is done in the system *generation* phase. The user statically specifies the number of tasks, resources, and services required statically.
- Error inquiries within the operating system are obviated to a large extent in order to not affect the speed of the overall system unnecessarily. A system version with extended error inquiries has been defined. It is intended for the test phase and/or for less time-critical applications
- The interface between the application software and the operating system is defined by system services (in an ISO/ANSI-C-like syntax) with well defined functionality. The interface is identical for all implementations of the operating system on various processor families.
- For better portability of application software, the OSEK standard defines a language for a standardised configuration information. This language "OIL" (OSEK Implementation Language) supports a portable description of all OSEK specific objects such as "tasks" and "alarms".

Ideal applications are compact, real-time system that fit within minimum resources (8 to 512 kB of ROM and 1 to 32 kB of RAM).



2 Getting Started

Summary

This chapter gives an overview of the files (and their interrelations) involved in an RTOS application and includes a self explanatory diagram of the development process as a whole. It also guides you through the process of building your very first RTOS application.

2.1 What is an RTOS Project?

This chapter first discusses in detail the files that are involved in an RTOS project. In the remaining sections an example project is created.

The basic ideas of an RTOS project are listed below:

1. An RTOS project is a “normal” Altium Designer project where you must add a file written in the OSEK Implementation Language (OIL) to the project members. This file has the extension `.oil` and contains the specific details of the system configuration. We refer to it as the *application OIL file*.



See Chapter 3, [OIL Language](#)

2. One and only one of the project members can have the extension `.oil`. The application OIL file first includes a target specific *implementation OIL file* (`#include <osek\osek.oil>`) which is delivered with the product, followed by a user defined part with all details for the configuration of your RTOS application.
3. By adding an OIL file to the list of project members, an extra project dependency is created in the project makefile. The makefile now contains the rules to generate a special RTOS library from the OIL file.

In fact, the makefile calls the *TASKING OIL Compiler* (TOC) which compiles the application OIL file. The TOC compiler outputs a number of configurational files, written in C source code. These files are used to build a dedicated RTOS library with the same name as the `.oil` file. This library is then linked together with the rest of the application. The compiler and assembly options of the project prevail while building the RTOS library (only some compiler optimizations may change).



The RTOS library is only rebuilt upon changes in the OIL file since it constitutes its only dependency. Changes in the application software will not affect the RTOS library.

4. In your application source code files you must include the OSEK/VDX standard OS and COM interfaces (`osek.h`) to compile.



When you use the Notification Flag mechanism, you must also include the file `flag.h` in your application source code files.

5. The RTOS system services used in the application software are extracted from the RTOS library during the linking phase.

The following table lists the files involved in an RTOS project:

Extension	Description
Application source files	
*.c / *.h / *.asm	C source files, header include files and optional hand coded assembly files are used to write the application code. These files must be members of your (Altium Designer) project and are used to build application objects.
mytypes.h	You need to write <code>mytypes.h</code> when using messages with non basic CDATATYPE attributes.
The application OIL file and the configurational files	
user.oil	You must write exactly one <i>application OIL file</i> to configure the RTOS library. It is the only <code>.oil</code> member of the project and contains the input for the TASKING OIL Compiler (TOC).
g_conf.c g_conf.h g_conf_types.h g_isrframe.c flag.h orti.txt	These configurational files are intermediate files (ANSI C) generated by the TOC compiler after processing the OIL file. The files <code>g_*</code> are compiled together with the RTOS source files to build the RTOS library of the project. The file ' <code>flag.h</code> ' is an extra interface for the application software. The file ' <code>orti.txt</code> ' is the runtime debug interface. They are rebuilt when you change your OIL file.
RTOS source files	
c_*.c c_*.h t_*.c t_*.h osek.h	The source code files of the RTOS are located in <code>\$(PRODDIR)\c51\osek\</code> They are used by all the RTOS projects to build their RTOS libraries. They should never be removed or modified. The RTOS application interface <code>osek.h</code> is located in <code>\$(PRODDIR)\c51\include\osek</code> and constitutes the only interface for your code as an RTOS user.
Implementation OIL file	
osek.oil	The <i>implementation OIL file</i> , which is located in <code>\$(PRODDIR)\c51\include\osek</code> , must be included from the OIL files of all RTOS applications. It imposes how and what can be configured in this current RTOS release. It should never be removed or modified.

Table 2-1: Project files

The next figure shows the relation between the files in an RTOS project and the development process.




Figure 2-1: Development process

2.2 The Design Environment "Altium Designer"

Design Environment

Altium Designer is a Windows application that facilitates working with the tools in the toolset and also offers project management and an integrated editor.

Altium Designer has three main functions: *Edit / Project management*, *Build* and *Debug*. The figure below shows how these main functionalities relate to each other and how the RTOS system is integrated.

With Altium Designer you can write, compile, assemble, link, locate and finally debug RTOS applications.




Figure 2-2: Altium RTOS integrated in Altium Designer

In the **Edit** part you make all your changes:

- Create and maintain a project and add a file *user.oil* to it
- Edit the source files in a project
- Edit the *user.oil* file
- Set the options for each tool in the toolset

In the **Build** part you build your files:

- A makefile (created by the Edit part) is used to invoke the needed toolset components, resulting in an absolute object file. The makefile rebuilds the RTOS library if the OIL file has changed.

In the **Debug** part you can debug your project:

- Call the TASKING debugger with the generated absolute object file. The debugger uses a special ORTI file (OSEK Run-time Interface) to retrieve information. This file is automatically generated by the TOC compiler

The next sections will guide you step-by-step through the most important steps of building a simple RTOS application.

2.3 Create a new Project Space for the MYRTOS Project

Before you create your own RTOS application you need to create an embedded software project.

Create a new embedded software project

1. Start Altium Designer.

Altium Designer opens.

2. Click on the **Go to Home page** button on the toolbar: 


*Look for the **Pick a task** section on your screen.*

3. From the **Pick a task** section, select **Embedded Software Development**.

4. Click on **New Blank Embedded Software Project**



The **Projects** panel opens. The new project file "Embedded Project1.PrjEmb" is shown. No documents are added to the project yet.



Now save your project. You are free to choose a name and a location for the project but you can also follow this example:

5. From the **File** menu, select **Save Project As...**

The Save [Embedded Project1.PrjEmb] As... dialog appears.

- In this dialog, browse to the folder <Altium Designer installation folder>\Examples\.
 - Create a new folder with the name firstrtos.
 - Browse to this folder.
 - Enter the file name for your project: myrtos.PrjEmb and make sure it is saved as type Embedded Software Project (*.PrjEmb).
6. Click on the **Save** button.

Add new files to the project

Now you can add files you want to be part of your project. You can either add existing files, or create and add new files. In this example, two new files are needed: `main.c` and `myrtos.oil`:

7. In the **Projects** panel, right-click on your project `myrtos.PrjEmb` and select **Add New to Project » C File**.

A new empty file with the name `Source1.C` is added to your project and opened.

8. From the **File** menu, select **Save As...**

The `Save [Source1.C] As...` dialog appears. Save your file as `main.c`.

9. In the **Projects** panel, right-click on your project `myrtos.PrjEmb` and select **Add New to Project » Text Document**.

A new empty file with the name `Doc1.Txt` is added to your project and opened.

10. From the **File** menu, select **Save As...**

The `Save [Doc1.Txt] As...` dialog appears. Save your file as `myrtos.oil`.

The new project is now ready to be edited.

Altium Designer automatically creates a *makefile* for the project (in this case `myrtos.mak`). This file contains the rules to build your application. Altium Designer updates the makefile every time you modify your project settings.



Note that because Altium Designer detected the presence of an `.oil` file, the makefile contains rules to generate also the RTOS library from the file `myrtos.oil`. You can check this for yourself by opening the file `myrtos.mak`.

2.4 Edit the Application Files

In order to get a working rtos project, you must edit `main.c` and `myrtos.oil`. It is not necessary to pay attention to the exact contents of the files at this moment.

Edit the user source code

1. As an example, type the following C source in the `main.c` document window:

```
#include <osek\osek.h>

DeclareTask(task0);
DeclareTask(task1);
DeclareTask(task2);
DeclareEvent(E1);
DeclareEvent(E2);
DeclareAppMode(AP1);

int main(int argc)
{
    (void)argc;
    StartOS(AP1);
    return 1;
}

TASK (task0)
{
    EventMaskType event;
    ActivateTask(task1);
    while(1)
    {
        WaitEvent(E1 | E2);
        GetEvent(task0,&event);
        ClearEvent(event);
        if (event & E1)
        {
            ActivateTask(task2);
        }
        else if (event & E2)
        {
            ActivateTask(task1);
        }
    }
}

TASK (task1)
{
    SetEvent(task0,E1);
    TerminateTask();
}

TASK (task2)
{
    SetEvent(task0,E2);
    TerminateTask();
}
```

2. Click on the **Save Active Document <Ctrl+S>** button to save this file.

Edit the user OIL file

1. Edit the myrtos.oil file with the following text:

```
#include <osek\osek.oil>

CPU myRTOS
{
    OS StdOS
    {
        STATUS            = EXTENDED;
        STARTUPHOOK       = FALSE;
        ERRORHOOK         = FALSE;
        SHUTDOWNHOOK      = FALSE;
        PRETASKHOOK       = FALSE;
        POSTTASKHOOK      = FALSE;
        USEGETSERVICEID  = FALSE;
        USEPARAMETERACCESS = FALSE;
        USERESSCHEDULER   = FALSE;
        ORTI              = TRUE;
    };

    EVENT E1;
    EVENT E2;
    APPMODE AP1;

    TASK task0
    {
        PRIORITY    = 5;
        SCHEDULE    = FULL;
        ACTIVATION  = 1;
        AUTOSTART   = TRUE {APPMODE=AP1;};
        EVENT      = E1;
        EVENT      = E2;
    };

    TASK task1
    {
        PRIORITY    = 5;
        SCHEDULE    = FULL;
        ACTIVATION  = 1;
        AUTOSTART   = FALSE;
    };

    TASK task2
    {
        PRIORITY    = 5;
        SCHEDULE    = FULL;
        ACTIVATION  = 1;
        AUTOSTART   = FALSE;
    };
};
```

2. Click on the **Save Active Document <Ctrl+S>** button to save this file.

2.5 Set the Project Options

The next step is to select a target processor and specify the options for the different parts of the toolset, such as the C compiler, assembler, linker and debugger.

1. From the **Project** menu, select **Project Options...**

*The Project Options dialog appears. Here you can specify options that are valid for the entire project. You can overrule the project options for the currently active file in the **Current File Options...** entry of the **Project** menu.*

2. From the the **Device** list at the top-right of the page, select **Altium » TSK51 » TSK51A**.
3. Expand the **C Compiler** entry and select **Memory Model**.
 - For the compiler memory model, select **Large: variables in XDATA**.
 - Enable the option **Allow reentrant functions**.
4. Expand the **Linker** entry and select **Stack/Heap**.
 - Enable the option **Expand system stack size if space left**.

For other pages you can make your own changes. If you have made all changes click **OK**.



The **Cancel** button closes the dialog without saving your changes. With the **Set To Installation Defaults** button you can restore the default project options (for all pages).

2.6 Build Your Application

If you have modified and saved the project files, you can actually build your first RTOS application. This results in an absolute object file which is ready to be debugged. You can build this project with default project options.

Build your Application

To build the currently active project:

- Right-click on your project `myrtos.PrjEmb` and select **Compile Embedded Project myrtos.PrjEmb**.

The OIL file is compiled and the RTOS library is built. All files together are compiled, assembled, linked and located. The resulting file is `myrtos.abs`.

After your application has been built, you can check the following for yourself:

- in your project folder, a dedicated folder with the name `myrtos.rtos` has been created
- the TOC tool has placed the generational files `g_conf.c`, `g_isrframe.c`, `g_conf_types.h` and `g_conf.h` in this directory
- the TOC tool has placed the configuration files `orti.txt` and `flag.h` in the project folder
- a library `osek.lib` has been created in the folder `myrtos.rtos` and it has been copied to your project folder with the name `myrtos.lib`.

You can compare the contents of this directory to the files shown in figure 2-1.

2.7 Debug Your Application

The application `myrtos.abs` is the final result, ready for execution and/or debugging. Since the RTOS environment supports ORTI files, you can easily gain access to RTOS information during the simulation of your application.

Make sure that `main.c` is the active file.

1. Right-click on your project `myrtos.PrjEmb` and select **Simulate**.
2. From the **View** menu, select **Workspace Panels » Embedded » RTOS**

The RTOS panel opens. In this panel you can easily obtain RTOS information. For example:

3. From the **Debug** menu, select **RTOS » Tasks**.

Before running the application, it is helpful to put breakpoints:

4. To toggle breakpoints on or off, click just in front of a source line. Set breakpoints at the following lines in the `main.c` source:
 - `WaitEvent(E1 | E2);`
 - `SetEvent(task0,E1);`
 - `SetEvent(task0,E2);`
5. To execute the application, press **F9**

*Or: click on the **Run the embedded program being debugged** button: ▶*

Every time you press the **F9** key, the program runs until the next breakpoint. Note the effect on the information in the tasks part of the RTOS panel: for example, in the column **NORUNS** (number of runs), you will see how often a particular task has been executed. The count updates every time you press the **F9** key.



3 The OSEK/VDX Implementation Language (OIL)

Summary

This chapter describes how you can configure your application with a file written in OIL (OSEK Implementation Language) language (which needs to be added to the project as a project member). The chapter ends with a working example of an OIL file.

3.1 Why an OIL Language

Purpose of the OIL language

The OSEK/VDX Implementation Language (OIL) language is used to configure the RTOS library. An OIL configuration file contains the definition of the application. The usage of OIL to configure OSEK/VDX systems enhances the portability of RTOS applications among different target processors.

Hand-coded or generated

Depending on the OSEK/VDX implementation you must either write the OIL file manually or you can use a graphical user interface which helps you create the OIL file.

3.2 What are the OIL System Objects?

Every version of OIL language defines syntactically and semantically a set of *OIL system objects*. These objects are defined in the OSEK standard. One of the system objects is CPU. This serves as a container for all other objects. Objects are defined by their attributes.



Refer to <http://portal.osek-vdx.org/files/pdf/specs/oil25.pdf> for detailed information.

3.2.1 Standard and Non-Standard Attributes

Every OIL system object has attributes that can hold values. According to the OIL standard, each object has at least a minimum mandatory set of attributes, called the *standard attributes*. Besides the standard attributes, an OSEK/VDX implementation may define additional attributes (*non-standard attributes*) for any OIL system object.

To configure a system for an specific OSEK/VDX implementation you need to instantiate and/or define OIL objects and assign values to their attributes.



An OSEK/VDX implementation can limit the given set of values for object attributes.

Since the *non-standard* attributes are OSEK/VDX implementation specific they are not portable. However, there are two reasons to justify non-standard attributes:

- they can address platform specific features
- they can provide extra configuration possibilities for a certain target

3.2.2 Overview of System Objects and Attributes

The next table shows the list of system objects with their standard attributes as defined by OIL2.5 and the non-standard attributes for the TSK51x/TSK52x. The non-standard attributes are marked italic.



Because the Altium RTOS supports only internal communication, the subset of objects and standard attributes differs from the OIL2.5 definition:

- MESSAGE object (Altium RTOS differs)
- NETWORK MESSAGE object (not present in Altium RTOS)
- COM object (Altium RTOS differs)
- IPDU object (not present in Altium RTOS)



In addition to the attributes listed in the table below, there are a number of non-standard attributes which are not included in this table. These extra attributes all start with the keyword WITH_AUTO and take AUTO as their default value (you can search for them in the file `osek.oil`). This subset of attributes can be considered as internals of the implementation and are not user configurable. Instead, the TOC tool initializes them.

OIL system object	Description	Standard Attributes <i>Non Standard Attributes</i>
CPU	The CPU on which the application runs under the RTOS control. Container of all the other objects.	
OS	The OS that runs on the CPU. All system objects are controlled by OS.	STATUS STARTUPHOOK ERRORHOOK SHUTDOWNHOOK PRETASKHOOK POSTTASKHOOK USEGETSERVICEID USEPARAMETERACCESS USERESSCHEDULER LONGMSG MULTISTART ORTI STACKMONITOR USERTOSTIMER CORE EXTDATASIZE SMAINSTACK VISRSTACK
APPMODE	Defines different modes of operation for the application.	
ISR	Interrupt service routines supported by OS.	CATEGORY RESOURCE [] MESSAGE [] LEVEL ENBIT
RESOURCE	The resource that can be occupied by a task.	RESOURCEPROPERTY
TASK	The task handled by the OS.	PRIORITY SCHEDULE ACTIVATION AUTOSTART RESOURCE [] EVENT [] MESSAGE [] SSTACK VSTACK
COUNTER	The counter represents hardware/software tick source for alarms.	MAXALLOWEDVALUE TICKSPERBASE MINCYCLE
EVENT	The event on which tasks may react.	MASK

OIL system object	Description	Standard Attributes Non Standard Attributes
ALARM	The alarm is based on a counter and can either activate a task or set an event or activate an alarm-callback routine.	COUNTER ACTION AUTOSTART
MESSAGE	The message is defined in OSEK COM and defines a mechanism for data exchange between different entities (tasks or ISRs)	MESSAGEPROPERTY NOTIFICATION
COM	The communication subsystem. The COM object has standard attributes to define general properties for the interaction layer.	COMERRORHOOK COMERRORGETSERVICEID COMUSEPARAMETERACCESS COMSTARTCOMEXTENSION COMAPPMODE [] COMSTATUS
NM	The network management subsystem.	

Table 3–1: OIL objects and their standard and non-standard attributes

3.2.3 Non-Standard Attributes for the TSK51x/TSK52x

This section describes the non-standard attributes, which are specific for the TSK51x/TSK52x.



Please refer to the OSEK/VDX OIL documentation for the semantics of all standard attributes.

OS object

CORE

The CORE attribute specifies the Processor Definition of the project. The type of this attribute is ENUM and has one of the following values:

TSK51A, TSK52A, TSK52B

The default value is TSK51A.

EXTDATASIZE

The EXTDATASIZE attribute indicates the maximum size (in bytes) of the extended data section. The extended data section resides in the internal data area and it is used for extra register allocation. You define the maximum size of this area with the compiler option `-x` (default is 4 bytes). Since this area is shared by all tasks, the RTOS needs to save/restore it during context switch (it is part of the context of the task). The type of this attribute is UINT32 and the default value is 4 bytes.



You need to update this attribute everytime you change the option `-x` of the compiler.

LONGMSG

The LONGMSG boolean attribute determines whether Category 2 ISRS are suspended during the copy of messages from the RTOS buffers to the application or vice versa. If set to TRUE, the RTOS expects long messages, so the interrupts will not be suspended. This is at the cost of extra handling. The default value is FALSE.

MULTISTART

The MULTISTART boolean attribute specifies whether the system is allowed to start the RTOS more than once (undergoing application resets via the usage of `ShutdownOS()`). It has a default value of FALSE.



See section 4.5, [The Shut-Down Process](#) in chapter *Startup Process*.

ORTI

With the ORTI attribute you can request the RTOS to provide the debugger with as much RTOS debug information as possible via the ORTI interface. If you set this attribute to TRUE, the run-time performance suffers from extra overhead that should be avoided in final production. (If you set this attribute to FALSE, not all debug information will be available to the debugger). The type of ORTI is BOOLEAN. It has a default value of FALSE.

SMAINSTACK

The SMAINSTACK attribute specifies the maximum usage (in bytes) of the system stack before the application starts the RTOS with the system service *StartOS*. The RTOS allocates a dedicated buffer to save these bytes. You can easily find the best value by comparing the value of the system stack pointer after `main` and before the call to *StartOS*.

The type of this attribute is `UINT32`. It has a default value of 8.

STACKMONITOR

With the STACKMONITOR attribute you can request the RTOS to monitor continuously possible stack overflows for you.

Although expensive in run-time performance, the RTOS will inform you as soon as possible with the precise cause of the stack overflow. The default value is `FALSE`.



See Appendix B, [Stack Overflow](#), for an extensive description of this attribute.

USERTOSTIMER

The USERTOSTIMER is a parametrized boolean attribute which determines whether ALARM OIL objects based on the system counter have been configured in the system.

If set to `TRUE`, the RTOS provides the interrupt framework for the timer unit and the application provides its initialization. In this case, you must set the parameter `RTOSTIMERLEVEL` with the entry of the timer unit in the Interrupt Vector Table. The type of `RTOSTIMERLEVEL` is `UINT32`. It has no default value.

The default value for USERTOSTIMER is `FALSE`.

VISRSTACK

The RTOS allocates a dedicated buffer for the run-time virtual stacks of the interrupts. The VISRSTACK attribute specifies the size of this buffer (in bytes). You should consider the worst case scenario (maximum nested number) and the RTOS contribution (see Appendix A, [Implementation Parameters](#)).

The type of this attribute is `UINT32`. The default value is 100 bytes.

ISR object

ENBIT

The ENBIT attribute specifies the SFR register bit that enables/disables the ISR. The type of this attribute is `STRING`. It has no default value.

Check the `.sfr` files in `$(PRODDIR)\c51\include` to find the appropriate `.sfr` file name.

LEVEL

The LEVEL attribute specifies the entry in the Vector Interrupt Table.

The RTOS source code uses this value as argument for the `__interrupt` function qualifier. The type of this attribute is `UINT32`. It has no default value.

TASK object

SSTACK

The SSTACK attribute specifies the contribution of the task to the system stack (in bytes). The type of this attribute is `UINT32`. The default value is 30.



Section 5.7.2, [The System Stack](#), in Chapter *Task Management*.

VSTACK

The VSTACK attribute specifies the contribution of the task to the virtual stack (in bytes). The type of this attribute is `UINT32`. The default value is 60.



Section 5.7.3, [The Virtual Stack](#), in Chapter *Task Management*.

3.3 The Structure of an OIL File

The complete OIL configuration consists of two parts (files):

- *Implementation Part*: Definition of the OIL system objects with their standard and implementation specific features (the standard and non-standard attributes). The implementation part is delivered with the product as a separate *system OIL file* which you must include before the application part. The file is named `osek.oil` and should never be modified. It is located in the OSEK directory of the general include directory of the toolset.
- *Application Part*: Defines the structure of the application located on the particular CPU. For every RTOS application, you must write an application part (or: *user OIL file*). In this file you instantiate objects that are defined in the implementation part. The user OIL file must therefore include the system OIL file, like you include header files in a C source.

The Application Part is slaved to the Implementation Part. In object oriented terminology we would say that the Implementation Part contains the “class definitions” of all OIL objects for all projects. In a specific project the “classes” are instantiated in the Application Part of the OIL configuration file.

For example: In the Implementation Part an OIL object `TASK` exists which defines `PRIORITY` as one of its attributes. In the Application Part you must now instantiate classes of the kind `TASK` and give values to their `PRIORITY` attributes.

Restrictions

- At least one CPU object must be defined in the Application Part and it must be defined first since it is the container object for all other objects defined in the configuration. All the other objects are defined inside the CPU object.
- One and only one OS object can reside in each CPU container since it defines global characteristics for the system (CPU speed, RTOS hardware resources etc. are typical). OSEK/VDX implementations usually add many non-standard attributes in this object.
- One and only one COM object can reside in each CPU container.



With an OIL generator tool, a friendly GUI interface will guide you in the process of configuring the Application Part of the OIL file and it will output a syntactically correct OIL configuration file for you. Without such a tool you must hand-code the Application Part (taking care of its grammatical correctness) of the OIL file.

3.3.1 Implementation Part

The Implementation part of the OIL file is delivered with the product in the file `osek.oil`. You can find this file in the general include directory of the toolset. This file, the *Implementation OIL file*, represents a mandatory interface for the Application OIL part in the OIL file of all projects.

3.3.2 Application Part

The Application OIL part contains all instances of OIL objects for a given application. Below you will find an example of how an OIL file may look like.

You must select proper names for the OIL objects since they become variables with global scope (and with type `ObjectType`). For instance, if you define in the OIL file an EVENT object *download*, you cannot define a function with such a name in your source code (the least you can expect is link errors).

```
#include <osek\osek.oil>

CPU Sample_CPU1
{
    OS StdOS
    {
        STATUS            = EXTENDED;
        STARTUPHOOK       = TRUE;
        ERRORHOOK         = TRUE;
        SHUTDOWNHOOK      = TRUE;
        PRETASKHOOK       = TRUE;
        POSTTASKHOOK      = TRUE;
        USEGETSERVICEID   = TRUE;
        USEPARAMETERACCESS = TRUE;
        USERESSCHEDULER   = TRUE;
        MULTISTART        = TRUE;
        STACKMONITOR      = TRUE;
        ORTI              = TRUE;
    };

    APPMODE AUTOSTART {};
    APPMODE NONAUTOSTART {};
    EVENT intervaldelay;
    RESOURCE sem_printf { RESOURCEPROPERTY = STANDARD; };
    RESOURCE sem_out    { RESOURCEPROPERTY = STANDARD; };

    TASK init
    {
        PRIORITY    = 7;
        SCHEDULE     = NON;
        ACTIVATION   = 1;
        RESOURCE     = sem_out;
        AUTOSTART    = TRUE
        {
            APPMODE=AUTOSTART;
            APPMODE=NONAUTOSTART;
        };
    };

    TASK monitor
    {
        PRIORITY    = 9;
        SCHEDULE     = FULL;
        ACTIVATION   = 1;
        AUTOSTART    = FALSE;
        MESSAGE      = sendHandler1;
        MESSAGE      = sendHandler2;
        MESSAGE      = sendHandler3;
        MESSAGE      = recCommand;
    };

    MESSAGE sendCommand
    {
        MESSAGEPROPERTY = SEND_STATIC_INTERNAL
        {
            CDATATYPE = "myCommand";
            RECEIVER   = recCommand;
        };
    };
};
```

```
MESSAGE recCommand
{
    MESSAGEPROPERTY = RECEIVE_QUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendCommand;
        QUEUESIZE       = 5;
    };
    NOTIFICATION      = ACTIVATETASK
    {
        TASK = monitor;
    };
};

TASK bounce1
{
    PRIORITY      = 5;
    SCHEDULE      = FULL;
    ACTIVATION    = 1;
    AUTOSTART     = TRUE { APPMODE=AUTOSTART; };
    EVENT         = intervaldelay;
    MESSAGE       = recHandler1;
    RESOURCE      = sem_printf;
};

TASK bounce2
{
    PRIORITY      = 5;
    SCHEDULE      = FULL;
    ACTIVATION    = 1;
    AUTOSTART     = TRUE { APPMODE=AUTOSTART; };
    EVENT         = intervaldelay;
    MESSAGE       = recHandler2;
    RESOURCE      = sem_printf;
};

TASK bounce3
{
    PRIORITY      = 5;
    SCHEDULE      = FULL;
    ACTIVATION    = 1;
    AUTOSTART     = TRUE { APPMODE=AUTOSTART; };
    EVENT         = intervaldelay;
    MESSAGE       = recHandler3;
    RESOURCE      = sem_printf;
};

TASK trsi
{
    PRIORITY      = 11;
    SCHEDULE      = FULL;
    ACTIVATION    = 1;
    AUTOSTART     = FALSE;
    RESOURCE      = sem_out;
};

COUNTER crsi
{
    MAXALLOWEDVALUE = 500;
    TICKSPERBASE    = 1;
    MINCYCLE        = 3;
};
```

```
ALARM arsi
{
    COUNTER    = crsi;
    ACTION     = ACTIVATETASK { TASK = trsi; };
    AUTOSTART  = TRUE
    {
        CYCLETIME = 200;
        APPMODE   = AUTOSTART;
        ALARMTIME = 200;
    };
};

ALARM ainterval1
{
    COUNTER    = SYS_TIMER;
    ACTION     = SETEVENT
    {
        TASK      = bounce1;
        EVENT     = intervaldelay;
    };
    AUTOSTART  = FALSE;
};

ALARM ainterval2
{
    COUNTER    = SYS_TIMER;
    ACTION     = SETEVENT
    {
        TASK      = bounce2;
        EVENT     = intervaldelay;
    };
    AUTOSTART  = FALSE;
};

ALARM ainterval3
{
    COUNTER    = SYS_TIMER;
    ACTION     = SETEVENT
    {
        TASK      = bounce3;
        EVENT     = intervaldelay;
    };
    AUTOSTART  = FALSE;
};

MESSAGE sendHandler1
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE = "int";
        RECEIVER  = recHandler1;
    };
};
```

```
MESSAGE sendHandler2
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE = "int";
        RECEIVER = recHandler2;
    };
};

MESSAGE sendHandler3
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE = "int";
        RECEIVER = recHandler3;
    };
};

MESSAGE recHandler1
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendHandler1;
        INITIALVALUE = 3 ;
    };
};

MESSAGE recHandler2
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendHandler2;
        INITIALVALUE = 3;
    };
};

MESSAGE recHandler3
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendHandler3;
        INITIALVALUE = 3;
    };
};

COM Com
{
    COMERRORHOOK = TRUE;
    COMUSEGETSERVICEID = TRUE;
    COMUSEPARAMETERACCESS = TRUE;
    COMSTARTCOMEXTENSION = TRUE;
    COMSTATUS = COMEXTENDED;
};

}: "CPU Sample application";
```

3.4 Preprocessor Commands

The OIL preprocessor allows the following preprocessor commands:

- `#include "file" or #include <file>`
- `#define A` (Define without macro replacement)
- `#ifdef A`
- `#ifndef A`
- `#else`
- `#endif`
- `#undef A A_REPL` (Define with macro replacement)
`#use A`



It is highly recommended to divide the functionality of the OIL file into separated files. The syntax is the same as in ISO/ANSI-C.

The OIL preprocessor accepts C++ -style comments (`/* */` and `//`). C++ rules apply.

Examples

In file `appl.oil`:

```
#define APP1
```

In file `conf.oil`

```
#include "appl.oil"

#ifdef APP1
#use taskconf    PRIORITY    = 6; \
                  ACTIVATION  = 2;

#else

#ifdef APP2
#use taskconf    PRIORITY    = 7; \
                  ACTIVATION  = 1;

#endif
```

In file `myoil.oil`:

```
#include "conf.oil"

TASK myTask
{
    #use          taskconf
    SCHEDULE      = FULL;
    AUTOSTART     = FALSE;
    ...
}
```



4 The Startup Process

Summary

This chapter explains what happens inside the system from application reset until the first application task is scheduled and describes how you can interfere with the start-up process by customizing certain Hook Routines.

4.1 Introduction

This chapter details the various phases the system undergoes from CPU reset until the first application task is scheduled. You can intervene in this process via the *Hook Routines* and the *Application Modes*.



Please refer to the OSEK/VDX OIL documentation for details about the Hook Routines and Application Modes.

The startup process includes the following phases:

1. System boot
2. C entry point `main()`
3. StartOS
4. RTOS initialization phase: Hook Routines

After the startup process the first task is scheduled.

4.2 System Boot

When the processor first starts up, it always looks at the same place in the system ROM memory area for the start of the system boot program. The boot code runs sequentially until it reaches the point where it jumps to the label `main`. This code runs, of course, in the absence of the operating system.

In general, embedded systems differ so much from each other that the boot code tends to be almost unique for each system. You can create the system boot in two ways:

1. Reuse the standard startup code provided by the toolset and enhance it (if necessary) to suit the specific needs of your hardware. The standard startup code merely contains what is necessary to get the system running. It is easy configurable via **Project Options** in the **Project** menu.
2. You may decide to create the system boot code if some board specific actions need to be taken at a very early stage. Some of the most common actions are:
 - Initialization of critical microprocessor registers (including standard pointers like the stack pointer).
 - Initialization of specific peripheral registers for your unique hardware design.
 - Initialization of all static variables (using the delivered `_init` routine).
 - Distinguish the source of processor reset (hard or soft reset, power-on reset, watchdog, ...).
 - Addition of some power-on tests.
 - Call the label `main()` to start the application.

4.3 The main() Module

At the moment of entering `main()` only minimal controller initialization has occurred. At this point the application can run extra (application-specific) initialization routines before the RTOS starts. This code cannot call an RTOS system service.

The OSEK/VDX standard defines a service to start the operating system:

```
void StartOS(AppModeType);
```

4.3.1 What are Application Modes?

Application Modes allow you (as a matter of speaking) to have “multiple” applications in one single image. Application Modes allow application images to structure the software running in the processor depending on external conditions. These conditions must be tested by the application software upon system reset. The difference in functionality between applications that start in different modes is determined by:

- Which tasks and which alarms automatically start after the RTOS initialization.
- Mode-specific code (the mode can be detected at run time by using the system service *GetActiveApplicationMode*).

You define (and set all these dependencies) in the OIL file of the project. The OSEK/VDX does not set a limit for the number of Application Mode objects. See Appendix A, [Implementation Paramaters](#), for the maximum number of application modes in this implementation.

4.3.2 Defining Application Modes

The application modes are strongly related to the decisions you take at system architecture level. The following example of an ATM (Automated Teller Machine) illustrates this dependency.

Let us assume an ATM which must meet the following system requirement: “The ATM software shall be upgraded locally at high speed and being service affecting”.

How could we implement a solution for such a scenario? The software can be designed in such a way, it has two mutually exclusive modes: a download mode and mode for normal operation. In this example, an external pin must be read before the RTOS starts (after reset) to distinguish between the modes: if the pin is not asserted, the image starts in ‘normal mode’, if asserted the image starts in ‘download mode’.

The download process takes place locally: to download a new image, an operator must go to the ATM location. The operator must, in order, (1) open the ATM box, (2) assert the pin, (3) reset the machine to start it in download mode, (4) download the image from a notebook, (5) deassert the pin, (6) reset the machine to start it in normal operation mode, (7) close the ATM box. Obviously while downloading a new image, the ATM is out of service.

In the OIL file you would define two APPMODE objects like:

```
APPMODE NORMAL {};  
APPMODE DOWNLOAD {};
```

In NORMAL operation mode the ATM machine is ready to address customer queries. A task is started that offers, for example, a tactile-graphical interface waiting for customer queries, another task maintains a link with a bank database to update the customer latest data a third task interfaces with the paper money repository.

In DOWNLOAD operation mode, the ATM machine starts a task to process download messages over a fast serial line. Another task flashes the image to the target read only memory. The system is entirely dedicated to download purposes.

Code example

OIL file

You define application modes in the OIL file like:

```
APPMODE NORMAL {};  
APPMODE DOWNLOAD {};
```

C source file

In the application source code, like with all other OIL objects, you need to declare the application mode before using it:

The example assumes that the system boot code passes the type of reset as `resetparam`. The application is designed so that the execution flow returns to the boot code when the RTOS shuts down.

```
DeclareAppMode(mode);

AppModeType GetAppMode(void)
{
    AppModeType mode;
    /* check if the pin has been asserted */
    if (PinIsAsserted())
    {
        /* 'StartOS' shall start in DOWNLOAD mode */
        mode = DOWNLOAD;
    }
    else
    {
        /* 'StartOS' shall start in NORMAL mode */
        mode = NORMAL;
    }
    return mode;
}

int main(int resetparam)
{
    ResetType reset = resetparam;
    AppModeType mode;
    /* common initialization for all modes */
    InitInCLevel();
    /* different action depending on reset type */
    InitSystem(reset);
    /* find out the run time current mode */
    mode = GetAppMode();
    /* start the OS for current mode */
    StartOS(mode);
    ...
    return 1;
}
```

`StartOS()` is the one and only method defined by the OSEK/VDX standard in which you can define the Application Mode for the current system environment. To change modes, the application must first shutdown and then the RTOS must restart using a the new mode.

4.3.3 Changing Application Modes: Application Reset.

Since sending operators across the whole ATM network is inefficient and costly, a new system requirement could arise: "The ATM software shall be upgraded remotely at high speed and being service affecting".

Identically two mutually exclusive modes keep coexisting but no operator is needed (on location). How do we implement such a solution?

The ATM software can receive a command to change its mode (the system shuts down and starts again with the other mode). In order to download the following steps, in order, are necessary: an operator in the bank headquarters issues remotely a command to enter download mode, the ATM software undergoes an application reset and starts up again the link in download mode, the operator sends download commands over the link and when the new image has been downloaded, a command to enter normal mode is issued. The ATM undergoes a second application reset and starts the new image in normal mode.

You should then implement a function like `ChangeMode()` in order to change the mode:

```
void ChangeMode(AppModeType mode)
{
    if (mode != GetActiveApplicationMode() )
    /* GetActiveApplicationMode returns the current application mode */
    {
        CurrentMode = mode;
        ShutdownOS(E_OK);
    }
    return;
}
```

In NORMAL mode, the application calls this routine when it has been signaled remotely to start downloading an image. First a global variable is updated to indicate the desired next mode and then the system shuts down with the system service `ShutdownOS()`. The implementation makes sure that after the execution of this system service the system effectively returns from the API that started the RTOS, thus from `StartOS()`.

The `main()` code should now be changed to:

```
static AppModeType CurrentMode = NORMAL;

int main(int resetparam)
{
    ResetType reset = resetparam;
    InitInCLevel();
    InitSystem(reset);
    while (1)
    {
        StartOS(CurrentMode);
    }
    return 1;
}
```



The non-standard attribute `MULTISTART` of the OS object must be defined as `TRUE` in the OIL file because `StartOS()` can be called more than once. Only in systems where application resets will never occur, the value of the `MULTISTART` attribute can be set as `FALSE`. This saves code and data size.

Dependency on the System Requirements

An ATM machine could enter temporarily the download mode, “out of service”, without causing great disaster (at most some customers will be bothered to try other ATMs nearby). But could a telecommunication router stop performing its normal traffic operation because it is upgrading remotely its software? This depends strongly on the system requirements.

Let us assume then a system requirement: “The ATM software shall be upgraded remotely at low speed and being non-service affecting”.

Downloading is performed in the background, mingled with the other components, in normal operation. In such system there is no “download” mode.

4.3.4 Non-mutually Exclusive Application Modes

So far we think of application modes as performing mutually exclusive tasks. Although this describes well the general case it should not be taken as a dogma. Let us think what happens in the following mental example.

Imagine a rack system composed of three identical boards where functionality depends on their position in the rack. If the functionality is very different we would possibly maintain three software images.

But what happens if their functionality is almost identical? It would be then convenient to distinguish three modes (for each position) and determine at run time which code to execute (the system service *GetActiveApplicationMode* will specify the current position in the rack).

The benefits are obvious: it eases the factory programming process (only one software image) and the boards will become interchangeable.

4.4 The RTOS Initialization

This section shows what happens inside the system from the moment that you call `StartOS()` until the first application task is scheduled and explains how you can intervene in this process.

The RTOS performs the following actions during the initialization process:

1. The RTOS initializes some internal data structures on the basis of what is stated in the OIL file. In particular, it prepares autostarting tasks and alarms to start running.
2. The RTOS hardware timer is initialized.

The unit of time is the *system tick* (defined as the interval between two consecutive hardware clock interrupts). The implementation parameter OSTICKDURATIONINMSCS defines the length (in milliseconds) of the system tick.

Not all applications need a system counter (only those with ALARM OIL objects based on the system counter). You determine this with the non-standard attribute USERTOSTIMER.

When USERTOSTIMER is set to TRUE:

- The RTOS builds the framework for the system counter interrupt.
- Due to the amount of derivatives/systems it must still be you who actually initializes the hardware clock. In fact, you must provide a definition for the Interface:

```
void InitRTOSTimer(void);
```

If the USERTOSTIMER attribute in the OIL file is set but you do not define the InitRTOSTimer routine in your source, the linking phase fails because it encounters unresolved externals.



See section 8.2.2. [The RTOS System Counter](#).

3. The RTOS calls the hook routine StartupHook (provided that you have assigned the value TRUE to the STARTUPHOOK attribute of the OS object in the OIL file):

```
void StartupHook(void);
```



If the STARTUPHOOK attribute in the OIL file is set but you do not define the StartupHook routine in your source, the linking phase fails because it encounters unresolved externals.

During the lifetime of the StartupHook routine all the system interrupts are disabled and you have only restricted access to system services. The only available services are GetActiveApplicationMode() and ShutdownOS().

You should use this hook routine to add initialization code which strongly relies on the current selected Application Mode.

```
void StartupHook(void)
{
    AppModeType mode = GetActiveApplicationMode();
    switch (mode)
    {
        case NORMAL:
            InitLinkBankDriver();
            break;
        case DOWNLOAD:
            InitLinkServerDriver();
            InitFlashDriver();
            break;
        default:
            ShutdownOS(E_OK);
            break;
    }
    return;
}
```

4. The RTOS enables all system interrupts
5. The RTOS executes the highest priority task ready to execute.



If you define the AUTOSTART attribute as FALSE for all TASK objects in the OIL file, the system enters directly into an RTOS-defined idle state. The system then waits for external events.

4.5 The Shut-down Process

The OSEK/VDX standard defines a service to shut-down the operating system:

```
void ShutdownOS(StatusType);
```

1. You can directly request the ShutdownOS routine. In this case, you must define your own set of shut-down reasons: error codes.

```
#define E_APP_ERROR1      64
#define E_APP_ERROR2      65
...
...
#define E_APP_ERROR192    255

(0-63 are reserved for the RTOS code)
```

As soon as your application encounters error *N*, the ShutdownOS routine must be called with E_APP_ERRORN as parameter:

```
ShutdownOS(E_APP_ERRORN);
```

2. The ShutdownOS routine can also be reached internally by the operating system in case the RTOS encounters an internal fatal error.

The possible RTOS error codes then are:

```
E_OS_SYS_ERROR
E_OS_SYS_VALUE
E_OS_SYS_UOFLW
E_OS_SYS_SOFLW
E_OS_SYS_TOFLW
E_OS_SYS_RTOFLW
E_OS_SYS_RUNLEVEL
```



The RTOS error codes are defined in `osek.h`, and described into more detail in Section 4.6, [Shut-down RTOS Application Errors](#).

In (the body of) ShutdownOS(), the RTOS calls the hook routine ShutdownHook, provided that you have assigned the value TRUE to the SHUTDOWNHOOK attribute of the OS object in the OIL file.

```
void ShutdownHook(StatusType);
```



If the SHUTDOWNHOOK attribute in the OIL file is set but you do not define the ShutdownHook routine in your source, the linking phase fails because it encounters unresolved externals.

During the lifetime of the ShutdownHook routine all system interrupts are disabled and the only available service is GetActiveApplicationMode().

The OSEK/VDX standard allows you to define any system behavior in this routine, including not returning from the function at all. In any case, you should always check for both application and RTOS error codes. Typical actions would be:

- If you run with a debugger, always set a breakpoint in this routine to study the nature of the possible shutdown reasons.
- In absence of a debugger, use a logging mechanism (be aware that ISR2 are temporarily disabled).
- In case a fatal error is encountered, you should force the system to shut down (or hardware reset). All RTOS errors are (by definition) fatal and you should decide whether any of your own application errors should also be considered fatal (if any).
- You could use the ShutdownOS() instead to force the system to undergo application software resets. You should then set the non-standard attribute MULTISTART to true.

See also section 4.3.3, [Changing Application Modes: Application Reset](#). The control then must be given to the application in main() where the RTOS should be re-started again.

In case you decide to return from ShutdownHook, the RTOS cleans up all opened objects and returns from the previous call to StartOS(). The control is given back to the application in main().

Example of a Shut-down routine

The next example illustrates how a typical ShutdownOS hook routine can look like.

```
/* hardware reset */
extern void Reset(void);

/* handles application error N */
extern void HandlerErrorN(StatusType Error);

/* handles stack overflow */
extern void HandlerStackOverflow(StatusType Error);

void ShutdownHook (StatusType Error)
{
    switch(Error)
    {
        case E_APP_ERRORN:
            /* application handler for error N */
            HandlerErrorN(Error);
            break;

        case E_APPL_RESET:
            /* Example of "good" application reset */
            break;

        case E_OS_SYS_UOFLW:
        case E_OS_SYS_SOFLW:
        case E_OS_SYS_TOFLW:
            /* Stack Overflow handler */
            HandlerStackOverflow(Error);

        case E_OS_SYS_ERROR:
        case E_OS_SYS_VALUE:
        case E_OS_SYS_RTOFLW:
        case E_OS_SYS_RUNLEVEL:
            /* RTOS internal fatal */
            default:
                /* Something undefined has happened */
                Reset();
                break;
    }
    /* return to main() */
    /* After returning, the RTOS will clean up all opened objects and
       return from the previous call to StartOS(). The control will be
       normally given back to the application in main(). */
    return;
}
```

4.6 Shut-down RTOS Application Errors

E_OS_SYS_ERROR	The RTOS finds himself in an undefined state.
E_OS_SYS_VALUE	The value of an RTOS variable has gone out of range.
E_OS_SYS_UOFLW	The stack of a user's task has overflowed.
E_OS_SYS_SOFLW	A system stack (interrupt stack, etc..) has overflowed.
E_OS_SYS_TOFLW	A target specific stack has overflowed.
E_OS_SYS_RTOFLW	A RTOS buffer has overflowed.
E_OS_SYS_RUNLEVEL	System services are called from tasks, interrupt service routines, hook routines, and alarmcall-backs. Depending on the system service, there may be restrictions regarding the availability. See the next table.

Service	Task	ISR cat 1	ISR cat 2	Error Hook	Pre Task Hook	Post Task Hook	Start up Hook	Shut Down Hook	alarm- call back
ActiveTask	V		V						
TerminateTask	V								
ChainTask	V								
Schedule	V								
GetTaskID	V		V	V	V	V			
GetTaskState	V		V	V	V	V			
Disable- AllInterrupts	V	V	V						
Enable- AllInterrupts	V	V	V						
Suspend- AllInterrupts	V	V	V	V	V	V			
Resume- AllInterrupts	V	V	V	V	V	V			
Suspend- OSInterrupts	V	V	V						V
Resume- OSInterrupts	V	V	V						V
GetResource	V		V						
ReleaseResource	V		V						
SetEvent	V		V						
ClearEvent	V								
GetEvent	V		V	V	V	V			
WaitEvent	V								
GetAlarmBase	V		V	V	V	V			
GetAlarm	V		V	V	V	V			
SetRelAlarm	V		V						
SetAbsAlarm	V		V						
CancelAlarm	V		V						
GetActive- ApplicationMode	V		V	V	V	V	V	V	
StartOS									
ShutdownOS	V		V	V			V		

Table 4-1: API service restrictions



5 Task Management

Summary

This chapter explains how the RTOS manages tasks (scheduling policies, tasks states, ..) and describes how you can declare TASK objects in the OIL file in order to optimize your task configuration.

5.1 What is a Task?

A task is a semi-independent program segment with a dedicated purpose. Most modern real-time applications require multiple tasks. A task provides the framework for the execution of functions. The RTOS provides concurrent and asynchronous execution of tasks. The scheduler organises the sequence of task execution including a mechanism which is active when no other system or application function is active: the *idle-mechanism*.

ECC2 OSEK/VDX Conformance CLASS

The concept of task is obviously the most important concept in the OSEK/VDX OS standard. In the standard, a task is either *basic* or *extended*, has a well defined static priority, is or not preemptable, can or cannot enter the *waiting* state, is or not the only owner of a priority level, and so on. All possible definitions of these attributes and their interrelation define four different conformance class levels: BCC1, BCC2, ECC1, ECC2.

This OSEK/VDX implementation is ECC2 compliant. The reason to choose this conformance class is simple: it includes all the others (any task developed for a BCCx-level can be used in a ECCx-level and any task written for an xCC1-level can be used in a xCC2-level). As a consequence of being ECC2 compliant:

- The number of task activations can be larger than one.
- The number of tasks occupying a particular priority level can be larger than one.
- Basic tasks are supported.
- Extended tasks are supported.

5.2 Defining a Task in the C Source



To configure a task, you must declare a specific TASK object in the user OIL file of the project and assign values to all of its attributes. Please refer to the OSEK/VDX documentation for detailed information about all possible attributes of a task and how to use them.

With the macro `TASK` you can define a task in your application. The name of the TASK object in the OIL file is passed as parameter to the macro.

You must always end the code of a task with the system service `TerminateTask` or `ChainTask` (regardless of whether the RTOS defines a resistant default behavior in case the task reaches a (forbidden) RET instruction). For example, to define the task *mytask*:

```
TASK(mytask)
{
    .
    . code for task 'mytask'
    .
    TerminateTask();
}
```

The OSEK/VDX implementation uses this macro to encapsulate the implementation-specific formatting of the task definition (*mytask* is the identity of the task and is of the type `TaskType`). During preprocessing, the C name of the function that correspond to the task is created by adding the prefix `'_os_u_'` to the task name. You can then view the function with the debugger using the mingled name: `'_os_u_mytask'`.

5.3 The States of a Task

A task goes through several different states during its lifetime. A processor can only execute one instruction at a time so, even when several tasks are competing for the processor at the same time, only one task is actually running. The RTOS is responsible of saving and restoring the context of the tasks when they undergo such state transitions

A task can be in one of the following states:

Task state	Description
running	The CPU is now assigned to the task and it is executing the task. Only one task can be in this state at any point in time.
ready	All functional prerequisites for a transition into the <i>running</i> state exist, and the task only waits for allocation of the processor. The scheduler decides which ready task is executed next.
waiting	A task cannot continue execution because it has to wait for at least one event (extended tasks only)
suspended	In the suspended state the task is passive and can be activated.

Table 5-1: Task States

5.3.1 Basic Tasks

A basic task runs to completion unless preempted by a higher priority task. Basic tasks can only exist in one of three states

- *suspended*
- *ready*
- *running*

So, a basic task cannot be in the *waiting* state.

A basic task can undergo only these next four transitions:

- *activation* (from *suspended* to *ready*).
- *start* (from *ready* to *running*).
- *preempted* (from *running* to *ready*).
- *terminate* (from *running* to *suspended*).

When the RTOS is started with `startOS()` a basic task is either in the *suspended* or *ready* state (depending on whether you set the `AUTOSTART` attribute of the `TASK` object in the OIL file to `FALSE` or `TRUE`). Based on later events, the basic task can flow through any of the four transitions.

Below is the OIL configuration for a basic non-autostarting task:

```
TASK NotActTask
{
    PRIORITY    = 5;
    SCHEDULE    = FULL;
    ACTIVATION  = 1;
    AUTOSTART   = FALSE;
};
```

The OIL configuration for an auto-starting task is:

```
TASK InitTask
{
    PRIORITY    = 9;
    SCHEDULE    = FULL;
    ACTIVATION  = 1;
    AUTOSTART   = TRUE { APPMODE = NORMAL; };
};
```

5.3.2 Extended Tasks

Extended tasks have one additional state, *waiting*. In this state the *extended* task waits for an event to occur to resume execution. While in this state, a task cannot be scheduled since it is not ready to run. Extended tasks can undergo two more transitions (additional to the transitions of basic states):

- *wait* (from *running* to *waiting*)
- *trigger* (from *waiting* to *ready*)

Because extended tasks are intrinsically related to *events* it is very easy to define in the OIL file whether a task is *basic* or *extended*. If the optional attribute **EVENT** exists for the **TASK** object, the task will be an *extended* task. Otherwise it is a *basic* task.

Below is the OIL configuration for an *extended* auto-starting task:

```
EVENT MonitorReadEvent;
TASK Monitor
{
    PRIORITY      = 7;
    SCHEDULE      = FULL;
    ACTIVATION    = 1;
    AUTOSTART     = TRUE { APPMODE = DOWNLOAD; };
    EVENT         = MonitorReadEvent;
};
```

5.4 The Priority of a Task

The scheduler decides on the basis of the task priority (precedence) which is the next of the *ready* tasks to be transferred into the *running* state. The value 0 is defined as the lowest priority of a task and it is reserved for the *idle* task.

To enhance efficiency, a dynamic priority management is not supported. Accordingly the priority of a task is defined statically: you cannot change it during execution.



In special cases the operating system can treat tasks with a lower priority as tasks with a higher priority. See Section 7.3, [The Ceiling Priority Protocol](#), in Chapter *Resource Management*.

Since this OSEK/VDX implementation is ECC2 compliant, more than one task with the same priority can execute. The implementation uses a first in, first out (FIFO) queue for each priority level containing all the *ready* tasks within that priority. Some facts about the *ready-queues* are listed below:

- Every *ready-queue* corresponds to a priority level.
- Tasks are queued, in activation order, in the *ready-queue* that corresponds to their static priority.
- All the tasks that are queued must be in the *ready* state.
- Since the *waiting* tasks are not in any *ready* queue, they do not block the start of subsequent tasks with identical priority.
- The *system priority* corresponds to the highest priority among all the non-empty *ready-queues*.
- The *running* task is the first task in the *ready-queue* with the *system priority*.
- A task being released from the *waiting* state is treated like the newest task in the *ready-queue* of its priority.
- The following fundamental steps are necessary to determine the next task to be processed:
 1. The scheduler searches for all tasks in the *ready/running* state
 2. From the set of tasks in the *ready/running* state, the scheduler determines the set of tasks with the highest priority.
 3. Within the set of tasks in the *ready/running* state and of highest priority, the scheduler finds the oldest task.

5.4.1 Virtual versus Physical Priorities

We define *virtual priority* of a task as "the priority of a task as it is given in the application OIL file".

We define *physical priority* of a task as "the real run-time priority of the task".

Let us think of an application OIL file with three TASK OIL objects defined such that:

```
TASK T1 { PRIORITY = 6; .. };
TASK T2 { PRIORITY = 4; .. };
TASK T3 { PRIORITY = 4; .. };
```

The "ready-to-run" array comprises all the ready queues of the system. In such a system there will be two "ready-queues" in the "ready-to-run" array, one per priority level.

The next figure shows the "ready-to-run" array where T1 is running and tasks T2 and T3 are ready (T2 being the oldest).

7	
6	<- T1
5	
4	<- T2 <- T3
3	
2	
1	
0	<- Idle

Figure 5-1: Virtual ready-to-run array

Now, what would, in terms of functionality, be the differences between this configuration and the next systems?

System A

```
TASK T1 { PRIORITY = 3; .. };
TASK T2 { PRIORITY = 1; .. };
TASK T3 { PRIORITY = 1; .. };
```

System B

```
TASK T1 { PRIORITY = 17; .. };
TASK T2 { PRIORITY = 9; .. };
TASK T3 { PRIORITY = 9; .. };
```

The equivalent "ready-to-run" arrays of such systems would then be:

4		
3	<- T1	
2		
1	<- T2 <- T3	
0	<- Idle	

System A

Figure 5-2: Virtual ready-to-run array for System A




Figure 5-3: Virtual ready-to-run array for System B

There are no functional differences. As soon as T1 undergoes the *wait* or *terminate* transition, T2 is scheduled. T2 can only be preempted by T1. T3 only runs after T2 undergoes a *wait* or *terminate* transition.

However, it is easy to infer from the diagrams that system A has the better run-time response of the system. In system B, for instance, there are 15 "useless" priority levels defined in the system. Besides these levels can never hold a ready task, the scheduler also wastes CPU cycles in checking them. And RAM area has been allocated for them. In a hard real-time system, these unnecessary checks must be avoided.

Since all this information can be interpreted beforehand by the RTOS code, all these configurations will end up in the same physical "ready-to-run" array:




Figure 5-4: Virtual ready-to-run array for System A and System B

Internally, the RTOS code deals always with "physical priorities". The maximum size of the "ready-to-run" array determines the upper limit for the number of physical priorities.

5.4.2 Fast Scheduling

Every physical priority level holds a "ready-queue". You can define multiple tasks with the same priority. However, if you define only one task per priority level, the scheduler becomes faster. In this situation the RTOS software does not have to deal with "ready-queues" but merely with pointers to the task control blocks.

Whenever possible, you should try to define only one TASK OIL object with the same value for its PRIORITY standard attribute. You will benefit not only from better run-time responses but also from smaller RAM and ROM sizes.

5.5 Activating and Terminating a Task

Tasks must be properly activated and terminated.

You can activate tasks directly from a task or interrupt level. To activate a task, use the system service

```
StatusType ActivateTask(TaskType task);
```

A task is activated by the RTOS code when:

- An alarm expires (with its attribute ACTION set to ACTIVATETASK).
- A message has been sent (with its attribute NOTIFICATION set to ACTIVATETASK).
- You configured a task to be activated during the RTOS startup. You must set the attribute AUTOSTART to TRUE and indicate under which application mode(s) the task must autostart.

```
APPMODE AppModel1;  
TASK autoT  
{  
    AUTOSTART = TRUE { APPMODE = AppModel1; };  
};
```

And the RTOS needs to be started in your C source:

```
DeclareAppMode(AppModel1);  
  
int main(int argc)  
{  
    StartOS(AppModel1);  
    return;  
}
```

After activation, the task is ready to execute from the first statement. The RTOS does not support C-like parameter passing when starting a task. Those parameters should be passed by message communication or by global variables.



See Chapter 10, [Interprocess Communication](#).

Since this implementation is ECC2 compliant, a task can be activated once or multiple times (the maximum number of activations is defined at system generation with the attribute ACTIVATE of the TASK object).

If you try to activate a task which is in *suspended* mode, the RTOS will move the task into the ready state.

If you try to activate a task which is not in *suspended* mode (the task is *ready*, *waiting* or *running* – self activation –), the RTOS will do the following, depending on the current number of activations:

- if the maximum number of activations, as set in the OIL file by the ACTIVATION attribute, has not been reached yet, the RTOS queues this activation request for further processing.
- if the maximum number of activations has been already reached, the system service returns E_OS_LIMIT as error code.

Upon termination of a task, the RTOS checks for previous activation requests. If such a requests exist, the RTOS will set the task to *ready*. Furthermore, if this task still has the highest priority of the system (which is normally the case unless another task with higher priority has been activated or awoken from an ISR2 or an alarm), the RTOS will immediately start this task again (with the initial context).

Example of Activating a Task

OIL file:

```
TASK Init { PRIORITY = 2; };
TASK activate
{
    PRIORITY      = 1;
    ACTIVATION    = 5
};
```

C source file:

```
TASK (activate) { TerminateTask(); }
TASK (Init)
{
    /* 'activate' task is set to ready */
    ActivateTask(activate);
    /* log new requests */
    for (i=1;i<5;i++)
    {
        if(E_OK != ActivateTask(activate))
        {
            /* never here - always E_OK -*/
            while(1);
        }
    }
    for (i=0;i<5;i++)
    {
        if (E_OS_LIMIT != ActivateTask(activate))
        {
            /* never here - always E_OS_LIMIT - */
            while(1);
        }
    }
    TerminateTask();
    /* Now 'activate' task will run five times */
    return;
}
```

Terminating a task

You must explicitly terminate a task with one of the system services:

```
void TerminateTask(void);      OR:
void ChainTask(TaskType);
```

The OSEK/VDX standard has an undefined behavior if the return instruction is encountered at task level.

Situations like demonstrated in the example should be avoided:

```
TASK (myTask)
{
    unsigned char var = readPulse();
    switch (var)
    {
        case READY:
            sendSignal();
            TerminateTask();
            break;
        case NONREADY:
            TerminateTask();
            break;
        default:
            break;
    }
    return;
}
```

Although apparently innocuous, the behavior of the whole system is completely undefined if `var` does not equal to `READY` or `NONREADY`. In that case the switch reaches `default` where the function is not properly terminated.

Be aware that calling `TerminateTask` from interrupts or from hook routines can bring the system to a complete undefined state. You should terminate tasks only from task level.

5.6 Scheduling a Task

A task can be scheduled with one of the following scheduling policies: *full-preemptable* and *non-preemptable* scheduling. You must assign a scheduling policy to every task in your application OIL file, setting the attribute `SCHEDULE` to either `FULL` or `NON`.

5.6.1 Full-preemptive Tasks

Full-preemptive scheduling means that the *running* task can be rescheduled at any moment by the occurrence of trigger conditions pre-set by the operating system. The *running* task enters the ready state, as soon as a higher-priority task becomes *ready*.

The rescheduling points for full-preemptive scheduling are:

- Successful termination of a task.
- Successful termination of a task with activation of a successor task.
- Activating a task at task level.
- Explicit wait call if a transition into the *waiting* state takes place.
- Setting an event to a *waiting* task at task level.
- Release of resource at task level.
- Return from interrupt level to task level.

If the tasks in the system are all *full-preemptive*, the scheduling policy of the system as whole is fully preemptive. During interrupt service routines no rescheduling is performed.

5.6.2 Non-preemptive Tasks

Non-preemptive scheduling means that task switching is only performed via an explicitly defined system services.

The explicit rescheduling points for non-preemptive tasks are:

- Successful termination of a task.
- Successful termination of a task with explicit activation of a successor task.
- Explicit call of the scheduler.
- A transition into the *waiting* state.

If the tasks in the system are all *non-preemptive*, the scheduling policy of the system as whole is said to be non-preemptive.

Be aware of the special constraints that non-preemptive scheduling imposes on possible timing requirements while designing your TASK objects. A non-preemptable task prevents all other tasks from CPU time so their execution time should be extremely short.

5.6.3 Scheduling Policy

In the most general case, the system runs with the so-called *mixed preemptive* scheduling policy (full-preemptable and non-preemptable tasks are mixed). The current scheduling policy depends on the preemption properties of the running task: non-preemptable or full-preemptive. If the *running* task has its SCHEDULE attribute set to FULL in the OIL file, the scheduling policy is fully preemptive. Otherwise the scheduling policy will be non-preemptive.

Typically an application will operate in mixed preemptive mode where most of the tasks can be safely preempted while the non-preemptable tasks constitute only a small subset among all tasks.

The code below shows the behavior of the system with a *mixed-preemptive* policy.

OIL file

```
EVENT  eT2_nP1;

TASK   T1
{
    SCHEDULE = FULL;
    PRIORITY = 4;
};

TASK   T2
{
    SCHEDULE = FULL;
    PRIORITY = 2;
};

TASK   nP1
{
    SCHEDULE = NON;
    PRIORITY = 3;
    EVENT    = eT2_nP1;
    AUTOSTART = TRUE { APPMODE = default; };
};

TASK   nP2
{
    SCHEDULE = FULL;
    PRIORITY = 4;
};
```

C source file

```
/* Like all other OIL objects you need to declare
   the tasks before you can use them in your code */
DeclareTask(T1);
DeclareTask(T2);
DeclareTask(nP1);
DeclareTask(nP2);
DeclareEvent(eT2_nP1);

TASK(T1)
{
    TerminateTask();
}
```

```
TASK(T2)
{
    SetEvent(nP1,eT2_nP1)
    TerminateTask();
}

TASK(nP2)
{
    TerminateTask();
}

TASK(nP1)
{
    /* T1,T2, nP2 are activated but they cannot preempt the running task */
    ActivateTask(T1);
    ActivateTask(T2);
    ActivateTask(nP2);
    /* ... */

    /* This call allows CPU scheduling to tasks with higher priority */
    Schedule();
    /* 1. T1 runs first and terminates */
    /* 2. nP2 runs and terminates */
    /* 3. nP1 resumes execution */
    /* <--- An ISR activates T1 */
    /* ... */

    WaitEvent(eT2_nP1);
    /* 1. T1 runs next and terminates */
    /* 2. Finally T2 runs. It sets 'eT2_nP1' to trigger again 'nP1' */
    /* ... */

    TerminateTask();
    /* T2 terminates */
}
```

5.7 The Stack of a Task

The memory usage becomes a crucial discussion point for small embedded applications. Thus, you need to know in great detail how the RTOS allocates memory for each of its tasks. You also need to know, as far as possible, how you can customize the process to the needs of a particular application. In particular, since this architecture offers no stack overflow protection mechanisms, you should take special care to avoid run-time stack overflows.



See Appendix B, [Stack Overflow](#), for an extensive discussion.

5.7.1 The Memory Model

The RTOS code is compiled with the *reentrant* model. This model favours context switching techniques since almost no copying needs to be done while saving/restoring the task.



You can still compile some parts of the application with the *large* memory model or the *mixed* memory model:

- You can compile a task with this model if none of its code and/or data is shared with other tasks.
- You can, in very exceptional cases, define an interrupt handler with the function qualifier `__interrupt` and compile it with the large model.

Since this piece of code runs beyond the scope of the RTOS, you must make sure that it executes always with the highest priority to prevent it from being preempted by an RTOS interrupt. Obviously, this handler cannot share neither code nor data with other routines or call system services.

These must be considered as extremely rare situations, under normal and desirable circumstances you will compile all code with the reentrant model.

With the reentrant model you make use of two stacks: the *system stack* and the *virtual stack*.

5.7.2 The System Stack

The system stack is used (using direct addressable internal RAM) for return addresses only. The stack is allocated in the indirect addressable internal RAM segment (`__idata`), together with the other internal data sections) and grows upwards.

Since every task must save its return addresses history at context switch, the RTOS saves and restores the system stack to a dedicated area in external RAM. You configure the size of this dedicated area per task with the non-standard attribute of the TASK OIL object `SSTACK`. Thus, you need to estimate the highest possible number of nested calls for every task.

Since tasks normally use RTOS system services, the contribution of the RTOS code to the system stack growth must be considered. The value of the maximum penetration depth of the RTOS code in the system stack (in bytes) is defined as `_os_RTOS_STSTACK` bytes. As a result, the value of the attribute `SSTACK` of a task that uses system services must be always higher than `_os_RTOS_STSTACK`. How much higher depends on the usage of the system stack by the code of that particular task.



See also Section 5.7.4, [Stack Implementation Parameters](#).



The dynamic size of the system stack influences the context switch time. To minimize this effect, you must avoid excessive use of nested function calls in your code.

5.7.2.1 The Run-Time System Stack

Since in this architecture an interrupt service routine also stores the return addresses in the same system stack, you must consider this contribution to avoid run-time system stack overflows, thus corrupting other internal data.

The RTOS code contributes to the system stack depth with `_os_RTOS_SISR1STACK` bytes for an interrupt service routine where no system services are used (Category 1), and with `_os_RTOS_SISR2STACK` bytes for an interrupt where system services are called (Category 2).



See section 9.4, [The Category of an ISR object](#), in Chapter *Interrupts* to learn what Category 1 and Category 2 interrupts are.

A final contribution for the system stack comes from the processor context (which is pushed on this stack before context switching). The size of the context is given (in bytes) by `_os_CONTEXTSIZE`.



See also Section 5.7.4, [Stack Implementation Parameters](#).

In the next figure you can see the worst case scenario of the usage of the system stack for a system where m Category 2 ISRs and n Category 1 ISRs can be nested.




Figure 5–5: System stack use: worst case

You configure the maximum run-time size for the system stack in the linker options of the project.

5.7.2.2 Saving the System Stack

The RTOS saves the system stack of the preempted task in a dedicated location in external memory. The memory reserved to save the system stack for every task is:

$SSTACK + _os_CONTEXTSIZE$.

This memory is allocated statically at compile time.

5.7.3 The Virtual Stack

The RTOS code is compiled in *reentrant* model. In this model, automatics and parameters are all accessed using a virtual stack pointer register, allocated as a 16-bit pointer in direct addressable internal RAM (label `__SP`). The virtual stack must be located in external RAM and grows downwards.

A task tracks the history of its automatics and parameters in a dedicated area in external data reserved by the RTOS, therefore having a virtual stack on its own. Context switching, for automatics and parameters, is as easy as changing the value of the virtual stack pointer. You can configure the size of these dedicated areas per task with the attribute `VSTACK` of the `TASK OIL` object.



Since tasks normally use RTOS system services, the contribution of the RTOS code to the virtual stack growth must be considered. The value of the maximum penetration depth of the RTOS code in the virtual stack (in bytes) is defined as `_os_RTOS_VTSTACK` bytes. As a result, the value of the attribute `VSTACK` of a task that uses system services must be always higher than `_os_RTOS_VTSTACK`. How much higher depends on the usage of the virtual stack by that particular task.



See also Section 5.7.4, [Stack Implementation Parameters](#).

5.7.3.1 The Run-Time Virtual Stack

Since an interrupt service routine also uses the virtual stack, you must measure this contribution to avoid run-time virtual stack overflows, thus corrupting other external data areas. The RTOS changes the value of the virtual stack pointer register upon entering an interrupt at first nesting level so that the automatics and parameters of the interrupt routines are pushed and popped in a dedicated area. The value is restored upon leaving an interrupt at first nesting level.

You configure the maximum contribution (in bytes) to the run-time virtual stack of the interrupts with the non-standard attribute `VISRSTACK` of the OS object. When you give values to this non-standard attribute, be aware that the RTOS code contributes to the system stack depth with `_os_RTOS_VISR1STACK` bytes for an interrupt service routine where no system services are used (Category 1), and with `_os_RTOS_VISR2STACK` bytes for an interrupt where system services are called (Category 2).



See section 9.4, *The Category of an ISR object*, in Chapter *Interrupts* to learn what Category 1 and Category 2 interrupts are.

See also Section 5.7.4, *Stack Implementation Parameters*.



The RTOS allocates then VISRSTACK bytes for the interrupt routines and VSTACK bytes for every task. These areas are allocated statically at compile time. If your application does not use ISR objects, you would define the VISRSTACK attribute as zero.

The figure below shows the run-time virtual stack:




Figure 5-6: Virtual stack

5.7.4 Stack Implementation Parameters

Parameter	Description	Implementation
_os_RTOS_STSTACK	Max. contribution of an RTOS system service to the system stack (to be taken into account when giving values for the SSTACK attribute of a TASK OIL object).	32
_os_RTOS_VTSTACK	Idem.	60
_os_RTOS_VISR1STACK	Max. contribution of the RTOS to the interrupt virtual stack for a Category 1 ISR (to be taken into account when giving values for the VISRSTACK attribute of the OS object).	0
_os_RTOS_VISR2STACK	Max. contribution of the RTOS to the interrupt virtual stack for a Category 2 ISR (to be taken into account when giving values for the VISRSTACK attribute of the OS object).	10
_os_RTOS_VCLOCKSTACK	Max. contribution of the RTOS to the interrupt virtual stack for a system clock interrupt (to be taken into account when giving values for the VISRSTACK attribute of the OS object).	30
_os_RTOS_SISR1STACK	Max. contribution of the RTOS to the system stack for a Category 1 ISR (to be taken into account when defining the system stack size).	16
_os_RTOS_SISR2STACK	Max. contribution of the RTOS to the system stack for a Category 2 ISR (to be taken into account when defining the system stack size).	32
_os_RTOS_SCLOCKSTACK	Idem	32
_os_CONTEXTSIZE	Size (in bytes) of the processor context (to be taken into account when defining the system stack size).	15 (TSK51A) 18 (TSK52x)

Table 5-2: Stack Implementation Parameters

5.8 The C Interface for Tasks

You can use the following data types, constants and system services in your C sources to deal with task related issues.

Element	C Interface
Data Types	TaskType TaskRefType TaskStateType TaskStateRefType
Constants	RUNNING WAITING READY SUSPENDED INVALID_TASK
System Services	DeclareTask ActivateTask TerminateTask ChainTask Schedule GetTaskID GetTaskState

Table 5-3: C Interface for Tasks



Please refer to the OSEK/VDX documentation for an extensive description.



6 Events

Summary

This chapter explains how the RTOS may synchronize tasks via events and describes how you can declare EVENT objects in the OIL file in order to optimize your event configuration.

6.1 Introduction

The OSEK/VDX provides you with events as a synchronization method between tasks. They differentiate basic from extended tasks. Basically, every extended task has a private array of binary semaphores. The array index corresponds with a bit position in an event mask. Thus, waiting on an event mask implies a wait operation on multiple semaphores at a time.

You can:

- set an event from any task (extended or basic) or from a Category 2 ISR
- clear (or wait for) an event only from the running (and extended) task
- check which events have been set for a given task from any task, from a Category 2 ISR or from one of the following hook routines: ErrorHook, PreTaskHook and PostTaskHook



Since this implementation does not deal with external communication the scope of the events limits to one application.

6.2 Configuring Events

To configure an EVENT, you must declare a specific EVENT object in the application OIL file of the project:

```
EVENT myEvent;
```

You do not need to define values for the standard attribute MASK of the EVENT OIL object. The RTOS will always calculate this value internally.

In this example, *myEvent* becomes the identity of the event, a specific bit value in a mask.



In Appendix A, [Implementation Parameters](#) you can find the maximum number of events supported by this implementation. If you define more EVENT OIL objects in your application OIL file than the maximum number supported, the system behavior would be, at least, unpredictable.

6.3 The Usage of Events

1. An extended task might enter the *waiting* state and allow other tasks the CPU time until a certain event occurs. Thus events form the criteria for the transition of tasks from the *running* state into the *waiting* state. The transition is performed with the system service:

```
StatusType WaitEvent(EventMaskType);
```

2. A task can undergo such a transition only if it owns that specific event. Or equivalently, the event must belong to the event list of the multiple attribute EVENT of the task.

The following OIL configuration specifies that task *myTask* can only wait for *myEvent1* and *myEvent2*:

OIL file

```
EVENT myEvent1;
EVENT myEvent2;
EVENT myEvent3;

TASK myTask
{
    EVENT = myEvent1;
    EVENT = myEvent2;
}
```

If task *myTask* attempts to wait on another event than *myEvent1* or *myEvent2*, the system service `WaitEvent` fails:

C source file

```
TASK(myTask)
{
    /* TASK waits on an allowed event */
    if (E_OK != WaitEvent(myEvent1))
    {
        LogError(WAITEVENT);
        TerminateTask();
    }

    /* CPU has been given to other tasks */

    /* From another task/ISR the event 'myEvent1'
     * has been set for this task. Now 'myTask'
     * can resume execution. */

    /* TASK attempts to wait on a 'forbidden' event.*/
    if (E_OK != WaitEvent(myEvent3))
    {
        /* 'myEvent' is not owned by 'myTask' */
        LogError(WAITEVENT);
        TerminateTask();
    }
    ...
    TerminateTask();
    return;
}
```

When the scheduler moves the task from the *ready* to the *running* state, the task resumes execution at the following immediate instruction.

3. A task can wait for several events at a time:

```
WaitEvent(myEvent1 | myEvent2 | ...);
```

The task does not undergo the transition if just one of the events has occurred. In this case the service immediately returns and the task remains in the *running* state. Only when all the events are cleared for the calling task, the invoking task is put into the *waiting* state.

4. `WaitEvent()` can only be invoked from the task level of an extended task, never from interrupt level or a hook routine.
5. You can set an event (equivalent to “an event occurs”) to a specific task directly with the system service:

```
StatusType SetEvent(TaskType, EventMaskType);
```
6. If you need to trigger an event for more than one task you need to call `SetEvent()` for each combination of task and event.
7. An event can be set indirectly by the RTOS code upon expiration of an alarm (provided that its ACTION attribute is set to SETEVENT in the OIL file) or when a message is transmitted (provided that its NOTIFICATION attribute is set to SETEVENT).
8. An event can be triggered from interrupt level (common situation).

9. You cannot set events to suspended tasks.

10. You can set several events at a time for a *waiting* task or *ready* task:

```
SetEvent( myTask, myEvent1 | myEvent2 | ... )
```

If *myTask* is waiting for any of the triggered events it will enter the *ready* state. If the task is *ready*, the events shall remain set waiting for evaluation in the next call to `WaitEvent()`.

11. You can check which events have been set for a given task with the system service:

```
StatusType GetEvent(TaskType, EventMaskRefType);
```

You can call this service to distinguish which event triggered the task and then take the corresponding action. This service can be called from a hook routine or from interrupt level.

```
TASK(myTask)
{
    EventMaskType event;
    /* Wait for any of three events */
    WaitEvent(myEvent1 | myEvent2 | myEvent3);
    /* Which one occurred? */
    GetEvent(myTask, &event);
    /* take actions */
    if (event | myEvent1)
    {
        Action1();
    }
    if (event | myEvent2)
    {
        Action2();
    }
    if (event | myEvent3)
    {
        Action3();
    }
    TerminateTask();
    return;
}
```

Every time *myTask* gets activated (events are all cleared) it waits for one of the three events. When running again, it uses `GetEvent()` to find out which events have triggered the task.

12. You can clear events yourself with the system service:

```
StatusType ClearEvent(EventMaskType);
```

13. You can call this service only from an extended task level, never from a hook routine, a basic task or an interrupt.

Adding this service to the previous example you can build a simplified version of an event handler task:

```
TASK(eventHandler)
{
    EventMaskType event;
    while(1)
    {
        /* Wait for any of three events */
        WaitEvent(myEvent1 | myEvent2 | myEvent3);
        /* Which one occurred? */
        GetEvent(eventHandler,&event);
        /* Clear events */
        ClearEvent(event);
        /* take actions */
        if (event | myEvent1)
        {
            Action1();
        }
        if (event | myEvent2)
        {
            Action2();
        }
        if (event | myEvent3)
        {
            Action3();
        }
    }
    TerminateTask();
    return;
}
```

14. Like all other OIL objects you need to declare the event before using it in your source in order to compile your module:

```
DeclareEvent(myEvent);

TASK (task)
{
    ...
    WaitEvent(myEvent);
}
```

6.4 The C Interface for Events

You can use the following data types and system services in your C sources to deal with event related issues.

Element	C Interface
Data Types	EventMaskType EventMaskRefType
Constants	-
System Services	DeclareEvent SetEvent ClearEvent GetEvent WaitEvent

Table 6-1: The C Interface for Events



Please refer to the OSEK/VDX documentation for an extensive description.



7 Resource Management

Summary

This chapter explains how the RTOS performs resource management and describes how you can declare RESOURCE objects in the OIL file in order to optimize your resource configuration.

7.1 Key Concepts

Below a number of key concepts are explained.

Critical code

A critical code section is a piece of software that must be executed atomically to preserve data integrity and hardware integrity. Critical code sections handle for example:

- access to shared variables.
- most manipulations of linked lists.
- code that increment counters

An example of critical code is:

```
i = i + 1;
```

If *i* is initially set to zero and two processes both execute this code, as a result the value of *i* should be incremented to 2. If Process A executes the code and then Process B does, the result will be correct. However, if A executes and, during the increment instruction, process B also executes the same code, *i* may only be incremented to 1.

Mutex

A software entity that prevents multiple tasks (sometimes called processes) from entering the critical section. Acquiring mutexes guarantees serialized access to critical regions of code and protects the calling task from being preempted in favor of another task (which also attempts to access the same critical section), until the mutex is dropped.

Priority inversion

A lower priority task preempts a higher priority task while it has acquired a lock. (See also section 7.3.1, [Priority Inversion](#).)

Deadlock

The impossibility of task execution due to infinite waiting for mutually locked resources. (See also section 7.3.2, [Deadlocks](#).)

Since OSEK/VDX OS is meant to operate in a critical environment (like the automobile industry) both priority inversion and deadlocks are unacceptable.

7.2 What is a Resource?

The OSEK/VDX standard defines the use of *resources* to coordinate concurrent access of several tasks with different priorities to shared resources. During these processes, the RTOS guarantees that two tasks or interrupt routines do not occupy the same resource at the same time.



A *resource* is the OSEK/VDX version of what the literature commonly refers to as *semaphores* or *mutexes*.



In OSEK context, *resources* are an abstract mechanism for protecting data accesses by multiple tasks or ISRs. A resource request effectively locks the corresponding data against concurrent access by another task. This is usually called a *mutex lock*.

In OSEK it is implemented by temporarily raising the priority of the calling process so that possible other contending lock requests cannot actually happen during the duration of the lock. This mechanism is also known as the *Priority Ceiling Protocol* (see section 7.3, [Ceiling Priority Protocol](#)).

The important aspect of this particular mutex implementation is that the resource request never waits. This makes it specially suitable for ISRs. In this regard, the priority levels are internally expanded to include all maskable interrupt levels on top of the highest real priority level.

Some general ideas are listed below:

1. You must define resources for critical sections that you encounter in the system which are liable to concurrency problems.
2. You configure resources in your OIL file like:

```
RESOURCE myResource
{
    RESOURCEPROPERTY = STANDARD;
};
```

3. It is useless to define a resource without defining its occupiers. In the OIL file you can configure a task or an interrupt service routine to own a resource (a task or an interrupt service routine *owning* a resource means that they can occupy and release the resource).

Example

Let us assume that *myTask1*, *myTask2* and an asynchronous interrupt service routine named *myISR*, need to update the same global counter *no_counter*. In your OIL file you must configure a new RESOURCE object and define *myTask1*, *myTask2* and *myISR* as owners of the resource.

OIL file

```
TASK myTask1
{
    ...
    RESOURCE = myResource;
};

TASK myTask2
{
    ...
    RESOURCE = myResource;
};

ISR myIsr
{
    ...
    RESOURCE = myResource;
};
```

The following source code makes sure that the counter update does not suffer from concurrency problems.

C source file

```
TASK (myTask1)
{
    ...
    GetResource(myResource);
    no_counter--;
    ReleaseResource(myResource);
    ...
}

TASK (myTask2)
{
    GetResource(myResource);
    no_counter--;
    ReleaseResource(myResource);
}

ISR (myIsr)
{
    GetResource(myResource);
    no_counter++;
    ReleaseResource(myResource);
}
```

4. Try to avoid superfluous resource definitions. A resource that is owned by only one task is useless. It decreases the performance of the system because:
 - Memory is allocated with the configuration data for a useless resource.
 - Execution speed decreases because of useless system services around not even real critical code.
 - Longer internal searches of the RTOS.

So, a resource should be owned by at least two tasks, by a task and an interrupt service routine or by two interrupt service routines.

5. You should define only one RESOURCE object for all the critical sections accessed by the same occupiers.

Let us assume that a second counter *so_counter* needs to be updated globally by these three actors. There is no need yet to change the OIL file.

```
TASK (myTask1)
{
    GetResource(myResource);
    so_counter--;
    ReleaseResource(myResource);
    ...
    GetResource(myResource);
    no_counter--;
    ReleaseResource(myResource);
    ...
}

TASK (myTask2)
{
    GetResource(myResource);
    no_counter--;
    so_counter--;
    ReleaseResource(myResource);
}

ISR (myIsr)
{
    GetResource(myResource);
    no_counter++;
    so_counter++;
    ReleaseResource(myResource);
}
```

But in case this second global counter needs to be updated by a third task *myTask3* and a second ISR *myOtherIsr* then:

OIL file

```
TASK myTask1
{
    RESOURCE = myResS;
    RESOURCE = myResN;
};

TASK myTask2
{
    RESOURCE = myResS;
    RESOURCE = myResN;
};

ISR myIsr
{
    RESOURCE = myResS;
    RESOURCE = myResN;
};

TASK myTask3
{
    RESOURCE = myResN;
};

ISR myOtherIsr
{
    RESOURCE = myResN;
};
```

C source file

```
TASK (myTask1)
{
    ...
    GetResource(myResS);
    so_counter--;
    ReleaseResource(myResS);
    ...
    GetResource(myResN);
    no_counter--;
    ReleaseResource(myResN);
    ...
}

TASK (myTask2)
{
    ...
    GetResource(myResN);
    no_counter--;
    ReleaseResource(myResN);
    GetResource(myResS);
    so_counter--;
    ReleaseResource(myResS);
    ...
}
```

```
TASK (myTask3)
{
    ...
    GetResource(myResN);
    so_counter--;
    ReleaseResource(myResN);
    ...
}

ISR (myIsr)
{
    ...
    GetResource(myResN);
    no_counter--;
    ReleaseResource(myResN);
    GetResource(myResS);
    so_counter--;
    ReleaseResource(myResS);
    ...
}

ISR (myOtherIsr)
{
    ...
    GetResource(myResN);
    so_counter--;
    ReleaseResource(myResN);
    ...
}
```

6. You can not use the system services `TerminateTask`, `ChainTask`, `Schedule`, and/or `WaitEvent` while a resource is being occupied.

```
ISR (myTask)
{
    ...
    GetResource(myRes);
    no_counter--;
    /* This is forbidden - even if myEvent is
       owned by myTask */
    WaitEvent(myEvent);
    ReleaseResource(myRes);
    ...
}
```

7. The RTOS assures you that an interrupt service routine is only processed under the condition that all resources that might be needed by that interrupt service routine are released.

```
TASK (myTask2)
{
    ...
    GetResource(myResN);
    /* myIsr and myOtherIsr disabled */
    no_counter++;
    ReleaseResource(myResN);
    GetResource(myResS);
    /* myIsr disabled */
    so_counter--;
    ReleaseResource(myResS);
    ...
}
```

8. Make sure that resources are not still occupied at task termination or interrupt completion since this scenario can lead the system to undefined behavior. You should always encapsulate the access of a resource by the calls `GetResource` and `ReleaseResource`. Avoid code like:

```
GetResource(R1);
...
switch ( condition )
{
    case CASE_1 :
        do_something1();
        ReleaseResource(R1);
        break;
    case CASE_2 : /* WRONG: no release here! */
        do_something2();
        break;
    default:
        do_something3();
        ReleaseResource(R1);
}
```

9. You should use the system services `GetResource` and `ReleaseResource` from the same functional call level. Even when the function `foo` is corrected concerning the LIFO order of resource occupation like:

```
void foo( void )
{
    ReleaseResource( R1 );
    GetResource( R2 );
    /* some code accessing resource R2 */
    ...
    ReleaseResource( R2 );
}
```

there still can be a problem because `ReleaseResource(R1)` is called from another level than `GetResource(R1)`. Calling the system services from different call levels can cause problems.

10. You should not define `RESOURCE` objects to protect critical code which can only be accessed by tasks with the same priority. The reason is simple: If we join (6) with the idea that VDX/OSEK systems do not allow round-robin scheduling of tasks at the same priority level, we can conclude that two (or more) tasks, with same priority, accessing critical code will not suffer concurrency problems.



This is the basic idea behind the concept of the *ceiling priority protocol*.

11. Be careful using nested resources since the occupation must be performed in strict last-in-first-out (LIFO) order (the resources have to be released in the reversed order of their occupation order).

OIL file

```
TASK myTask
{
    RESOURCE = myRes1;
    RESOURCE = myRes2;
};
```

C source file

```
TASK(myTask)
{
    GetResource(myRes1);
    ...
    GetResource(myRes2);
    ...
    ReleaseResource(myRes2);
    ReleaseResource(myRes1);
}
```

The below code sequence is incorrect because function `foo` is not allowed to release resource `R1`:

```
TASK(incorrect)
{
    GetResource( R1 );
    /* some code accessing resource R1 */
    ...
    foo();
    ...
    ReleaseResource( R2 );
}

void foo()
{
    GetResource( R2 );
    /* code accessing resource res_2 */
    ...
    ReleaseResource( R1 );
}
```

12. The RTOS forbids nested access to the same resource. In the rare cases where you need nested access to the very same resource, it is recommended to use a second resource with the same behavior (so-called *linked resources*).

You can configure linked resources in your OIL file like:

```
RESOURCE myResS
{
    RESOURCEPROPERTY = STANDARD;
};

RESOURCE myResL
{
    RESOURCEPROPERTY = LINKED
    {
        LINKEDRESOURCE = myResS;
    };
};
```

13. Like all other OIL objects you need to declare a resource before using it in your C source:

```
DeclareResource(myResource);

TASK (myTask)
{
    GetResource(myResource)
    ...
}
```

7.3 The Ceiling Priority Protocol

The OSEK/VDX standard defines the *ceiling priority protocol* in order to eliminate priority inversion and deadlocks.

7.3.1 Priority Inversion

A typical problem of common synchronization mechanisms is *priority inversion*. This means that a lower-priority task delays the execution of higher-priority task.

Let us assume three tasks T1, T2 and T3 with increasing priorities (T1 has the lowest priority and T3 the highest). T1 is running and the others are suspended. All tasks are fully preemptable.

Let us assume that T1 and T3 share resource R. Theoretically, the longest time that T3 can be delayed should be the maximum time that T1 locks the resource R.

However let us see what happens in the following time sequence:

1. T1 occupies the resource R.
2. T2 and T3 are activated.
3. T3 preempts T1 and immediately requests R.
4. As R is occupied T3 enters the *waiting* state.
5. The scheduler selects T2 as the running task.
6. T1 waits till T2 terminates or enters the *waiting* state.
7. T1 runs again and releases R.
8. T3 immediately preempts T1 and runs again.

Although T2 does not use resource R, it is in fact delaying T3 during its lifetime. So a task with high priority sharing a resource with a task with low priority can be delayed by tasks with intermediate priorities. That should not happen.

7.3.2 Deadlocks

Deadlocks are even more serious when locking resources causes a conflict between two tasks. Each task can lock a resource that the other task needs and neither of the two is allowed to complete.

Imagine what would happen in the following scenario:

1. Task T1 occupies the resource R1.
2. Task T2 preempts T1.
3. Task T2 occupies resource R2.
4. Task T2 attempts to occupy resource R1 and enters the *waiting* state.
5. Task T1 resumes, attempts to occupy resource R2 and enters the *waiting* state.
6. This results in a *deadlock*. T1 and T2 wait forever.

With a properly designed application you can avoid deadlocks but this requires strict programming techniques. The only real safe method of eliminating deadlocks is inherent to the RTOS itself. This RTOS offers the priority ceiling protocol to avoid priority inversion and deadlocks.

7.3.3 Description of The Priority Ceiling Protocol

The principles of the ceiling priority protocol can be summarized as follows:

- At system generation, the RTOS assigns to each resource a ceiling priority. The ceiling priority is set at least to the highest priority of all tasks that access a resource or any of the resources linked to this resource. The ceiling priority must be lower than the lowest priority of all tasks that do not access the resource, and which have priorities higher than the highest priority of all tasks that access the resource.
- If a task requires a resource, and its current priority is lower than the ceiling priority of the resource, the priority of the task will be raised to the ceiling priority of the resource.

- If the task releases the resource, the priority of this task will be reset to its original (rescheduling point).

The problem of priority inversion is eliminated since only one task is actually capable of locking a resource. Referring to the example in the previous section:

1. T1 gets the resource and the RTOS raises its priority to the ceiling priority of the resource R.
2. T3 is activated and shall remain in the *ready* state (at least while T1 locks resource R) since its priority is never higher than the current priority of the system. Remember that T1 can neither terminate nor wait for an event at this phase.
3. T2 is also activated and remains in the *ready* state.
4. T1 finally releases the resource. The RTOS reverts its priority to its normal static level. This is a point of rescheduling: T3 starts *running*.
5. T3 terminates and T2 starts *running*.
6. T2 terminates and T1 resumes *running*.

The only drawback is that T2 is inhibited by a lower priority task, T1. But this occurs only during the locking time which can be calculated and/or minimized. The latency time in this scenario for T2 is far less than for T3 in the previous case.

Deadlock is also easily eliminated because T2 cannot preempt T1. T1 must occupy and release (LIFO) R1 and R2 before T2 attempts to take R2.

Ceiling Priority Protocol at Interrupt levels

The extension of the ceiling priority protocol to interrupt levels is also simple in this implementation:

Suppose that a resource R is owned by the interrupt service routines $ISR_1 \dots ISR_N$ and tasks $T_1 \dots T_N$. Let P be the maximum interrupt priority level of these ISRs.

When task T_j occupies R, T_j behaves as a non-preemptable task and all the ISR interrupts with priority P (and lower) are temporarily disabled (all R owners included). Thus, while T_j owns the resource, it can only be preempted by interrupts with a priority higher than P. Since T_j runs as non-preemptable, even if high priority tasks are activated from an ISR_2 interrupt with higher priority than P, they will not be scheduled until T_j releases resource R.

When the task T_j releases R, the priority of this task is reset to its original (rescheduling point). Possible pending interrupts (with priority P or lower) and/or higher priority ready tasks (activated by interrupts with priority higher than P) are now allowed to execute.

When the interrupt service routine ISR_j gets resource R, all other ISR interrupts with priority P (and lower) are temporarily disabled (this includes all other R owners) until R is released. The RTOS must handle possible nested accesses to resources at different priority levels

7.3.4 Calculating the Ceiling Priority

This RTOS implementation adds a non-standard attribute to the RESOURCE object:

```
UINT32 WITH_AUTO [0..255] CEILING=AUTO;
```

where the ceiling priority is calculated for every resource. Although you can assign your own value for this attribute (overwriting the generated RTOS value) in the OIL file, you should always let the RTOS generate the value for you!



See Chapter 12, [Debugging an RTOS Application](#) for a description about how to check that value with the debugger.

Consider the following OIL file configuration:

```
RESOURCE R1 {RESOURCEPROPERTY = STANDARD;};  
RESOURCE R2 {RESOURCEPROPERTY = STANDARD;};  
RESOURCE R3 {RESOURCEPROPERTY = STANDARD;};  
RESOURCE R4 {RESOURCEPROPERTY = STANDARD;};
```

```
TASK T
{
    PRIORITY = 5;
    RESOURCE = R1;
    RESOURCE = R2;
    RESOURCE = R3;
};

TASK T1
{
    PRIORITY = 6;
    RESOURCE = R1;
};

TASK T2
{
    PRIORITY = 7;
    RESOURCE = R2;
    RESOURCE = R4;
};

TASK T3
{
    PRIORITY = 8;
    RESOURCE = R3;
};

TASK T4
{
    PRIORITY = 10;
    RESOURCE = R4;
};

TASK T5
{
    PRIORITY = 9;
    RESOURCE = R2;
};

TASK T6
{
    PRIORITY = 8;
    RESOURCE = R4;
    RESOURCE = R3;
};
```

The generated CEILING attributes are:

```
RESOURCE R1 {CEILING = 6; };
RESOURCE R2 {CEILING = 9; };
RESOURCE R3 {CEILING = 8; };
RESOURCE R4 {CEILING = 10;};
```

If we assume a fully preemptive policy:

```
TASK (T)
{
    /* priority 5: all tasks can preempt */
    GetResource(R1);
    /* priority 6: all tasks, but T1, can preempt */
    GetResource(R2);
    /* priority 9: only T4 can preempt */
    GetResource(R3);
    ReleaseResource(R3);
    ReleaseResource(R2);
    /* priority 6 */
    ReleaseResource(R3);
    /*priority 5 */
    TerminateTask();
}
```

In the example below the priorities become different:

```
TASK (T)
{
  /* priority 5: all tasks can preempt */
  GetResource(R1);
  /* priority 6: all tasks, but T1, can preempt */
  GetResource(R3);
  /* priority 8: T4 and T5 can preempt */
  GetResource(R2);
  /* priority 9: only T4 can preempt */
  ReleaseResource(R2);
  /* priority 8 */
  ReleaseResource(R3);
  /* priority 6 */
  ReleaseResource(R3);
  /*priority 5 */
  TerminateTask();
}
```

7.4 Grouping Tasks

What is a group of Tasks?

The RTOS allows tasks to combine aspects of preemptive and non-preemptive scheduling by defining groups of tasks.

For tasks which have the same or lower priority as the highest priority within a group, the tasks within the group behave like non-preemptable tasks. For tasks with a higher priority than the highest priority within the group, tasks within the group behave like preemptable tasks.

How to group Tasks

You can use an internal resource to define explicitly a group of tasks (or equivalently: a group of tasks is defined as the set of tasks which own the same internal resource).

```
RESOURCE resInt
{
  RESOURCEPROPERTY = INTERNAL;
};
```

The RTOS automatically takes the internal resource when an owner task enters the *running* state (not when the task is activated). As a result, the priority of the task is automatically changed to the ceiling priority of the resource. At the points of rescheduling the internal resource is automatically released (the priority of the task is set back to the original).

In the following configuration all the tasks are initially suspended. An event triggers the task *infirst* to activate. The idle task is preempted and the task *infirst* will start execution. Because it owns the internal resource *resInt*, the task starts running with the ceiling priority of *resInt* (3) instead of with its static priority (1). This is the starting point in next example.

Example

OIL file

```
TASK infirst
{
  PRIORITY = 1;
  RESOURCE = resInt; };

TASK insecond
{
  PRIORITY = 2;
  RESOURCE = resInt; };

TASK inthird
{
  PRIORITY = 3;
  RESOURCE = resInt; };
```

```
TASK outfirst
{
    PRIORITY = 2; };

TASK outsecond
{
    PRIORITY = 4; };
```

C source file

```
TASK (outfirst)
{
    TerminateTask();
}

TASK (inthird)
{
    TerminateTask();
}

TASK (outsecond)
{
    TerminateTask();
}

TASK (infirst)
{
    ActivateTask(outfirst);
    /* infirst runs; outfirst is ready */
    ActivateTask(inthird);
    /* infirst runs: inthird is ready */
    ActivateTask(outsecond);
    /* outsecond has run */
    /* infirst resumes execution */
    Schedule();
    /* inthird and outfirst have run */
    TerminateTask();
}
```

Features of internal resources are:

- A task can belong exclusively to a one group of tasks therefore owning a maximum of one internal resource.
- Internal resources cannot be occupied and/or released in the standard way by the software application but they are managed strictly internally within a clearly defined set of system functions.

Determining the most appropriate range for the priorities of tasks owning an internal resource, becomes a key factor in the design. In most cases, this range of priorities should be reserved exclusively for the members of the group. Otherwise, low priority tasks in the group could delay tasks outside the group with higher priority. This is exactly what has happened in the previous example: *outfirst* was delayed by *infirst*.

7.5 The Scheduler as a Special Resource

The scheduler can be considered as a special resource that can be locked by the running task. As a result, while the running task has locked the scheduler, it behaves like a non-preemptive task (with the same re-scheduling points).

If you plan to use the scheduler as a resource, you must first set the attribute USERESSCHEDULER to TRUE in the OS object of your OIL file. C source code then can look as follows:

```
TASK(myTask)
{
    ...
    /* preemptable */
    GetResource(RES_SCHEDULER);
    /* I am non-preemptable */
    ReleaseResource(RES_SCHEDULER);
    /* preemptable */
    ...
}
```

- You can neither define nor configure this resource in the user OIL file. It is a system resource generated by the RTOS and already present in this OSEK/VDX implementation.
- You do not need to add it to the resource list of any task.
- Interrupts are received and processed irrespective of the state of the resource.

7.6 The C Interface for Resources

You can use the following data types, constants and system services in your C sources to deal with resource related issues.

Element	C Interface
Data Types	ResourceType
Constants	RES_SCHEDULER
System Services	DeclareResource GetResource ReleaseResource

Table 7-1: C Interface for Resources



Please refer to the OSEK/VDX documentation for an extensive description.



8 Alarms

Summary

This chapter describes how the RTOS offers alarms mechanisms based on counting specific recurring events and describes how you can declare these objects in the OIL file in order to optimize your alarm configuration.

8.1 Introduction

The RTOS provides services for processing recurring events. A recurring event is an abstract entity which has been defined in the scope of a particular application. Each application monitors its events, therefore, differently. A "wheel has rotated five more degrees" or "routine ϵ has been called" could be examples of recurring events.

Each of these recurring events must be registered in a dedicated counter (a COUNTER OIL object). You must increment this counter each time the associated event occurs. In the 'wheel' example, you probably increment the counter in an interrupt service routine. In the 'routine' example, you increment the counter in the body of ϵ .

Based on these counters, you can install *alarms*. "Activation of a specific task every time the wheel rotates 180 degrees" or "setting an event when routine ϵ has been called ten times" are examples of such alarms.

We say that an alarm expires when the counter reaches a preset value. You can bind specific actions to alarms and the RTOS execute these actions upon expiration of the alarms.

8.2 Counters

8.2.1 What is a Counter?

A counter is an abstract entity directly associated with a recurring event. The counter registers happenings of its event (ticks) in a counter value (which must be incremented every time the event takes place).

The OSEK/VDX standard does not provide you with means to interact with a counter object at run time.

Assume that your application needs to monitor the rotation of a wheel. Your application software, project agreement, works with one degree as the atomic unit in the system. You must define a COUNTER object in your OIL file to represent the rotated angle:

```
COUNTER sensorC
{
    MAXALLOWEDVALUE = 359;
    MINCYCLE         = 5;
};
```

MAXALLOWEDVALUE is set to 359 since this corresponds to one complete full turn (360 degrees is equivalent to 0 degrees).

MINCYCLE depends on the application sensibility and/or the hardware itself. In this example, your application cannot log any action that happens before the wheel has rotated five degrees.

You build the application regardless of the hardware interface that shall, eventually, monitor the wheel rotation. Ideally the dependency on such a device should be minimized.

Suppose three different sensors S1, S2, S3 are candidates for the hardware interface. They all interface equally with your chip (the pulse is converted into an external IO hardware interrupt). But they send the pulses at different rates, S1 every quarter of a degree, S2 every half a degree and S3 every degree.

The impact of this on your application is minimal. You only need to modify the TICKSPERBASE attribute of your OIL file. This attribute defines how many ticks are requested to increase the counter unit by one. Hence, the value for the attribute must be 4 (if S1), 2 (if S2) and 1 (if S3).

If we select S2, the OIL file would look as follows:

```
COUNTER sensorC
{
    MAXALLOWEDVALUE = 100;
    TICKSPERBASE    = 2;
    MINCYCLE        = 5;
};
```

After processing the OIL file, the OSEK/VDX implementation defines the following constants for you:

```
OSMAXALLOWEDVALUE_sensorC : 100
OSTICKSPERBASE_sensorC    : 2
OSMINCYCLE_sensorC        : 5
```

If the counter demands hardware or software initialization, you can use the `StartUpHook()` routine to place the initialization code.

You are responsible for detecting the recurring events of your own counters and, as a follow-up, notifying the RTOS. You must inform the RTOS about the arrival of a new sensor tick with the system service:

```
StatusType IncrementCounter(CounterType);
```

In this example you must increment the counter in the handler of the IO hardware interrupt connected to the sensor:

```
ISR (sensorHandler)
{
    IncrementCounter(sensorC);
    ...
}
```



See section 9.3, *Defining an Interrupt in the C Source*, in Chapter *Interrupts*.

Some other OSEK/VDX implementations might offer you extra API services to set the counter internal value, to reset it, and so on. This implementation exclusively adds the necessary `IncrementCounter()` API to the standard.

8.2.2 The RTOS System Counter

The implementation always offers one counter that is derived from a hardware timer. This counter is known as the *system counter*. The unit of time is the *system tick* (as the interval between two consecutive hardware clock interrupts).

The implementation parameter `OSTICKDURATIONINMSCS` defines the length (in milliseconds) of the system tick. The OSEK/VDX standard does not provide you with the concept of a timer interface. If you want to time certain actions in your application, you must declare an alarm with the system timer as a counter:

```
ALARM myAlarm
{
    COUNTER = SYSTEM_TIMER;
};
```

If you plan to use the system counter, i.e. if you define ALARM OIL objects that are based on the `system_counter`, you first need to set the non-standard attribute of the OS OIL object `USERTOSTIMER` to `TRUE`.

```
OS myOS
{
    USERTOSTIMER = TRUE { ... };
};
```

The `RTOSTIMERLEVEL` sub-attribute declares the entry of the timer interrupt in the Interrupt Vector Table. The RTOS needs this information to build the interrupt framework. The timer interrupt behaves as a Category 2 ISR (See section 9.4, *The Category of an ISR object*, in Chapter *Interrupts* to learn what Category 1 and Category 2 interrupts are).

```
OS myOS
{
    USERTOSTIMER = TRUE
    {
        RTOSTIMERLEVEL = 1;
    };
};
```

When the USERTOSTIMER attribute is set to TRUE, the RTOS code calls the following routine to initialize the system counter during the start-up process:

```
extern void InitRTOSTimer(void);
```

You are responsible for providing a definition for the routine. Otherwise, the linking phase will fail due to unresolved externals.

The advantages of this method are listed below:

- You decide exactly which hardware resources are taken by the system counter.
- You decide how these resources are used.
- A general method, for all hardware systems and derivatives, is extremely hard to define.

And the constraints:

- The interarrival time of the clock hardware interrupt must be OSTICKDURATIONINMSCS mscs. (See Appendix A, [Implementation Parameters](#).)
- You cannot handle application code in the clock interrupt.
- You cannot define an interrupt handler at entry RTOSTIMERLEVEL in Vector Table.

Besides, you need to define three extra routines:

1. `void DisableRTOSTimer(void);`

Disables the clock maskable interrupt associated with the system counter.

2. `void EnableRTOSTimer(void);`

Enables the clock maskable interrupt associated with the system counter.

3. `void ReloadRTOSTimer(void);`

Reloads, if not auto-reload, the associated timer registers (otherwise, empty). To be called from the interrupt framework.

A failure to define any of these three routines will be detected at linking phase.

As the RES_SCHEDULER object, you can neither define nor configure this counter in the OIL file. It is a counter already generated by the RTOS and already present in this OSEK/VDX implementation.

Following the same discussion you cannot call the `IncrementCounter()` system service to increase the system counter.

The OSEK/VDX implementation defines the following system constants related to the system timer:

- **OSMAXALLOWEDVALUE**
This value determines the upper limit for the timer value unit.
- **OSTICKSPERBASE**
This value determines how many clock ticks constitute a timer unit.
- **OSMINCYCLE**
This value represents an absolute minimum for the possible expiring times of system alarms. You can set alarms which actions are meant to happen after OSMINCYCLE time units.
- **OSTICKDURATION**
The timer duration in nanoseconds.
- **OSTICKDURATIONINMSCS**
The timer tick duration in milliseconds.

The values for these parameters depend on the RTOS implementation. You can look them up in Appendix A, [Implementation Parameters](#).

8.3 What is an Alarm?

An alarm is a counter based mechanism to provide services to activate tasks, set events or call specific routines when the alarm expires. When you set an alarm, you basically state two things: (1) a preset value for the counter and (2) the action to be triggered when the counter reaches that value.

1. You must attach an alarm to only one counter (although it is possible to attach multiple alarms to the same counter). In the OIL file this looks like follows:

```
COUNTER sensorC
{
    MAXALLOWEDVALUE = 100;
    TICKSPERBASE     = 2;
    MINCYCLE          = 1;  };

ALARM sensorAE
{
    COUNTER = sensorC;  };

ALARM sensorAA
{
    COUNTER = sensorC;  };
```

2. In the OIL file you must configure the action to be performed when the alarm expires. This information is permanent: it is not possible to change the associated action to an alarm at runtime.
3. You can configure an alarm to set a specific event when the alarm expires. In that case, you must specify which event is set and to which task.

```
ALARM sensorAE
{
    COUNTER = sensorC;
    ACTION  = SETEVENT
    {
        TASK   = sensorT;
        EVENT  = sensorE;
    };
};
```

When the alarm reaches the preset value, the RTOS code sets event *sensorE* to task *sensorT*. If task *sensorT* waits for such an event (normal case) this becomes a point of rescheduling.

4. You can configure an alarm to activate a certain task when it expires:

```
ALARM sensorAA
{
    COUNTER = sensorC;
    ACTION  = ACTIVATETASK
    {
        TASK = sensorT;
    };
};
```

When the alarm reaches the preset value, the RTOS code will try to activate task *sensorT*. If task *sensorT* is in the *suspended* state, this becomes a point of rescheduling.

5. You can configure an alarm to run a *callback* routine when it expires.

```
ALARM sensorAC
{
    COUNTER = sensorC;
    ACTION  = ALARMCALLBACK
    {
        CALLBACK = "myCallBack";
    };
};
```

A callback must be defined in the application source like:

```
ALARMCALLBACK(myCallBack)
{
    /* application processing */
}
```

The processing level of a callback would be an Interrupt Service Routine. Besides, the OSEK/VDX standard forbids preemption during the routine execution by means of suspending Category 2 interrupts. Therefore this implementation expects very short code for the callback routines.

6. You can use the system service `SetRelAlarm()` to predefine a counter value for an alarm to expire relative to the actual counter value:

```
StatusType SetRelAlarm(AlarmType alarm,
                       TickType increment, TickType cycle);
```

When this system service is invoked, the alarm is set to expire at the current value of the counter plus an *increment* (if the alarm is not in use, obviously). The increment value must be, in all cases, at least equal to the MINCYCLE attribute of the associated counter.

The *cycle* parameter determines whether the alarm is periodic or not. If not zero, the alarm is restarted upon expiration with *cycle* as a new timeout interval (at least equal to the MINCYCLE attribute of the associated counter). If *cycle* equals to zero, the alarm will not be restarted.

This service can be called at task or interrupt level but not from hook routine level. Below you will find an example of how to install an alarm that will activate task *sensorT* every 90 degrees:

```
SetRelAlarm(sensorAA,90,90);
```

7. You can use the system service `SetAbsAlarm()` to predefine a counter value for an alarm to expire in absolute terms:

```
Type SetAbsAlarm(AlarmType alarm, TickType increment, TickType cycle);
```

When this system service is invoked the alarm is set to expire at an specific absolute value of the counter (if the alarm is not in use, obviously). The *cycle* determines whether the alarm is periodic or not. If not zero, the alarm is restarted upon expiration with *cycle* as a new timeout interval. If *cycle* equals to zero, the alarm will not be restarted.

This service can be called at task or interrupt level but not from hook routine level.

Below you find an example of how to install an alarm that sets event *sensorE* to task *sensorT* exactly when the wheel angle is 0 or 180 degrees:

```
SetAbsAlarm(sensorAE,0,180);
```

8. You can configure an alarm to run at startup. Normally, these are periodic alarms carrying out periodic actions required by the application. Even before the first tasks have been scheduled, the alarm is already running to expiration.

You must set the attribute AUTOSTART to TRUE. The subattributes ALARMTIME and CYCLETIME behave the same as *increment* and *cycle* for the `SetRelAlarm()` system service. You must indicate also under which application modes the alarm should autostart.

The next example counts the total number of turns:

OIL file

```
APPMODE AppModeA;
ALARM sensorAC
{
    COUNTER = sensorC;
    ACTION  = ALARMCALLBACK
    {
        CALLBACK = "myCallBack";
    };
    AUTOSTART = TRUE
    {
        CYCLETIME = 359;
        APPMODE   = AppModeA;
        ALARMTIME = 359;
    };
};
```

The alarm will autostart if the environment is correct:

C source file

```
DeclareAppMode(AppModeA);

int no_turns = 0;

int main(int argc)
{
    StartOS(AppModeA);
    return;
}

ALARMCALLBACK(myCallBack)
{
    no_turns++;
}
```

9. You can use a combination of the system services `GetAlarm()` and `CancelAlarm()` to set timeouts associated to actions.

```
StatusType GetAlarm(AlarmType, TickRefType);

StatusType CancelAlarm(AlarmType)
```

With the `GetAlarm()` routine you can check whether the alarm has already expired or not. With the `CancelAlarm()` routine you actually cancel a running alarm.

The next example shows how to set a timeout associated with an action:

```
TASK(sensorT)
{
    TickType tick;
    ...
    /* start alarm */
    SetRelAlarm(sensorAE,90,0);
    /* indicate I am waiting Action */
    WaitAction();
    /* wait for the event: It is set when the action
       has completed or by the alarm */
    WaitEvent(sensorE);
    /* the event has been set */
    GetAlarm(sensorAE,&tick);
    if (tick)
    {
        /* Action was completed */
        CancelAlarm(sensorAE);
    }
    else
    {
        /* Timeout */
    }
    ...
    TerminateTask();
}
```

10. You can use the system counter as a generator for software timers. A software timer basically guarantees the application that a certain action will occur after a certain period. If (1) the action is short enough to be the body of a callback function and (2) the time period in which the action must occur is t milsecs, and (3) assuming that an alarm *SoftwareTimer* has been already declared, the next system call will take care of executing the callback code in exactly t milliseconds.

```
SetRelAlarm(SoftwareTimer, (t/OSTICKDURATIONINMSCS), 0);
```

11. You can use `SetRelAlarm()`, `WaitEvent()` and `ClearEvent()` to workaround an OSEK/VDX version of a standard *delay* service.

OIL file

```
EVENT delayE;
TASK myTask
{
    EVENT = delayE;
};

ALARM delayA
{
    COUNTER = SYSTEM_TIMER;
    ACTION  = SETEVENT
    {
        TASK = myTask;
        EVENT = delayE;
    };
};
```

C source file

```
TASK(myTask)
{
    ...
    /* delay the system one sc */
    SetRelAlarm(delayA, (1000)/(OSTICKDURATIONINMSCS), 0);
    WaitEvent(delayE);
    ClearEvent(delayE);
    ...
    TerminateTask();
}
```

12. Like all other OIL objects you need to declare an alarm before using it in your source in order to compile your module:

```
DeclareAlarm(myAlarm);

TASK (myTask)
{
    CancelAlarm(myAlarm)
    ...
}
```

8.4 The C Interface for Alarms

You can use the following data types and system services in your C sources to deal with alarm related issues.

Element	C Interface
Data Types	TickType TickRefType AlarmBaseType AlarmBaseRefType AlarmType
Constants	OSMAXALLOWEDVALUE_x ('x' is a counter name) OSTICKSPERBASE_x ('x' is a counter name) OSMINCYCLE_x ('x' is a counter name) OSMAXALLOWEDVALUE OSTICKSPERBASE OSMINCYCLE OSTICKDURATION OSTICKDURATIONINMSCS SYS_TIMER
System Services	DeclareAlarm DeclareCounter GetAlarmBase GetAlarm IncrementCounter SetRelAlarm SetAbsAlarm CancelAlarm

Table 8-1: The C Interface for Alarms



Please refer to the OSEK/VDX documentation for an extensive description.



9 Interrupts

Summary

This chapter describes how you can declare ISR objects in the application OIL file in order to optimize the interrupt configuration.

9.1 Introduction

An interrupt is a mechanism for providing immediate response to an external or internal event. When an interrupt occurs, the processor suspends the current path of execution and transfers control to the appropriate Interrupt Service Routine (ISR). The exact operation of an interrupt is so inherently processor-specific that they may constitute a major bottleneck when porting applications to other targets.

In most of the embedded applications the interrupts constitute a critical interface with external events (where the response time often is crucial).

9.2 The ISR Object

Among the typical events that cause interrupts are:

- Overflow of hardware timers
- Reception/Transmission of Serial Character
- External Events
- Reset



Please check the documentation of your core to find out the interrupt sources of the core you are using.

Every interrupt has to be associated with a piece of code called *Interrupt Service Routine* (or: ISR). The architecture defines a specific *code address* for each ISR, which is stored in the, *Interrupt vector Table* (IVT).

Defining an ISR object in the OIL file

Should your application make use, for example, of an external interrupt, you define one ISR OIL object in your OIL file:

```
ISR isrExternal
{
  ...
};
```

The RTOS software continuously needs to enable/disable particular interrupts to avoid fatal preemptions. Each of the TSK51x/TSK52x interrupts has its own enable/disable bit in a Special Function Register.

(Check beforehand the manual of your core and/or the `.sfr` files in the `$(PRODDIR)\c51\include` directory.)

The RTOS enables the interrupt by setting the corresponding bit.



You provide the RTOS with this information as a non-standard attribute of the ISR OIL object. See also the next section 9.2.1, [The ISR Non-Standard Attributes](#).

Depending on the used core, different levels of interrupt priority levels are offered. The RTOS does not modify the priority level of any interrupt at run-time (except from possible extensions of the Ceiling Priority Protocol to interrupt level).

You normally place the initialization code for the ISR objects in the `StartupHook` routine.

9.2.1 The ISR Non-Standard Attributes

This implementation defines two non-standard attributes for the ISR OIL objects:

LEVEL
ENBIT

They help the RTOS to configure the interrupt.

LEVEL

Determines the entry in the vector table. The type of the LEVEL attribute is UINT32. LEVEL has no default value.

ENBIT

The ENBIT attribute specifies the SFR register bit that enables/disables the ISR. The type of this attribute is STRING. It has no default value.

The example below shows an OIL configuration example for a system with an external interrupt:

```
ISR isrExternal
{
    LEVEL = 0;
    ENBIT = "EX0";
};
```

The following situations are prohibited by the implementation:

- Define two ISRs objects with the same value for their LEVEL attribute. The link phase shall fail since two routines become equal candidate for the same interrupt handler.
- Define two ISR objects with the same value for their ENBIT attribute. This is a more dangerous situation since the program compiles, links and builds.
- Define a name for the ENBIT attribute which is not defined in the `.sfr` include file. The compiler phase then already fails.
- Build your interrupt framework outside the RTOS scope. You cannot use the function qualifier `_interrupt()` to declare an interrupt since the RTOS would not have any control of it.

9.3 Defining an Interrupt in the C Source

To define an interrupt service routine, you must use the macro `ISR` in your application software. You must pass the name of the related ISR object in the OIL file as parameter to the macro:

```
ISR(isrTimer)
{
    ... code ...
    return;
}
```

The OSEK/VDX implementation uses this macro to encapsulate the implementation-specific formatting of the routine definition (*isrTimer* is the identity of the ISR related object and has *IsrType* type). The C name of the function that correspond to the interrupt service routine is created by prepending the tag `_os_u_`. The function can then be viewed with the debugger using the mingled name: `_os_u_isrTimer`.

The OSEK/VDX standard, focusing on portability, internally hides all the intrinsic details of the target. Migration to another platform should have almost no impact on your application source code. You remain unaware of how internally the interrupt framework is built, i.e. how the RTOS dispatches the execution flow to `_os_u_isrTimer()` when a timer interrupt is generated.

9.4 The Category of an ISR Object

OSEK/VDX defines two types of interrupts by ISR category: 1 and 2.

Category 1

These ISRs cannot use system services. The internal status of the RTOS before and after the interrupt always prevails. After the ISR has finished, processing continues exactly at the same instruction where the interrupt occurred.

ISRs of this category have the least overhead and since they can always run concurrently with the RTOS code, they are hardly disabled. They execute normally at high priorities and have small handlers.

An example could be a serial interrupt that provides `printf` functionality.

```
ISR isrSerial
{
    CATEGORY = 1;
};
```

Category 2

These ISRs can use a subset of system services. Thus the internal status of the RTOS might have been altered after the ISR has been served. Now, after the ISR's handler, processing may (or may not) continue exactly at the same instruction where the interrupt did occur. If no other interrupt is active and the preempted task does not have the highest priority among the tasks in the "ready-to-run array" anymore, rescheduling will take place instead.

ISRs of this category have the most overhead and because they cannot always run concurrently with the RTOS code (they access internals of the RTOS via their system services), they are constantly enabled/disabled.

An example could be a serial interrupt receiving characters and storing them in a buffer. When a 'end-of-frame' character is received, a message is sent to a task in order to process the new frame.

```
ISR isrSerial
{
    CATEGORY = 2;
};
```

These interrupts typically require a task to be activated, an event to be set, or a message to be sent. The list of available system services follows:

ActivateTask	GetTaskID	DisableAllInterrupts
GetTaskState	GetResource	EnableAllInterrupts
ReleaseResource	SetEvent	SuspendAllInterrupts
GetEvent	GetAlarmBase	ResumeAllInterrupts
GetAlarm	SetRelAlarm	SuspendOSInterrupts
SetAbsAlarm	CancelAlarm	ResumeOSInterrupts
GetActiveApplicationMode	ShutdowOS	

Category 2 ISRs can establish, for instance, run-time differences in functionality with the `GetApplicationMode` system service.

9.5 Nested ISRs

OSEK interrupts are normally maskable interrupts. A running ISR can be preempted if the incoming ISR has been configured with higher hardware priority. The maximum run-time depth of nested interrupt levels depends on the processor itself (check your manual). However, there are some premises that always prevail:

- All pending interrupts must be processed before returning to task level.
- Re-scheduling can take place only upon termination of Category 2 ISRs.

The combination of these premises leads to the golden rule:

- Re-scheduling from interrupt level (the RTOS resuming execution somewhere else than where the system was preempted by the first incoming ISR) can take place *only upon termination of a Category 2 ISR at first nesting level*.

Category 2 ISR2 interrupting a category 1 ISR1

What will happen if a Category 2 interrupt can preempt a Category 1 ISR that runs at the first nesting level?

No rescheduling takes place in *ISR2* because it is a nested interrupt, but also not when *ISR1* is falling back to task level. Therefore having high priority tasks activated or events set from interrupt level in *ISR2* has caused no rescheduling and the system has returned to task level at the very same point. Thus any activities corresponding to the calls of the operating system in the interrupting *ISR2* are unbounded delayed until the next rescheduling point.

You can solve this situation by configuring all the Category 1 ISRs so that they can never be preempted by any Category 2 ISR. Thus the highest priority among all Category 2 ISRs should be lower than the lowest priority among all category 1 ISRs.

9.6 ISRs and Resources

In Chapter 7, [Resource Management](#), it was described how we can use resources to avoid concurrency problems when several tasks and/or isrs have access to the same critical code section. If your ISR demands manipulation of a certain critical section, which access is controlled by resource R, you need to add R to the list of resources owned by the ISR.

The OSEK/VDX standard offers you the standard attribute RESOURCE (a multiple reference of type RESOURCE_TYPE) to add resources to the list of resources owned by the ISR.



Category 1 ISRs cannot own resources.

If *isrUART1* and *isrUART0* are ISR OIL objects that update the same counter (increased by one unit in *isrUART1* and decreased by one unit in *isrUART0*) in their handlers, they must own the same resource R. A task *printNetto* can also be activated to output the value.

OIL file

```
ISR isrUART0
{
    CATEGORY = 2;
    RESOURCE = R;
};

ISR isrUART1
{
    CATEGORY = 2;
    RESOURCE = R;
};

TASK printNetto
{
    RESOURCE = R;
    ...
};
```

C source file

```
DeclareResource(R);

ISR(isrUartTx)
{
    GetResource(R);
    netto_counter--;
    ReleaseResource(R);
}
```

```
ISR(isrUartRx)
{
    GetResource(R);
    netto_counter++;
    ReleaseResource(R);
}

TASK(printNetto)
{
    int netto;
    GetResource(R);
    netto = netto_counter;
    ReleaseResource(R);
    printf("%d",netto);
}
```

9.7 ISRs and Messages

In Chapter 10, *Interprocess Communication*, it will be described how an ISR object might be defined as a sender and/or a receiver of messages. In both cases the ISR object must own the message. Messages are used to pass information between interrupt service routines, like you pass arguments to a function.

The OSEK/VDX standard offers you the standard attribute MESSAGE (a multiple reference of type MESSAGE_TYPE) to add messages to the list of messages owned by the ISR.

Let us suppose that an ISR object *isrSender* sends a message to another ISR object *isrRec*. Your application OIL file and C source file now look like follows.

OIL file

```
MESSAGE recMsg
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendMsg;
        INITIALVALUE   = 1;
    };
};

MESSAGE sendMsg
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE = "int";
    };
};

ISR isrSender
{
    CATEGORY = 2;
    MESSAGE  = sendMsg;
};

ISR isrRec
{
    CATEGORY = 2;
    MESSAGE  = recMsg;
};
```

C source file

```
DeclareMessage(sendMsg);
DeclareMessage(recMsg)

ISR(isrSender)
{
    int data = GetData();
    SendMessage(sendMsg,&data);
    ...
    return;
}

ISR(isrRec)
{
    int data;
    ReceiveMessage(recMsg,&data);
    ProcessData(data);
    ...
    return;
}
```

9.8 Fast Disable/Enable API Services

The OSEK/VDX standard provides you with a number of fast disable/enable API functions. The implementation hides all the internal target details for you. These services come always in pairs:

Critical code	API services	Suspended ISRs
very short (no nesting)	DisableAllInterrupts EnableAllInterrupts	ISR1s and and ISR2s
very short (nesting)	SuspendAllInterrupts ResumeAllInterrupts	ISR1s and and ISR2s
short (nesting)	SuspendOSInterrupts ResumeOSInterrupts	ISR2s
long	GetResource ReleaseResource	Only ISR2s owning the resource

In the next sections these pairs are described into more detail.

9.8.1 Disable/Enable All Interrupts

You can use the following system services to disable/enable all maskable interrupts:

```
void DisableAllInterrupts(void);
void EnableAllInterrupts(void);
```

the `DisableAllInterrupts()` service disables globally all interrupts (by clearing/setting a global enable/disable bit or by raising the processor priority level above all possible interrupt levels).

The `EnableAllInterrupts()` service does the opposite, it restores the saved state in the previous routine.

You can call these services from Category 1 ISR and Category 2 ISR and from the task level, but not from hook routines.

These services are intended to encapsulate a critical section of the code (no maskable interrupts means no scheduling which in its turn means no concurrency). It is a much faster and costless alternative to the `GetResource/ReleaseResource` routines.

```
TASK(myTask)
{
    ...
    DisableAllInterrupts();
    /* critical code section */
    EnableAllInterrupts();
    ...
}
```

The critical area should be extremely short though, since the system as a whole is on hold (even Category 1 ISRs are disabled!). `DisableAllInterrupts()` must always precede the critical section and immediately after the section, `EnableAllInterrupts()` must follow.

Avoid situations situations like below:

```
ISR(isr)
{
    DisableAllInterrupts();
    if (A)
    {
        EnableAllInterrupts();
        doSth();
    }
    else
    {
        ...
    }
    return;
}
```

This causes the system to be outbalanced when returning from *isr* if A is zero.

Also, no API service calls are allowed within this critical section. You must avoid code like below:

```
TASK(myTask)
{
    ...
    DisableAllInterrupts();

    /* critical code section */
    SetEvent(task,event);          /* not allowed */

    EnableAllInterrupts();
    ...
}
```

You should be careful when building library functions which are potential users of of these services, since nested calls are never allowed. Avoid situations like below:

```
static void f(void)
{
    DisableAllInterrupts();
    otherThings();
    EnableAllInterrupts();
    return;
}
```

```
TASK(myTask)
{
    ...
    DisableAllInterrupts();
    someThings();
    f();
    EnableAllInterrupts();
    ...
    return;
}
```

As a rule of thumb you should try to avoid function calls while in the critical section.

9.8.2 Suspend/Resume All Interrupts

You can use the following system services to suspend/resume all maskable interrupts:

```
void SuspendAllInterrupts(void);
void ResumeAllInterrupts(void);
```

They enhance the previous pair `Disable/EnableAllInterrupts()` in order to allow nesting. In case of nesting pairs of calls, the interrupt recognition status saved by the first call of `SuspendAllInterrupts()` is restored by the last call of the `ResumeAllInterrupts()` service.

```
static void f(void)
{
    /* nothing happens with the status */
    SuspendAllInterrupts();
    otherThings();
    /* status is not yet restored */
    ResumeAllInterrupts();
    return;
}

TASK(myTask)
{
    ...
    /* status is saved now */
    SuspendAllInterrupts();
    someThings();
    f();
    /* status is restored now */
    ResumeAllInterrupts();
    ...
    return;
}
```

The considerations for the pair `DisableAllInterrupts / EnableAllInterrupts` apply here too.

9.8.3 Suspend/Resume OS Interrupts

The previous pairs disabled all maskable interrupts, including your Category 1 ISRs, while in the critical code section. However, theoretically there is no need to disable the Category 1 ISRs in order to prevent concurrency problems (they are never a rescheduling point).

If you do not want to disable a Category 1 ISR while executing certain critical code, you can use the following pair to encapsulate the section instead:

```
void SuspendOSInterrupts(void);
void ResumeOSInterrupts(void);
```

This pair suspends and resumes only category 2 ISRs between the calls (with nesting support). Note that the overhead in code with this pair is normally bigger.

OIL file

```
ISR myISR1
{
    CATEGORY = 1;
};

ISR myISR2
{
    CATEGORY = 2;
};
```

C source file

```
TASK(myTask)
{
    ...
    SuspendOSInterrupts();
    /* critical code */
    /* myISR1 is enabled */
    /* myISR2 is disabled */
    ResumeOSInterrupts();
    ...
    return;
}
```

The considerations for the pair `DisableAllInterrupts` / `EnableAllInterrupts` apply here too. Like the pair `SuspendAllInterrupts` / `ResumeAllInterrupts`, nesting is allowed.

9.9 The C Interface for Interrupts

You can use the following data types and system services in your C sources to deal with interrupt related issues.

Element	C Interface
Data Types	-
Constants	-
System Services	EnableAllInterrupts DisableAllInterrupts ResumeAllInterrupts SuspendAllInterrupts ResumeOSInterrupts SuspendOSInterrupts

Table 9-1: The C Interface for Interrupts



Please refer to the OSEK/VDX documentation for an extensive description.



10 Interprocess Communication

Summary

This chapter describes why the communication services offer you a robust and reliable way of data exchange between tasks and/or interrupt service routines and how you can declare MESSAGE and COM objects in the application OIL file.

10.1 Introduction

The OSEK/VDX COM normative document provides interfaces for the transfer of data within networks systems.



Although the COM and OS standards could be mutually exclusive, this implementation combines them both. The implementation OIL file (see section 3.3.1, [Implementation Part](#), in Chapter *OIL Language*) already defines two COM OIL objects: the MESSAGE and COM objects. So in the application OIL file you configure both the OS and the COM. Both the OS and the COM APIs are included in the system header file `osek.h`. You must include this header file in your C source to compile your application.

As was stated in Chapter 1, [Introduction to the RTOS Kernel](#), this implementation supports only a subset (internal communication) of COM3.0.3. In internal communication the interprocess communication is limited to a single microcontroller where a physical network does not exist.



This COM implementation provides all the features defined by the OSEK/VDX standard for the Communication Conformance Class CCCB.

Without the benefit of communication services, the only possibility for tasks and interrupt service routines to share data is the usage of global data. Although this mechanism might be extremely effective in some cases, it fails to satisfy the most general case. The communication services offer you a robust and reliable way to exchange data.

The conformance class CCCB

The main purpose of conformance classes is to ensure that applications that were built for a particular conformance class are portable across different OSEK/VDX COM implementations and CPUs featuring the same level of conformance class. The CCCB conformance class

- Does not offer support for external communication.
- Supports both unqueued/queued messages.
- Supports SendMessage/ReceiveMessage routines.
- Incorporates Notification Mechanisms (only Class 1).
- Supports GetMessageStatus() API.

Within this conformance class only the interaction layer is implemented and not the network and/or data link layers. This implementation allows you the transfer of data between tasks and/or interrupt service routines within the same CPU.

10.2 Basic Concepts

This section presents some basic concepts and definitions.

One sender sends a message to one or more receivers

This is the leading principle of the communication mechanism. Throughout the whole OSEK/VDX documentation, source code examples, etc. you will find sentences like “the task *TaskA* sends message *M* to tasks *TaskB* and *TaskC* and to the interrupt service routine *ISRA*”. In this case, for the message *M*, *TaskA* is the sender and *TaskB*, *TaskC* and *ISRA* are the receivers. This situation is taken as an example for the rest of this section.

Message

The message is the physical application data that is exchanged between a sender and its receivers. A message can have zero (or more) senders and zero (or more) receivers.

Messages are equal to data, i.e. bits. It has no direct OIL representation. The set ‘sender(s) of a message’, ‘message data’ and ‘receiver(s) of a message’ represents a closed unit of communication. On both the sender and receiver sides there must be an agreement about the type of the exchange message data.

Sender of a message

A TASK (or an ISR) OIL object can be allowed to send a particular message. The sender qualifier relates to a *specific* message. A TASK (or an ISR) OIL object, for example, can be a sender for message *M1*, a receiver for message *M2*, and none of both for message *M3*.

In the example, *TaskA* prepares the data and uses the system service `SendMessage ()` to start the transmission to the receivers.

Receiver of a message

A TASK (or an ISR) OIL object can be allowed to receive a particular message. Like the sender, the receiver qualifier relates to a *specific* message. A TASK (or an ISR) OIL object, for example, can be a receiver for message *M1*, a sender for message *M2*, and none of both for message *M3*.

In the example, *TaskB*, *TaskC* and *ISRA* use the system service `ReceiveMessage ()` to receive the data sent by *TaskA*.

Unqueued Receive Message

On the receiving side an *unqueued* message is not consumed by reading; it returns the last received value each time it is read.

If in the example the message *M* is unqueued for *TaskB* and *ISRA*, both will read from the same buffer on the receive side when using `ReceiveMessage ()`. The buffer is overwritten for both *TaskB* and *ISRA* only when *TaskA* sends new data (`ReceiveMessage ()` keeps reading the same value meanwhile). More than one receiver can read from the same unqueued buffer.

Queued Receive Message

On the receiving side a *queued* message can only be read once (the read operation removes the oldest message from the queue).

If in the example the message *M* is queued for *TaskC*, there will be a dedicated receive queue buffering the messages for *TaskC* (every queued receiver has its own receive queue). The queue size for a particular message is specified per receiver. If a receive queue is full and a new message arrives, the message is lost for this receiver. Obviously to prevent this situation, the average processing time of a message should be shorter than the average message interarrival time.

Send Message Object

The *send message object* is the internal container where the data is stored on the sending side, every time that a sender of the message attempts to send the message.

In the example there will be only one send message object for *TaskA*.

Receive Message Object

The *receive message object* is the internal container where the data is stored on the receiving side. The message object is available for an arbitrary number of receivers if the message is unqueued, or for only one receiver when queued.

In the example there will be two receive message objects, one for *TaskB* and *ISRA* (which size is the size of the transmitted data) and a second one for *TaskC* (which size is the size of the transmitted data times the size of the queue).

Symbolic Name

A symbolic name is the application identification for a message object (*send* or *receive*).

A symbolic name identifies either a send message object or a received message object for an unqueued receive message or a received message object for a queued receive message. In fact, the symbolic name becomes an alias for the container.

10.3 Configuring Messages

For every message you must define one symbolic name on the sending side. On the receiver side you define symbolic names for receivers that do not queue the message. Remember that more than one receiver can read from the same receive object. However, you must define a symbolic name for each receiver that queues the message.

The phases of message configuration are shown below, with help of the example in the previous section.

1. Isolate all the messages in the system.

M has been identified as the only message for the system.

2. Identify the Send Message Object for every message.

M has one Send Message Object, let us call it *sendM*.

3. Configure the Send Message Objects in the application OIL file

You configure a send message object by defining a MESSAGE OIL object with the value for its MESSAGEPROPERTY set to SEND_STATIC_INTERNAL.

In this case (and assuming that the type of the transmitted data is the built-in type integer):

```
MESSAGE sendM
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE="int";
    };
};
```

4. Configure the senders of the messages.

The senders of the message *M* are those TASK and/or ISR OIL objects that can use the system service `SendMessage ()` to send the message *M* to its receivers (if any).

The OSEK/VDX standard offers you the standard attribute MESSAGE (a multiple reference of type MESSAGE_TYPE) in the TASK/ISR OIL objects to add messages to the list of messages owned by the TASK or ISR.

In order to define the TASK *TaskA* as a sender of message *M* you only need to add *sendM* to the message list of the *TaskA* object:

```
TASK TaskA
{
    MESSAGE = sendM;
};
```

5. Identify the Receive Message Objects for every message.

M has two receive message objects. Let us call them *recMU* and *recMQTaskC*.

6. Configure the Receive Message Objects in the application OIL file.

You configure an unqueued receive message object by defining a MESSAGE OIL object with its value for its MESSAGEPROPERTY set to RECEIVE_UNQUEUED_INTERNAL.

You configure a queued receive message object by defining a MESSAGE OIL object with its value for its MESSAGEPROPERTY set to RECEIVE_QUEUED_INTERNAL. The subattribute QUEUESIZE defines the length of the receive queue.

In both cases, the subattribute SENDINGMESSAGE defines which is the related Send Message Object. In our example:

```
MESSAGE recMU
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL;
    {
        SENDINGMESSAGE = sendM;
    };
};

MESSAGE recMQTaskC
{
    MESSAGEPROPERTY = RECEIVE_QUEUED_INTERNAL;
    {
        SENDINGMESSAGE = sendM;
        QUEUESIZE      = 5;
    };
};
```

7. Configure the receivers of the messages.

The receivers of the message *M* are those TASK and/or ISR OIL objects which can use the system service ReceiveMessage() to read the transmitted data of message *M*.

The OSEK/VDX standard offers you the standard attribute MESSAGE (a multiple reference of type MESSAGE_TYPE) in the TASK/ISR OIL objects to add messages to the list of messages owned by the TASK or ISR.

To define the TASK *TaskB* and the ISR *ISRA* as unqueued receivers for message *M* you need to add *recMU* to the message list of the *TaskB* and *ISRA* objects. And to define the TASK *TaskC* as a queued receiver for message *M* you need to add *recMQTaskC* to the message list of the *TaskC* object:

```
TASK TaskB
{
    MESSAGE = recMU;
};

TASK ISRA
{
    MESSAGE = recMU;
};

TASK TaskC
{
    MESSAGE = recMQTaskC;
};
```

10.4 Message Transmission

10.4.1 Sending a Message

Sending a message requires the transfer of the application message *data* to all the receiving message objects. This process is done automatically for internal communication.

You now can use the following system service to send a message:

```
StatusType sendMessage(SymbolicName msg,  
                        ApplicationDataRef DataRef);
```

msg a Send Message Object in your file with value SEND_STATIC_INTERNAL for its MESSAGEPROPERTY attribute. *msg* must belongs to the MESSAGE list of the sender.

DataRef points to the application data to be transmitted (the type of ApplicationDataRef is a pointer to void).

In our example this could lead to the following C source code:

```
DeclareMessage(sendM);  
  
TASK (TaskA)  
{  
    int data;  
    ...  
    data = getData();  
    SendMessage(sendM,&data);  
    ...  
    TerminateTask();  
}
```

When you return from the SendMessage() system service, the data has already been transmitted (i.e. copied) into the receive message objects.

10.4.2 How to Define the Data Type of a Message

When the value of the subattribute CDATATYPE for a SEND_STATIC_INTERNAL message does not correspond to a basic type, you need to add an extra header file in the project that contains the type definition (the RTOS software needs this information to build its internal buffers). The name of the file is hard coded in the RTOS code as *mytypes.h* and its location must be the project folder.

Let us assume that you want to send a message whose layout can be divided into a header (first byte), payload (next 20 bytes), and crc (last byte). You must edit the file *mytypes.h* with the type definitions:

```
#ifndef _MYTYPES_H  
#define _MYTYPES_H  
  
#define PAYLOADSIZE 20  
typedef struct mystruct myStruct;  
  
struct mystruct  
{  
    unsigned char header;  
    unsigned char payload[PAYLOADSIZE];  
    unsigned char crc;  
};  
  
#endif
```



If you configure a MESSAGE OIL object like:

```
MESSAGE sendM
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE="myStruct";
    };
};
```

but you fail to provide the type definition for *myStruct* in the *mytypes.h* file, the RTOS code will not compile.

At system generation time, the attribute LENGTH of a MESSAGE OIL object stores the size in bytes of the indicated CDATATYPE attribute (`sizeof(myStruct)`). This is done automatically by the RTOS tools. Thus, since the LENGTH of the message is known by the RTOS, a call to `SendMessage()` copies LENGTH number of bytes into the receive objects (starting at *DataRef*).

In our example:

```
#include "mytypes.h"

DeclareMessage(sendM);

TASK (TaskA)
{
    myStruct st;
    /* prepare the message */
    st.header = 0x12;
    for (i=0; i<PAYLOADSIZE; i++)
    {
        st.payload[i] = 0;
    }
    st.crc = 0xFF;
    /* send message to receive objects */
    SendMessage(sendM, &st);
    ...
    TerminateTask();
}
```

10.4.3 Receiving a Message

To receive a message, use the following system service:

```
StatusType ReceiveMessage(SymbolicName msg, ApplicationDataRef DataRef);
```

msg a Receive Message Object in your file which MESSAGEPROPERTY attribute has either RECEIVE_UNQUEUED_INTERNAL or RECEIVE_QUEUED_INTERNAL as value. *msg* must belong to the MESSAGE list of the receiver.

DataRef points to where the application receives the data (the type of ApplicationDataRef is a pointer to void).

When the application calls the `ReceiveMessage()` system service, the message object's data are copied to the application buffer pointed to by *DataRef*.

Queued messages

If the MESSAGEPROPERTY of *msg* is RECEIVE_QUEUED_INTERNAL, *msg* refers to a queue receive message object (queued message).

A *queued message* behaves like a FIFO (first-in first-out) queue. When the queue is empty, no message data will be provided to the application. When the queue is not empty and the application receives the message, the application is provided with the oldest message data and removes this message data from the queue. If new message data arrives and the queue is not full, this new message is stored in the queue. If new message data arrives and queue is full, this message is lost and the next `ReceiveMessage` call on this message object returns the information that a message has been lost.

```
TASK (TaskC)
{
    myStruct st;
    StatusType ret;
    ...
    ret = ReceiveMessage(recMQTaskC,&st);

    if (ret == E_COM_NOMSG || ret == E_COM_ID)
    {
        /* st contains no valid data */
        /* Queue is empty (no new messages) or wrong symbolic name */
        LogError(ret);
    }
    else
    {
        /* st contains valid data */
        if (ret == E_COM_LIMIT)
        {
            /* but a message has been lost */
        }
        else
        {
            /* everything is ok */
        }
        processMsg(&st);
    }
    TerminateTask();
}
```

A separate queue is supported for each receiver and messages from these queues are consumed independently. The OIL configuration below is erroneous since a second receiver cannot access the same queue receive message object.

```
TASK TaskD
{
    MESSAGE = recMQTaskC;
};

TASK TaskC
{
    MESSAGE = recMQTaskC;
};
```

Should our sender *TaskA* transmit the message to a new queue receiver *TaskD*, a new queue receive message object must be added to the OIL file:

```
TASK TaskD
{
    MESSAGE = recMQTaskD;
};

MESSAGE recMQTaskD
{
    MESSAGEPROPERTY = RECEIVE_QUEUED_INTERNAL;
    {
        SENDINGMESSAGE = sendM;
        QUEUE_SIZE      = 5;
    };
};
```

Unqueued messages

If the MESSAGEPROPERTY of *msg* is RECEIVE_UNQUEUED_INTERNAL, 'msg' refers to a unqueue receive message object (unqueued message).

Unqueued messages do not use the FIFO mechanism. The application does not consume the message during reception of message data but a message can be read multiple times by an application once it has been received. If no message has been received since the application started, the application receives the message value set at initialization. Unqueued messages are overwritten by new messages that arrive.

```
TASK (TaskB)
{
    myStruct st;
    ...
    if (E_OK != ReceiveMessage(recMU,&st);
    {
        /* an error occurred */
    }
    else
    {
        /* message has been read */
        processMsg(&st);
    }
    ...
    TerminateTask();
}
```

Contrary to queue receive message objects, the addition of new receivers for an unqueued message is straightforward. You only need to add the *recMU* message object to the MESSAGE list of the new receivers in the OIL file:

```
TASK TaskD
{
    MESSAGE = recMU;
};
```

Configurations where a task (or any other receiver) could read the same message (i.e. the same data) from more than one receive object, are generally the result of a poor design. Thus, all receive message objects owned by a task, should refer to different physical messages. Therefore, avoid configurations like below:

```
TASK TaskC
{
    MESSAGE = recMQTaskC;
    MESSAGE = recMU;
};
```

10.4.4 Initializing Unqueued Messages

What are the mechanisms offered by the OSEK/VDX COM standard to ensure the validity of the received data? What if you try to receive a message even before the data has been sent? Do receivers need to wait until senders send their first data?

For queued messages you can ensure the validity of the received messages by verifying that the return value of `ReceiveMessage()` differs from `E_COM_NOMSG` (no message has arrived yet to the queue).



You should consistently check the returned status when receiving queued messages.

However, the OSEK/VDX COM standard does not provide such a generic mechanism for unqueued messages.



There is a workaround for it which uses Notification Mechanisms. See section 10.5.3, [Notification Example: Flag](#). A better practice is to initialize the unqueued receive message object before any receiver tries to read it.

For unqueued messages (only), OSEK/VDX COM provides you with facilities to ensure that the message can always be initialized to a good application-specific default value.

For instance, if your receiver reads physical addresses (pointers) from an unqueued receive message object, you should make sure that this message object is initialized with a significant value (for instance, non-allowed address zero). Possible receivers know they must discard all messages until a non zero value is found.

The OSEK/VDX standard provides you with the following ways to initialize unqueued messages:

1. Assign a value to the INITIALVALUE subattribute in the MESSAGE OIL object:

```
MESSAGE sendM
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE="int";
    };
};

MESSAGE recMU
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendM;
        INITIALVALUE = 3;
    };
};
```

To guarantee that *recMU* cannot be received before its container has been initialized with the value 3, this initialization is performed in the `StartCOM()` routine.



See section 10.6.1, [Starting the COM](#), for more information regarding the com hook routine `StartCOM()`.

However, note that OIL only allows the specification of a limited range of unsigned integer initialization values. This means that OIL can only be used to initialize messages that correspond to unsigned integer types within OIL's range of values. Thus the OIL configuration below makes no sense:

```
MESSAGE sendM
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE="myStruct";
    };
};

MESSAGE recMU
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendM;
        INITIALVALUE = 3;
    };
};
```

2. Let the `StartCOM()` routine initialize the unqueued message with the default value zero. Again this applies only when the messages correspond to unsigned integer types within OIL's range of values.
3. You can always use the following system service to initialize messages that are too large or too complex for their initial value to be specified in the OIL file:

```
StatusType InitMessage(SymbolicName msg, ApplicationDataRef DataRef);
```

Although you can call the `InitMessage()` routine at any point in the application's execution, the safest practice is to initialize all unqueued messages in the hook routine `StartCOMExtension()`.



See section 10.6.2, [Starting the COM Extension](#), for more information regarding the com hook routine `StartCOMExtension()`.

```
StatusType StartCOMExtension(void);
{
    myStruct st;
    /* prepare the default message */
    st.header = 0x12;
    for (i=0;i<PAYLOADSIZE;i++)
    {
        st.payload[i] = 0;
    }
    st.crc = 0xFF;
    /* initialize the receive message object recMU */
    InitMessage(recMU,&st);
    ...
    TerminateTask();
}
```

You can also use `InitMessage()` to reset your unqueued messages at any moment (after you have called `StartCOM()` and before you call `StopCOM()`).

10.4.5 Long versus Short Messages

Sending a message involves the copying of data from an application buffer into (at least one) receive message objects. Reversely, receiving a message involves the copying of data from a receive message object into an application buffer.

Concurrency problems to protect critical data are resolved inside the RTOS code by means of temporarily suspending all Category 2 ISRs (and the system timer).

While copying to/from unqueue receive message objects we need always protection against concurrency, thus Category 2 ISRs must be always disabled during the copy process. As a simple mental exercise, imagine what would happen if a *SendMessage* call is preempted by another *SendMessage*. After the two calls, the buffer data are corrupted (a mix of both messages).

While copying to/from queue receive message objects, concurrency problems can be avoided without real need to disable Category 2 ISRs (implementing locks in every member of the message queue). So, keeping interrupts enabled while copying the messages is certainly possible. Extra software is needed to handle locks in the queue. If the messages to be copied are very long, you simply cannot allow interrupts to be disabled during the whole copy process. However, if messages are so short that interrupts can be easily disabled during the copy process, this extra handling should be best avoided.

If you set the non-standard attribute `LONGMSG` to `TRUE`, Category 2 ISRs are enabled while the copy process of queued messages and extra software (i.e. run-time performance) is needed. If set to `FALSE`, Category 2 ISRs are disabled but no extra software is needed.

10.5 Message Notification

So far you know how to send and receive messages. The question that still remains is: how does the receiver know that the sender has just sent a new message?

For queued messages the receiver can survive by constantly checking the receive queue. For unqueued messages the receivers have no means to know whether a new message has arrived or whether it is still the old one. There must exist ways to synchronize senders and receivers.

The OSEK/VDX standard defines standard notification mechanisms as a follow up of the transmission and/or reception of a message. For internal communication only Notification Class 1 is supported which means that as soon as the message has been stored in the receive message object, a notification mechanism is invoked automatically.



Check the OSEK/VDX COM documentation for more information about other Notification Classes. They do not apply, however, to internal communication since internal transmission is always performed before returning from the `SendMessage()` system service and without loss of data.

The following notification mechanisms are provided:

Callback routine

A callback routine provided by the application is called.

Flag

A flag is set. The application can check the flag with the `ReadFlag` API service. Resetting the flag is performed by the application with the `ResetFlag` API service. Additionally, calls to `ReceiveMessage` reset also the flag

Task

An application task is activated.

Event

An event for an application task is set.

The notification mechanism can be defined only for a receiver message object. With these mechanisms you can synchronize the copy of data into the receive message object with the receiver.

Since Notifications occur before returning from `SendMessage()`, this system service becomes a rescheduling point for the RTOS. Thus the application may or may not return immediately from the system service (imagine what happens if a higher priority task is activated).

10.5.1 Notification Example: Activate Task

Imagine an application with a serial line command handler. The race condition for the reception of the command is the arrival of a line feed. At that moment the serial ISR object *serialRx* must send a message to a TASK object called *commandHandler* with the new command. The task *commandHandler* interpreates the given commands and has the highest priority.

A possible OIL configuration for this system is shown below:

```
ISR SerialRx
{
    MESSAGE = sendCommand; };

TASK commandHandler
{
    MESSAGE = recCommand;
    ACTIVATION = 3;
};

MESSAGE sendCommand
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE="myCommand"; };
};

MESSAGE recCommand
{
    MESSAGEPROPERTY = RECEIVE_QUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendCommand;
        QUEUE_SIZE = 3;
    };
    NOTIFICATION = ACTIVATETASK
    {
        TASK = commandHandler; };
};
```

The sender message object of the command message is *sendCommand*. The only owner of the sender object is *SerialRx*, it is the only sender. When the race condition is met, the command message is sent with the last buffered command from the ISR code. The command is copied to all the receiver objects, in this case only *recCommand*. And since there is a Notification mechanism defined for this receive object, the task *commandHandler* is also activated. Upon return from the ISR code the *commandHandler* task is running. This task receives the oldest message of the *recCommand* queue message object and interpreates it.

This method is safe. The only problem that could arise would be an overrun in the ISR receive buffer in case the execution time in the ISR code `SendMessage()` exceeds the minimal interarrival time between two consecutive interrupts.

It is worth noting here that this design should always match the maximum number of task activations for the `CommandHandler` task with the size of the queue of message object `recCommand`.

10.5.2 Notification Example: Set Event

Consider the OIL configuration below:

```
ISR SerialRx
{
    MESSAGE = sendCommand;
};

EVENT commandEvent;

TASK commandHandler
{
    MESSAGE      = recCommand;
    ACTIVATION    = 3;
    EVENT        = commandEvent;
};

MESSAGE sendCommand
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE="myCommand"; };
};

MESSAGE recCommand
{
    MESSAGEPROPERTY = RECEIVE_QUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendCommand;
        QUEUE_SIZE      = 3;
    };
    NOTIFICATION = SETEVENT
    {
        TASK = commandHandler;
        EVENT = commandEvent;
    };
};
```

In this solution the *commandHandler* task is never in the *suspended* state, it remains most of the time *waiting* for event *commandEvent*. The Notification mechanism for *recCommand* sets now *commandEvent* immediately after that the command message was copied to the receive object in the ISR code. Upon return from the ISR, the task *commandHandler* resumes execution, clears the event *commandEvent*, receives and interpretes the message before waiting again for the event.

This method is far less safe than the previous one. Apart from the previous problem there is a second drawback. If the cycle “clear event, receive message, interpretate message, wait event” is longer than the minimum time between the arrival of two consecutive serial commands, events could sometimes get lost and some commands would not be processed.

10.5.3 Notification Example: Flag

Associated with a receive message object, a flag will be set when a new message overwrites the container. It remains set until the application explicitly resets the flag or calls `ReceiveMessage()`.



Although theoretically available for all messages, the Notification Flag mechanism normally applies only to unqueued messages. The drawback is that when the flag is set, all you know is that at least one message arrived since the `ReceiveMessage()` call. But you never can tell how many messages you might have lost in between. But it does solve the problem of uninitialized unqueued messages.

Next you will find another configuration for the previous problem:

OIL file:

```
ISR SerialRx
{
    MESSAGE = sendCommand;
};

TASK commandHandler
{
    MESSAGE = recCommand;
    EVENT   = event;
};

MESSAGE sendCommand
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {    CDATATYPE = "myCommand"; };
};

MESSAGE recCommand
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL
    {    SENDINGMESSAGE = sendCommand; };
    NOTIFICATION = FLAG
    {    FLAGNAME = "FlgComm";          };
};
```

In the C source below, the task *commandHandler* checks every POLLMSCS, the flag associated with the receive object *recCommand*. If the flag is set, the task receives the message, otherwise it enters again the *waiting* state for the next POLLMSCS.

You can check the status of the Flag with the following API:

```
FlagValue ReadFlag_FlgComm(void);
```

If the returned value is `COM_TRUE`, the Flag was set: a new message has been received.

C source file

```
#include "flag.h"
#include "mytypes.h"

DeclareMessage(recCommand);
DeclareEvent(event);

TASK (commandHandler)
{
    myStruct st;
    while(1)
    {
        if (COM_TRUE == ReadFlag_FlgComm())
        {
            ReceiveMessage(recCommand,&st);
            processMsg(&st);
        }
        else
        {
            SetRelAlarm(alarm,
                (POLLMSCS)/(OSTICKDURATIONINMSCS),0);
            WaitEvent(event);
            ClearEvent(event);
        }
    }
    TerminateTask();
    return;
}
```

You must always include the file `flag.h` when using Flag Notification Mechanisms. Otherwise your application will not compile.

This solution is even less safe. It assumes that the minimum average interarrival time between two consecutive commands is at least greater than `POLLMSCS` plus the code execution overhead in the while loop.

10.5.4 Notification Example: Callback

A COM Callback must be defined in your application source as follows:

```
COMCallout (myCallOut)
{
    ...
    return COM_TRUE;
}
```

The return type for a COMCallout routine is `CalloutReturnType`.

In the previous example:

```
ISR SerialRx
{
    MESSAGE = sendCommand;
};

MESSAGE sendCommand
{
    MESSAGEPROPERTY = SEND_STATIC_INTERNAL
    {
        CDATATYPE="myCommand";
    };
};

MESSAGE recCommand
{
    MESSAGEPROPERTY = RECEIVE_UNQUEUED_INTERNAL
    {
        SENDINGMESSAGE = sendCommand;
    };
    NOTIFICATION      = COMCALLBACK
    {
        CALLBACKROUTINENAME = "myCallOut";
    };
};
```

10.6 Starting and Ending the COM

10.6.1 Starting the COM

The OSEK/VDX COM standard provides you with the following service to start the communication component:

```
StatusType StartCOM(COMApplicationModeType mode);
```

For internal communication this service performs little: basically it sets some internal variables and, if applicable, it initializes all the unqueued receive message objects with the value of their standard attribute INITIALVALUE.

The `StartCOM()` routine supports the possibility of starting the communication in different configurations with the parameter *mode* (like the application modes and `StartOS()`). You can define different modes with the multiple standard attribute COMAPPMODE in the COM OIL object. The type of this multiple attribute is STRING.

The OSEK/VDX implementation forces you to call the routine `StartCOM()` from task level. Be careful: `StartCOM()` must be called before any COM activity takes places in the system.

A good practice could be the use of an autostarting task performing some possible extra OS initialization plus calling `StartCOM()`. This task becomes the only “real” autostarting task in the configuration, the “old” other autostarting tasks will be activated directly from this task (which runs non-preemptible).

OIL file

```
TASK Init
{
    SCHEDULE = NON;
    ACTIVATION = 1;
    AUTOSTART = TRUE { APPMODE=validMode; };
};

COM myCOM
{
    COMAPPMODE = "COMMODE";
};
```

C source file

```
DeclareComAppMode(COMMODE);

TASK(Init)
{ /* Whatever is left to initialize */
    InitOS();
    /* if other tasks need to run at startup */
    ActivateTask(autoT1);
    ...
    ActivateTask(autoTN);

    StartCOM(COMMODE);
    TerminateTask();
}
```

10.6.2 Starting the COM Extension

If you set the standard attribute COMSTARTCOMEXTENSION of the COM OIL to TRUE, your user-supplied function `StartCOMExtension()` will be called at the end of the `StartCOM()` routine.



See section 10.4.4, [Initializing Unqueued Messages](#) to learn about how to use this com hook routine in order to initialize messages that are too large or too complex for their initial value to be specified in the OIL file.

10.6.3 Stopping the COM

The OSEK/VDX COM standard provides you with the following service to stop the communication component:

```
StatusType StopCOM(COMShutdownModeType mode);
```

If the given parameter *mode* equals to COM_SHUTDOWN_IMMEDIATE, the service shuts down the communication component immediately. This implementation does not define any other additional shutdown mode for the COM component. Thus, you should always call this service with COM_SHUTDOWN_IMMEDIATE as parameter.

StopCOM() sets the system ready for a new call to StartCOM().

10.7 The C Interface for Messages

You can use the following data types and system services in your C sources to deal with message related issues.

Element	C Interface
Data Types	SymbolicName ApplicationDataRef FlagValue COMApplicationModeType COMShutdownModeType COMServiceIdType LengthRef CalloutReturnType
Constants	COM_SHUTDOWN_IMMEDIATE E_COM_ID E_COM_LENGTH E_COM_LIMIT E_COM_NOMSG
System Services	StartCOM StopCOM GetCOMApplicationMode InitMessage SendMessage ReceiveMessage GetMessageStatus ResetFlag_Flag ReadFlag_Flag COMErrorGetServiceId

Table 10-1: The C Interface for Messages



Please refer to the OSEK/VDX documentation for an extensive description.



11 Error Handling

Summary

This chapter helps you to understand the available debug facilities and error checking possibilities. It describes which services and mechanisms are available to handle errors in the system and how you can interfere with them by means of customizing certain Hook Routines.

11.1 Introduction

This chapter helps you to understand the available debug facilities and error checking possibilities of an OSEK/VDX system. You can customize these debug facilities by defining so-called *hook routines*. The available hook routines are:

```
StartupHook()  
PreTaskHook()  
PostTaskHook()  
ErrorHook()  
ComErrorHook()  
ShutdownHook()
```

It is recommended to include all these hook routines into a separate module (your special “debug module”) which you include in the application for developing purposes.

Be aware that all hook routines run with all ISR2 interrupts disabled. Therefore you are discouraged to use interrupt driven software based on ISR2 interrupts for the logging mechanisms in these routines (you still can use ISR1 interrupts).

11.2 Error Handling

11.2.1 Standard Versus Extended Status

Most of the system services have a `StatusType` return type. All services return `E_OK` when no error occurs. However the number of possible return values for each system service depends on the error status mode that you configure in the application OIL file: `STANDARD` or `EXTENDED`. In both cases a return value from a system service not equal to `E_OK` means that an error has occurred.

It is recommended to select extended status while you are developing the system. In this mode the system services perform extra routine integrity checks like:

- Service calls from legal location (many services are forbidden at interrupt level or at hook routines). See also Table 4-1 in Section 4.6, [Shut-down RTOS Application Errors](#).
- Integrity of objects (they must be defined in the OIL file)
- Validity of ranges (passed values might have limited ranges, like you cannot set an alarm to expire after zero cycles)
- Consistency in configuration (a task must own a resource if it attempts to take it, or own a message if it attempts to send/receive it)

All these extra return codes can be tested only in extended error mode. To run in extended mode you must set the attribute `STATUS` of the OS object in the OIL file to `EXTENDED`.

When you finished debugging and the application is ready to be released, you should enable the standard mode. Since these tests will not be included in the program you will benefit from smaller images and faster programs. You must then set the attribute `STATUS` of the OS object in the OIL file to `STANDARD`.



You should avoid all tests on extended error codes when running in standard mode (redundant code).

So far we have referred to OSEK/VDX OS, but in an equivalent manner the OSEK/VDX COM defines also standard and extended error checking modes for the system services of the OSEK/VDX COM module. You can define this error checking mode for the COM routines by setting the COMSTATUS attribute of the COM object to COMSTANDARD or COMEXTENDED.

11.2.2 Fatal Errors

So far we have been speaking about application errors: the RTOS cannot perform the service request correctly but assumes the correctness of its internal data.

If the RTOS cannot assume the correctness of its internal data, it will not return from the system services. The RTOS will call the ShutdownHook instead (provided that the standard attribute SHUTDOWNHOOK of the OS OIL object is TRUE). These are *Fatal Errors*.



See also section 4.5, *The Shutdown Process*, in Chapter *The Startup Process*.



If your application code contains an error that can be detected only in extended mode, but you run the application exclusively in standard mode, the behavior of the system is, at the very least, undefined. Therefore, it is recommended to run your applications at least once in extended mode.

11.2.3 The ErrorHandler Routine

In both *standard* and *extended* modes, when a system service returns a `StatusType` value not equal to `E_OK`, the RTOS calls the `ErrorHook ()` routine (provided that you set the `ERRORHOOK` attribute of the OS object to TRUE):

```
void ErrorHook(StatusType);
```



If `ERRORHOOK` is set but you fail to define the `ErrorHook ()` routine in your code, the linking phase will fail due to unresolved externals.

`ErrorHook ()` is called at the end of the system service and immediately before returning to the calling function.

The RTOS does not call `ErrorHook` if the failing system service is called from the `ErrorHook` itself (recursive calls never occur). Therefore you can only detect possible errors in OS system services in the `ErrorHook` itself by evaluating directly their return value.

Macro services inside ErrorHandler()

Once inside the `ErrorHook ()` routine, the RTOS provides you with mechanisms to access valuable information. With these mechanisms you can check which system service has failed and what its parameters were. You can use the macro services listed in the next table for this purpose.

Macro Service	Description
OSErrorGetServiceId()	<p>Provides the system service identifier where the error occurred. The return value of the macro is a service identifier of type <code>OSServiceIdType</code> and its possible values are:</p> <p> <code>OSServiceID_GetResource</code> <code>OSServiceID_ReleaseResource</code> <code>OSServiceID_GetTaskID</code> <code>OSServiceID_StartOS</code> <code>OSServiceID_ActivateTask</code> <code>OSServiceID_TerminateTask</code> <code>OSServiceID_GetTaskState</code> <code>OSServiceID_Schedule</code> <code>OSServiceID_GetActiveApplicationMode</code> <code>OSServiceID_GetSystemTime</code> <code>OSServiceID_GetAlarmBase</code> <code>OSServiceID_GetAlarm</code> <code>OSServiceID_SetRelAlarm</code> <code>OSServiceID_SetAbsAlarm</code> <code>OSServiceID_CancelAlarm</code> <code>OSServiceID_SetEvent</code> <code>OSServiceID_GetEvent</code> <code>OSServiceID_WaitEvent</code> <code>OSServiceID_ClearEvent</code> <code>OSServiceID_ShutdownOS</code> <code>OSServiceID_IncrementCounter</code> </p> <p>The value of the standard attribute of the OS object <code>USEGETSERVICEID</code> must be set to <code>TRUE</code>.</p>
In all cases below the standard attribute of the OS object <code>USEPARAMETERACCESS</code> must be set to <code>TRUE</code> .	
OSError_GetResource_ResID()	Returns the value of parameter <i>ResID</i> of the failing system service <i>GetResource</i> .
OSError_ReleaseResource_ResID()	Returns the value of parameter <i>ResID</i> of the failing system service <i>ReleaseResource</i> .
OSError_StartOS_Mode()	Returns the value of parameter <i>Mode</i> of the failing system service <i>StartOS</i> .
OSError_ActivateTask_TaskID()	Returns the value of parameter <i>TaskID</i> of the failing system service <i>ActivateTask</i> .
OSError_ChainTask_TaskID()	Returns the value of parameter <i>TaskID</i> of the failing system service <i>ChainTask</i> .
OSError_GetTaskState_TaskID()	Returns the value of parameter <i>TaskID</i> of the failing system service <i>GetTaskState</i> .
OSError_GetTaskState_State()	Returns the value of parameter <i>State</i> of the failing system service <i>GetTaskState</i> .
OSError_GetAlarmBase_AlarmID()	Returns the value of parameter <i>AlarmID</i> of the failing system service <i>GetAlarmBase</i> .
OSError_GetAlarmBase_Info()	Returns the value of parameter <i>Info</i> of the failing system service <i>GetAlarmBase</i> .
OSError_SetRelAlarm_AlarmID()	Returns the value of parameter <i>AlarmID</i> of the failing system service <i>SetRelAlarm</i> .
OSError_SetRelAlarm_increment()	Returns the value of parameter <i>increment</i> of the failing system service <i>SetRelAlarm</i> .
OSError_SetRelAlarm_cycle()	Returns the value of parameter <i>cycle</i> of the failing system service <i>SetRelAlarm</i> .
OSError_SetAbsAlarm_AlarmID()	Returns the value of parameter <i>AlarmID</i> of the failing system service <i>SetAbsAlarm</i> .
OSError_SetAbsAlarm_start()	Returns the value of parameter <i>start</i> of the failing system service <i>SetAbsAlarm</i> .
OSError_SetAbsAlarm_cycle()	Returns the value of parameter <i>cycle</i> of the failing system service <i>SetAbsAlarm</i> .
OSError_CancelAlarm_AlarmID()	Returns the value of parameter <i>AlarmID</i> of the failing system service <i>CancelAlarm</i> .
OSError_GetAlarm_AlarmID()	Returns the value of parameter <i>AlarmID</i> of the failing system service <i>GetAlarm</i> .
OSError_GetAlarm_Tick()	Returns the value of parameter <i>Tick</i> of the failing system service <i>GetAlarm</i> .
OSError_SetEvent_TaskID()	Returns the value of parameter <i>TaskID</i> of the failing system service <i>SetEvent</i> .
OSError_SetEvent_Mask()	Returns the value of parameter <i>Mask</i> of the failing system service <i>SetEvent</i> .
OSError_GetEvent_TaskID()	Returns the value of parameter <i>TaskID</i> of the failing system service <i>GetEvent</i> .
OSError_GetEvent_Event()	Returns the value of parameter <i>Event</i> of the failing system service <i>GetEvent</i> .
OSError_WaitEvent_Mask()	Returns the value of parameter <i>Mask</i> of the failing system service <i>WaitEvent</i> .
OSError_ClearEvent_Mask()	Returns the value of parameter <i>Mask</i> of the failing system service <i>ClearEvent</i> .
OSError_IncrementCounter_CounterID()	Returns the value of parameter <i>CounterID</i> of the failing system service <i>IncrementCounter</i> .

Table 11-1: Error Management macro services

Example of ErrorHook definition

The body of the ErrorHook routine could look like:

```
void ErrorHook (StatusType Error )
{
    int32_t Param1,Param2,Param3;
    OSServiceIdType sys = OSErrorGetServiceId();

    switch(sys)
    {
        case OSServiceID_SetRelAlarm:
            Param1 = OSError_SetRelAlarm_AlarmID();
            Param2 = OSError_SetRelAlarm_increment();
            Param3 = OSError_SetRelAlarm_cycle();
            break;
        case OSServiceID_GetEvent:
            Param1 = OSError_GetEvent_TaskID();
            Param2 = OSError_GetEvent_Event();
            break;
        /* all other cases */
        ...
        default:
            break;
    }

    /* (for instance) log error in a circular buffer with
       the last 10 errors */
    errorLog->Param1 = Param1;
    errorLog->Param2 = Param2;
    errorLog->Param3 = Param3;
    errorLog->Error = Error;
    errorLog->sys = sys;
    errorLog++;
    if (errorLog > startLog + sizeof(startLog))
    {
        errorLog = startLog;
    }

    return;
}
```



Please note that all hook routines run with disabled ISR2s. You cannot use ISR2-driven software to log data in these routines; the system will just hang.

11.2.4 The COMErrorHook Routine

In both *comstandard* and *comextended* modes, when a system service returns a *StatusType* value not equal to *E_OK* the RTOS calls the *COMErrorHook()* routine (provided that you set the *COMERRORHOOK* attribute of the COM object to *TRUE* in your OIL file):

```
void COMErrorHook(StatusType);
```



If *COMERRORHOOK* is set but you fail to define the *COMErrorHook()* routine in your code, the linking phase will fail due to unresolved externals.

COMErrorHook() is called at the end of the system service and immediately before returning to the calling function.

The RTOS does not call *COMErrorHook* if the failing system service is called from the *COMErrorHook* itself (recursive calls never occur). Therefore you can only detect possible error in COM system services in the *COMErrorHook* itself by evaluating directly their return value.

Once inside the *COMErrorHook()* routine, the RTOS provides you with mechanisms to access valuable information. With these mechanisms you can check which COM system service has failed and what its parameters were. You can use the macro services listed in the next table for this purpose.

Macro services inside *ComErrorHook()*

Macro Service	Description
<i>COMErrorGetServiceId()</i>	Provides the system service identifier where the error has been arisen. The return value of the macro is a service identifier of type <i>COMServiceIdType</i> and its possible values are: <i>COMServiceID_StartCOM</i> <i>COMServiceID_StopCOM</i> <i>COMServiceID_GetCOMApplicationMode</i> <i>COMServiceID_InitMessage</i> <i>COMServiceID_SendMessage</i> <i>COMServiceID_ReceiveMessage</i> <i>COMServiceID_GetMessageStatus</i> The value of the standard attribute of the COM object <i>COMERRORGETSERVICEID</i> must be set to <i>TRUE</i>
In all cases below the standard attribute of the COM object <i>COMUSEPARAMETERACCESS</i> must be set to <i>TRUE</i> .	
<i>COMError_StartCOM_Mode()</i>	Returns the value of parameter <i>Mode</i> of the failing system service <i>StartCOM</i> .
<i>COMError_StopCOM_Mode()</i>	Returns the value of parameter <i>Mode</i> of the failing system service <i>StopCOM</i> .
<i>COMError_InitMessage_Message()</i>	Returns the value of parameter <i>Message</i> of the failing system service <i>InitMessage</i> .
<i>COMError_InitMessage_DataRef()</i>	Returns the value of parameter <i>DataRef</i> of the failing system service <i>InitMessage</i> .
<i>COMError_SendMessage_Message()</i>	Returns the value of parameter <i>Message</i> of the failing system service <i>SendMessage</i> .
<i>COMError_SendMessage_DataRef()</i>	Returns the value of parameter <i>DataRef</i> of the failing system service <i>SendMessage</i> .
<i>COMError_ReceiveMessage_Message()</i>	Returns the value of parameter <i>Message</i> of the failing system service <i>ReceiveMessage</i> .
<i>COMError_ReceiveMessage_DataRef()</i>	Returns the value of parameter <i>DataRef</i> of the failing system service <i>ReceiveMessage</i> .
<i>COMError_GetMessageStatus_Message()</i>	Returns the value of parameter <i>Message</i> of the failing system service <i>GetMessageStatus</i> .

Table 11-2: Error Management COM macro services

Example of *COMErrorHook* definition

The body of the *COMErrorHook()* routine could look like:

```
void COMErrorHook(StatusType Error)
{
    int32_t Param1, Param2;
    COMServiceIdType sys = COMErrorGetServiceId();
```

```
switch(sys)
{
case COMServiceID_InitMessage :
    Param1 = COMError_InitMessage_Message();
    break;
case COMServiceID_SendMessage:
    Param1 = COMError_SendMessage_Message();
    Param2 = COMError_SendMessage_DataRef();
    break;
default:          /* all other cases */
    break;
}

/* (for instance) log errors in a circular buffer with
   last ten errors */
errorLog->Param1 = Param1;
errorLog->Param2 = Param2;
errorLog->Error   = Error;
errorLog->sys     = sys;
errorLog++;
if (errorLog > startLog + sizeof(startLog))
{
    errorLog = startLog;
}
return;
}
```

11.3 Debug Routines

The RTOS calls two other hook routines, `PreTaskHook` and `PostTaskHook` to enhance your debugging facilities (if in the OIL file you set the attributes `PRETASKHOOK` and `POSTTASKHOOK` of the OS object to `TRUE`).

```
void PreTaskHook(void);  
void PostTaskHook(void);
```



If `PRETASKHOOK/POSTTASKHOOK` is set but you fail to define the `PreTaskHook()` or `PostTaskHook()` routine in your code, the linking phase will fail due to unresolved externals.

`PreTaskHook()` is called by the RTOS after it has switched tasks but before passing control of the CPU to the new task. This allows you to determine which task is about to run.

`PostTaskHook()` is called after the RTOS determines that a switch is to occur but always before the switch actually occurs. This allows you to determine which task has just completed or has been preempted.



In both cases there is still (already) a task in the *running* state so that you can determine which task is about to be preempted or scheduled with the OS system service `GetTaskId()`.

The body of the `PreTaskHook()` routine could look like:

```
void PreTaskHook (void)  
{  
    TaskType task;  
    TaskStateType state;  
    GetTaskID(&task);  
    if (task== INVALID_TASK)  
    { /* i cannot be here */  
        while(1); }  
    if ( RUNNING != GetTaskState(task,&state) )  
    { /* i cannot be here */  
        while(1); }  
    /* debug code */  
    return;  
}
```



Please, keep always in mind that only a limited set of system services are at your disposal from these routines:

<code>GetTaskID</code>	<code>GetEvent</code>
<code>GetTaskState</code>	<code>GetAlarmBase</code>
<code>SuspendAllInterrupts</code>	<code>GetAlarm</code>
<code>ResumeAllInterrupts</code>	<code>GetActiveApplicationMode</code>

11.4 OIL Examples

To benefit from maximum debug facilities you must configure your OIL file as follows:

```
OS StdOS
{
    STATUS                = EXTENDED;
    STARTUPHOOK           = TRUE;
    ERRORHOOK              = TRUE;
    SHUTDOWNHOOK           = TRUE;
    PRETASKHOOK            = TRUE;
    POSTTASKHOOK           = TRUE;
    USEGETSERVICEID       = TRUE;
    USEPARAMETERACCESS     = TRUE;
}

COM Com
{
    COMERRORHOOK           = TRUE;
    COMUSEGETSERVICEID     = TRUE;
    COMUSEPARAMETERACCESS   = TRUE;
    COMSTARTCOMEXTENSION    = TRUE;
    COMSTATUS               = COMEXTENDED;
};
```

To cut out all debug facilities when releasing the product you must configure your OIL file as follows:

```
OS StdOS
{
    STATUS                = STANDARD;
    STARTUPHOOK           = FALSE;
    ERRORHOOK              = FALSE;
    SHUTDOWNHOOK           = FALSE;
    PRETASKHOOK            = FALSE;
    POSTTASKHOOK           = FALSE;
    USEGETSERVICEID       = FALSE;
    USEPARAMETERACCESS     = FALSE;
}

COM Com
{
    COMERRORHOOK           = FALSE;
    COMUSEGETSERVICEID     = FALSE;
    COMUSEPARAMETERACCESS   = FALSE;
    COMSTARTCOMEXTENSION    = FALSE;
    COMSTATUS               = COMSTANDARD;
};
```

If the size of your image becomes critical you can notably reduce the ROM area size of your application by choosing this configuration. The real-time responses of the system are also enhanced since many run time checks are not performed.



12 Debugging an RTOS Application

Summary

This chapter explains how you can easily debug RTOS information and describes in detail all the information that you can obtain.

12.1 Introduction

This chapter describes how the debugger can help you to debug your OSEK/VDX application.

Often while debugging, you will find situations where having access to certain RTOS information becomes crucial. For instance:

- if you are running code that is shared by many tasks, you may need to know which task is executing at that moment.
- you may need to know the state of your tasks
- you may need to know which event a task is waiting for
- you may need to know the priority of the system once the task has got a resource

To provide debug information, the OSEK/VDX standard proposes a universal interface for development tools: the OSEK Run Time Interface (ORTI). ORTI is intended for the description of applications in any OSEK implementation. It describes a set of attributes for system objects and a method for interpreting the obtained data. The types which are defined in the section, are specified to allow the debugger to determine the target memory access method as well as the best way of displaying the retrieved data. In most cases the information that you will require to see is a textual description of an attribute rather than the actual value read from the variable.

The toolset generates at system generation time an ORTI file with rules for the debugger to display valuable kernel information at run time. Every time you make changes in the OIL file, a new ORTI file is generated.



You need to start the debugger every time a new ORTI file is created.

The information provided by the ORTI file (this is the information displayed at run-time by the debugger) is described in the next sections. This information can be both dynamic (stacks, current task, last error) and static (added to help you comprehend the run-time environment).

To view RTOS information, make sure the RTOS panel is open.

- From the **View** menu, select **Workspace Panels » Embedded » RTOS**

The RTOS panel opens. In this panel you can easily obtain RTOS information.

12.2 How to Debug the System Status

Before you start debugging, make sure that:

- The following options in the debugger options of your project are set:

```
--orti=orti.txt --radm=osek_radm
```

Altium Designer automatically sets this option when you start the debugger. Without these options the debugger does not load the ORTI file.

- The system runs in *extended* mode (the non-standard attribute ORTI of the OS object is set to true) if you aim for a maximum of information. If you need to debug your application in standard mode, you must be aware of the fact that some of the information will be indeterminated.

Every time you stop the debugger you can have a first look at the current status of the system via some general information. This information intends to provide a global and fast description of the system.

- From the **Debug** menu, select **RTOS » System Status**.

The RTOS panel shows values for some global status attributes. The status attributes are described in the next table.

Status Debug Attribute	Description
RUNNINGTASK	This attribute specifies how to evaluate the task that is currently in the <i>running</i> state within the OS object. RUNNINGTASK is set to NO_TASK when no tasks are in <i>running</i> state.
RUNNINGTASKPRIORITY	This attribute specifies how to evaluate the current priority of the task referred to by RUNNINGTASK. The current priority can be different from the static task priority as a result of the <i>priority ceiling protocol</i> . The priority displayed is the priority as defined in the OIL file.
RUNNINGISR2	This attribute specifies how to evaluate the category 2 ISR that is currently running within the OS object. RUNNINGISR2 is set to NO_ISR when no category 2 ISRs are running.
SERVICETRACE	This attribute identifies the last entry (or exit) of a system service routine. The possible ENUM values are: XxxYyyExit or XxxYyyEntry (where XxxYyy indicates the name of the system service).
LASTERROR	This attribute identifies the last error code, not equal E_OK, detected. At startup, the error code is initialized with E_OK but once an error occurred it is not set back to E_OK again.
CURRENTAPPMODE	This attribute identifies the current application mode.
RUNNINGRESOURCE	This attribute specifies how to evaluate the resource currently being locked by the system. RUNNINGRESOURCE is set to NO_RESOURCE when the system is not locking any resources.
SYSLASTERROR	This attribute identifies the system service where LASTERROR did occur. SYSLASTERROR is set to NONE if no error has been found so far (only if running in extended mode).
CPU_RTOS *)	This attribute specifies the time spent by the system executing RTOS code.
CPU_IDLE *)	This attribute specifies the time spent by the system in the idle state
CPU_USER *)	This attribute specifies the time spent by the system executing application code.
*) The TSK51x/TSK52x does not support these attributes.	

Table 12-1: System Status Debug Attributes

12.3 How to Debug Tasks

The debugger can display relevant information about all the tasks in the system.

1. From the **Debug** menu, select **RTOS » Tasks**.

The RTOS panel shows a list with all the tasks in the system. Every task is described with a set of attributes. The debugger displays the values of these attributes. The task attributes are described in the next table.

Task Debug Attribute	Description
PRIORITY	This attribute identifies the current priority of the TASK object. The current priority can may differ from the static task priority as a result of the <i>priority ceiling protocol</i> . The priority displayed is the priority as defined in the OIL file.
STATE	Current state of the task (SUSPENDED, READY, RUNNING or WAITING).
STACK	This attribute contains a reference to the stack object that the task is currently using.
CONTEXT	This attribute contains a reference to the context object that the task is currently using.
CURRENTACTIVATIONS	Number of current activations for the task.
SCHEDULING	Scheduling policy of the task (NON or FULL).
WAITFOREVENT	“wait mask” of the task: a mask of all the events that the task is waiting for (if any).
EVENTSET	“set mask” for the TASK object: a mask of all the events that are already set for the task.
GROUP	Internal Resource identifying the group to which this task belongs (if any).
NORUNS	This attribute specifies how many times the task has been scheduled.
SERVICETRACE	This attribute identifies the last entry (or exit) of a system service routine in code executed by this particular task. The possible ENUM values are: XxxYyyExit or XxxYyyEntry (where XxxYyy indicates the name of the system service).
CPU_TASK *)	This attribute specifies the time spent by the application code executing in this task.
STACKUSE	Indicates the number of bytes currently in use for the stack of the task.
STACKAVAILABLE	Indicates the number of bytes still available for the stack of the task.
SSTACKUSE	This attribute indicates the number of bytes currently in use for the system stack of the task
SSTACKAVAILABLE	This attribute indicates the number of bytes still available for the virtual stack of the task
*) The TSK51x/TSK52x does not support these attributes.	

Table 12-2: Task Debug Attributes

12.4 How to Debug Resources

The debugger can display relevant information about all the resources in the system.

1. From the **Debug** menu, select **RTOS » Resources**

The RTOS panel shows a list with all the resources in the system. Every resource is described with a set of attributes. The debugger displays the values of these attributes. The resource attributes are described in the next table.

Resource Debug Attribute	Description
STATE	Represents the state of a resource (LOCKED/UNLOCKED). (only if running in <i>extended</i> mode)
LOCKER	This attribute indicates the name of the locking task/ISR
PRIORITY	This attribute has two components that state: a) that the RESOURCE is used by TASKs only or by both TASKs and ISRs, and b) the priority that will be used when locking the RESOURCE. Example: TASK : 6 (two tasks with priority 4 and 6 and no ISRs) ISR : 3 (tasks and two ISRs with priority 1 and 3)
PROPERTY	Property of the resource (STANDARD,INTERNAL or LINKED).

Table 12-3: Resource Debug Attributes

12.5 How to Debug Alarms

The debugger can display relevant information about all the alarms in the system.

1. From the **Debug** menu, select **RTOS » Alarms**

The RTOS panel shows a list with all the alarms in the system. Every alarm is described with a set of attributes. The debugger displays the values of these attributes. The alarm attributes are described in the next table.

Alarm Debug Attribute	Description
ALARMTIME	Time left until the alarm expires next.
CYCLETIME	Cycle time for cyclic alarms. The value is 0 for non-cyclic alarms.
STATE	Specifies whether the alarm is RUNNING, STOPPED or INPROCESS (the time has expired but the RTOS has not finished processing yet).
ACTION	This attribute provides a string with a description of the action when the alarm expires. For example, <code>ActivateTask TaskA</code> .
COUNTER	Counter on which the alarm is based.

Table 12-4: Alarm Debug Attributes

12.6 How to Debug ISRs

The debugger can display information about all the ISRs in the system.

1. From the **Debug** menu, select **RTOS » ISRs**

The RTOS panel shows a list with all the ISRs in the system. Every ISR is described with a set of attributes. The debugger displays the values of these attributes. The ISR attributes are described in the next table.

ISR Debug Attribute	Description
CATEGORY	This attribute identifies the category of the ISR.
NORUNS	This attribute specifies how many times the interrupt service routine has executed.
SERVICETRACE	This attribute identifies the last entry (or exit) of a system service routine in code executed by this particular interrupt service routine. The possible ENUM values are: <code>XxxYyyExit</code> or <code>XxxYyyEntry</code> (where <code>XxxYyy</code> indicates the name of the system service).
CPU_ISR *)	This attribute specifies the time spent by the application code executing in this interrupt service routine.
*) The TSK51x/TSK52x does not support these attributes.	

Table 12-5: ISR Debug Attributes

12.7 How to Debug Messages

The debugger can display information only about the receive message objects in the system (since the send messages are routed directly to the receiving side).

1. From the **Debug** menu, select **RTOS » Messages**

The RTOS panel shows a list with all the messages in the system. Every messages is described with a set of attributes. The debugger displays the values of these attributes. The messages attributes are described in the next table.

Message Debug Attribute	Description
MSGTYPE	This attribute indicates the message: QUEUED or UNQUEUED.
QUEUESIZE	This attribute contains the size of the queue for queued messages. 1 for unqueued messages.
QUEUECOUNT	This attribute contains the number of valid messages in the queue. 1 for unqueued messages.
FIRSTELEMENT	This attribute contains the address of the first valid message. This message will be received next. If no message is in the queue the value is zero.
SENDER	This attribute indicates the symbolic name of the sender.

Table 12-6: Message Debug Attributes

12.8 How to Debug Contexts

The CONTEXT object declaration describes a subset of the information (normally the CPU environment) saved by the operating system for a particular task at context switch. A CONTEXT is uniquely attached to a task.

The debugger can display relevant information about all the saved contexts in the system.

1. From the **Debug** menu, select **RTOS » Contexts**.

The RTOS panel shows a list with all the objects in the system and their context. Every context is described with a set of attributes. The debugger displays the values of these attributes. The context attributes are described in the next table.

Context Debug Attribute	Description
ADDRESS	This attribute represents the base address of a memory area containing a subset of the context.
SIZE	This attribute represents the size (in bytes) of the memory area.
VALID	This attribute specifies the validity of the context data (not valid for the running task).
PC	This attribute represents resume execution address for the saved task.
VSP	Saved value of the Virtual Stack Pointer register.
SP	Saved value of the System Stack Pointer register.
PSW	Saved value of the PSW register.
R0, R1,..., R7	Saved value of the R0, R1,..., R7 register.
DPTR	Saved value of the Data Pointer register.
B	Saved value of the B register.
ACC	Saved value of accumulator register.

Table 12-7: Context Debug Attributes

12.9 How to Debug Stacks

The STACK object defines the memory area of any stack in the system.

The debugger can display relevant information about all the saved contexts in the system.

1. From the **Debug** menu, select **RTOS » Stacks**.

The RTOS panel shows a list with all the stacks in the system. Every stack is described with a set of attributes. The debugger displays the values of these attributes. The stack attributes are described in the next table.

Stack Debug Attribute	Description
SIZE	This attribute represents the size (in bytes) of the memory area allocated for the stack of the task.
BASEADDRESS	This attribute specifies the lowest address of the task's stack memory area, regardless of the stack direction.
STACKDIRECTION	This attribute specifies the direction of growth of the task's stack and may have either UP or DOWN as its value. UP: growing from lower to higher addresses DOWN: growing from higher to lower addresses
SSIZE	This attribute represents the size (in bytes) of the memory area allocated for the system stack of the task.
SBASEADDRESS	This attribute specifies the lowest address of the task's system stack memory area, regardless of the system stack direction.
SSTACKDIRECTION	This attribute specifies the direction of growth of the task's system stack and may have either UP or DOWN as its value. UP: growing from lower to higher addresses DOWN: growing from higher to lower addresses

Table 12–8: Stack Debug Attributes



A Implementation Parameters

Summary

The implementation parameters provide detailed information concerning the functionality, performance and memory demand. From the implementation parameters you can obtain valuable information about the impact of the RTOS on your application.

A.1 Introduction

The OS OSEK/VDX normative documents state that *"The operating system vendor provides a list of parameters specifying the implementation. Detailed information is required concerning the functionality, performance and memory demand"*

From the implementation parameters you can obtain valuable information regarding the impact of the RTOS on your application. There are three kinds of implementation parameters:

- *Functionality Implementation Parameters*. They relate to the configuration of the system. You should always take them into account when writing your application OIL file.
- *Hardware Resources Implementation Parameters*. They evaluate the impact of having a RTOS on the hardware resources of the system (RAM, ROM, interrupts, times, etc).
- *Performance Implementation Parameters*. They measure the real time response of the RTOS. The basic conditions to reproduce the measurement of those parameters are mentioned.

A.2 Functionality Implementation Parameters

Parameter	Description	Implementation
MAX_NO_TASK	Maximum number of tasks. Limits the total number of TASK OIL objects in the OIL file.	126 One task is reserved for the system idle task
MAX_NO_ACTIVE_TASK	Maximum number of active tasks (i.e. not suspended) in the system.	127 The most general scenario is when all tasks can be 'active' at any given time, thus all having a stack of their own.
MAX_NO_PRIO_LEVEL	Maximum number of physical priority levels. Limits the total number of TASK OIL objects with different PRIORITY value.	126 The total number of physical priority levels is calculated by the TOC tool after processing the application OIL file.
MAX_TASK_PER_LEVEL	Maximum number of tasks per priority level.	126 The implementation supports the general case, thus allowing many ready task in the same priority level. However, better performance is achieved when no more than one task is assigned statically to the same priority level (smaller context switch latency times).
MIN_PRIO_LEVEL	Lowest priority level used by the user. No TASK OIL object can be defined with lower priority.	1
MAX_PRIO_LEVEL	Highest priority level used by the user.	No limits. Virtual priority values have no limits.
MAX_NO_ACTIVATIONS	Upper limit for the number of task activations.	255
MAX_NO_EVENTS	Maximum number of events objects (per system/per task). Limits the number of EVENT OIL objects that can be defined in the appl. OIL file.	32
MAX_NO_COUNTER	Maximum number of counter objects (per system / per task). Limits the number of COUNTER OIL objects that can be defined in the application OIL file.	126
MAX_NO_ALARM	Maximum number of alarm objects (per system / per task). Limits the number of ALARM OIL objects that can be defined in the appl. OIL file.	127
MAX_NO_APPMODE	Maximum number of application modes. Limits the number of APPMODE objects that can be defined in the appl. OIL file.	126
MAX_NO_RESOURCE	Maximum number of resource objects (per system / per task). Limits the number of RESOURCE OIL objects that can be defined in the application OIL file.	126
MAX_QUEUE_SIZE	Maximum size for the queues in QUEUE MESSAGE objects.	255
MAX_DATA_LENGTH	Maximum length of the data in a message (in bytes).	65535
OSTICKDURATIONINMSCS	Time (in ms) between two consecutive ticks of the hardware system clock.	10
OSTICKDURATION	Time (in nano- seconds) between two consecutive ticks of the hardware system clock.	10 000 000
OSMINCYCLE	Minimum allowed number of counter ticks for a cyclic alarm of the system counter.	1

Parameter	Description	Implementation
OSTICKSPERBASE	Number of ticks require to reach a specific unit of the system counter.	1
OSMAXALLOWEDVALUE	Maximum possible allowed value of the system counter in ticks.	4294967295 ($2^{32}-1$)
MIN_TIMEOUT	Minimum timeout for an alarm based on the system counter.	10 ms (OSTICKDURATIONINMSCS* OSMINCYCLE) msec
MAX_TIMEOUT	Maximum timeout for an alarm based on the system counter.	1.36 years (((OSMAXALLOWEDVALUE* OSTICKDURATIONINMSCS)/ 1000)/(365*3600)) years

Table A-1: Functionality Implementation Parameters

A.3 Hardware Resource Implementation Parameters

This section tries to help you understand the impact of the RTOS on the total size of the application. The contributions of the RTOS to the total size fall roughly into two categories:

- **ROM usage by system services:** The main idea is that there is a direct relation between the ROM size and the number of different system services your application uses (the more system services your application uses, the larger the code area).
The implementation reserves one module (object) per system service in the RTOS library. The linker will extract only the modules for the system services that are used in the application code. All these modules contribute mainly to code area.
- **ROM/RAM usage by OIL objects:** Each added OIL object takes both data area (external) and code area.

The next subsections present some experimental results regarding memory usage. While obtaining these results:

- STARTUPHOOK, ERRORHOOK, SHUTDOWNHOOK, PRETASKHOOK, POSTTASKHOOK, USEGETSERVICEID, USEPARAMETERACCESS, USERESSCHEDULER, STACKMONITOR, COMERRORHOOK, COMUSEGETSERVICEID, COMUSEPARAMETERACCESS and COMSTARTCOMEXTENSION were set to FALSE.
- Default compiler options were used.

The tables distinguishes the following cases:

- **EXTENDED:** The STATUS standard attribute of OS OIL object is set as EXTENDED and the COMSTATUS standard attribute of COM OIL object is set as COMEXTENDED.
- **STANDARD:** The STATUS standard attribute of OS OIL object is set as STANDARD and the COMSTATUS standard attribute of COM OIL object is set as COMEXTENDED.

These results have been taken with a specific configuration and built with specific options. They will differ for each application and configuration. This table is provided to give inside in how the usage of system services and OIL objects affect the total size of your application.

A.3.1 The ROM Usage by System Services

System Service	ROM size (bytes): EXTENDED	ROM size (bytes): STANDARD
ActivateTask	0xA9	0x92
CancelAlarm	0xC6	0xBF
ChainTask	0x18A	0xF2
ClearEvent	0xA5	0x6D
GetAlarm	0x82	0x67
GetAlarmBase	0xAE	0x8B
GetApplicationMode	0x8	0x8
GetCOMApplicationMode	0x8	0x8
GetEvent	0x71	0x4E
GetMessageStatus	0x9E	0x79
GetResource	0x15B	0xBC
GetTaskID	0x52	0x3E
GetTaskState	0x5C	0x4A
IncrementCounter	0x48	0x40
InitMessage	0x96	0x64
ReceiveMessage	0x1C3	0x176
ReleaseResource	0x132	0x8C
Schedule	0x1C0	0x6C
SendMessage	0x47C	0x3D1
SetAbsAlarm	0x23A	0x1AB
SetEvent	0x102	0xD7
SetRelAlarm	0x159	0x8E
ShutdownOS	0x5	0x5
StartCOM	0xD2	0xA6
StartOS	0x14C8	0x1438
StopCOM	0x3A	0x12
TerminateTask	0xCC	0x76
WaitEvent	0x12A	0xCE

The smallest possible application uses at least the `StartOS` system service (0x2b bytes in code area). Each system service you add to your application, increases code size with at least the value as given in the table. For example, given an application with the following system services:

```
ActivateTask  TerminateTask  SetEvent
WaitEvent    ClearEvent
```

The contribution of the system services modules to the final code size of the application is approximately:

$$14C8 + A9 + CC + 102 + 12A + A5 = 190E \quad (\text{EXTENDED mode})$$

$$1438 + 92 + 76 + d7 + CE + 6D = 1752 \quad (\text{STANDARD mode})$$


The OIL file used to obtain these results is very similar to the OIL file example in section 3.3.2, [Application Part](#) in Chapter *OIL Language*.

A.3.2 The ROM/RAM Usage of OIL Objects

Every time you add an OIL object to your application system, this takes a certain amount of memory. The table below helps you to estimate the memory costs of adding new OIL objects to the application. The first row shows data for the most basic RTOS configuration (just one TASK object); the remaining rows give the increase in memory per added OIL objects.



Please be aware that the costs of adding OIL objects are independent of whether your application accesses them or not with system services. The measurements below have been obtained with a minimum application, i.e. empty application labels and using only one system service `StartOS`.

While obtaining the results below:

- All reference lists in OIL objects are empty (bigger usage of both code and data area otherwise).
- TASK objects have different PRIORITY values.
- CDATATYPE is 'char' and QUEUESIZE is 3 for MESSAGE OIL objects.
- AUTOSTART is FALSE and ACTION is ACTIVATETASK for ALARM OIL objects.
- The CATEGORY value for the ISR objects is 2.

OIL object	RAM size (bytes) EXTENDED	ROM size (bytes) EXTENDED	RAM size (bytes) STANDARD	ROM size (bytes) STANDARD
MINIMUM (1 TASK)	162	A44	162	9EB
1 st TASK	5D	1C	5D	19
2 st TASK	5D	1	5D	1
3 st TASK	5D	1	5D	1
1 st ISR	5	1DB	5	1D3
2 st ISR	7	97	7	97
3 st ISR	7	87	7	87
1 st ALARM	1	6B4	1	686
2 st ALARM	19	0	19	0
3 st ALARM	19	0	19	0
1 st EVENT	4	95	4	95
2 st EVENT	10	0	10	0
3 st EVENT	10	0	10	0
1 st RESOURCE	9	64	9	64
2 st RESOURCE	A	0	A	0
3 st RESOURCE	A	0	A	0
1 st MESSAGE	1	0	1	0
2 st MESSAGE	1E	0	1E	0
3 st MESSAGE	1E	0	1E	0

A.3.3 Miscellaneous

Timer units reserved for the OS.	None
Interrupts, traps and other hardware resources occupied by the operating system.	None

A.4 Performance Implementation Parameters

A.4.1 ISR Latency

ISR latency Time is defined here as the total time spent in serving an interrupt (starting at the time that the interrupt occurred). Four contributions are to be considered.

- ISR Entry Latency
- ISR Application Handler
- ISR Exit Latency
- ISR Priority Latency

ISR Entry Latency

ISR Entry Latency is defined here as the time between the occurrence of the interrupt and the start of the application's code that handles the interrupt. In an ideal real-time system, the ISR entry latency is zero, so the application's handler runs immediately after the interrupt has occurred. In a 'real' real-time system other contributions must be considered:

1. Both application and RTOS code could be temporarily disabling the interrupt. During this ISR disable time (the bigger contribution of the two for the worst case scenario) the interrupt cannot be handled.

Parameter	Description	Implementation
MAX_RTOS_ISR1_DIS	Maximum time that an ISR1 interrupt is kept disabled by the RTOS code.	TBM
MAX_RTOS_ISR2_DIS	Maximum time that an ISR2 interrupt is kept disabled by the RTOS code	TBM

2. Hardware latency time. Even in ideal conditions an interrupt cannot be immediately served. This time is defined as the time needed by the hardware to execute the longest instruction and the vectoring of the interrupt.

Some RTOS code will always run before execution is dispatched to the application's handler.

Parameter	Description	Implementation
ISR1_ENTRY_LATENCY	RTOS overhead before dispatching execution to an ISR1 handler (almost zero).	TBM
ISR2_ENTRY_LATENCY_0	RTOS overhead before dispatching execution to an ISR2 handler at first nesting level.	TBM
ISR2_ENTRY_LATENCY_N (N > 0)	RTOS overhead before dispatching execution to an ISR2 handler at second (or more) nesting level.	TBM

ISR Application Handler

Contribution of the application handler to the ISR latency.

ISR Exit Latency

ISR Exit Latency is defined here as the time between the end of the application's handler and the moment where execution is back to task level (or to another interrupt of lower priority).

Parameter	Description	Implementation
ISR1_EXIT_LATENCY	RTOS overhead after an ISR1 handler (almost zero).	TBM
ISR2_EXIT_SWITCH_LATENCY	RTOS overhead after an ISR2 handler (where reasons for re-scheduling have been found).	TBM
ISR2_EXIT_RESUME_LATENCY	RTOS overhead after an ISR2 handler (where no reasons for re-scheduling have been found).	TBM

ISR Priority Latency

In systems with many interrupt priority levels, an ISR can be temporarily prevented from being handled because other interrupt (with higher priority) needs to be served first.

A.4.2 Context Switch Latency

In a full preemptive system, you can constantly expect preemption of the running task. Rescheduling can be performed at task level (when the necessary conditions are met) in the so-called 'rescheduling points' (as a consequence of calling specific system services).

Context Switch Latency Time is defined here as the time between the last instruction of the exiting task and the first of the incoming task through a rescheduling point caused by the call to one of the system services listed in the next table. The table below lists the implementation parameters with regard to the Context Switch Latency for all rescheduling points.

Parameter	Conditions	Implementation
TERMINATE_TASK_LATENCY	Running task meets all conditions for a successful exit.	TBM
CHAIN_TASK_LATENCY	Running task meets all conditions for a successful exit.	TBM
ACTIVATE_TASK_LATENCY	The task given as parameter has a higher priority than the running priority of the system.	TBM
WAIT_EVENT_LATENCY	Running task must own the event given as parameter (which has not been set yet).	TBM
SET_EVENT_LATENCY	The event is set to a waiting task which has higher priority than the running priority of the system.	TBM
RELEASE_RESOURCE_LATENCY	Another ready task with priority between the static priority of the running task and the ceiling priority of the resource is ready.	TBM
SCHEDULE_LATENCY	Another task is ready with higher priority than the static priority of the running task.	TBM
INCREMENT_COUNTER_LATENCY	An alarm based on the counter given as parameter (not the system counter) expires and, as a consequence, a task with higher priority is activated or awoken.	TBM

A.4.3 System Timer Latency

The RTOS uses a timer interrupt when alarms based on the system timer have been defined in the OIL file.

System Timer Latency Time is defined here as the total time spent by the RTOS in serving this interrupt (starting at the time that the interrupt occurred). Since execution is not dispatched to any application's handler, it makes no sense to define entry and exit latencies.

Four contributions to the System Timer Latency are to be considered:

- System Timer Priority Latency (like A.4.1).
- Disable System Timer Latency (see table below).
- Hardware Latency (like A.4.1).
- System Timer Resume/Switch Latency (see table below).

Parameter	Conditions	Implementation
RTOS_CLK_DIS	Maximum time that the system counter interrupt is kept disabled by the RTOS code.	TBM
RTOS_CLK_SWITCH_LATENCY	Maximum time between the start of the RTOS timer handler and the moment that system returns from the clock interrupt when none of the system based alarms has expired.	TBM
RTOS_CLK_RESUME_LATENCY	The time between the start of the RTOS timer handler and the moment that a new task resumes execution as a consequence of the action taken in the alarm.	TBM



B Stack Overflow

Summary

This appendix describes how you can avoid problems caused by stack overflow.

B.1 Introduction

For many years, microprocessors have been included on-chip memory management units (MMU) that enable individual tasks to run in hardware-protected address spaces. But many commercial real-time operating systems never enable the MMU, even if such hardware is present in the system. This is the case with OSEK/VDX systems: all tasks share the same memory space. It is easy to understand how a single errant pointer in one task can easily bring down the entire system, or at least cause it to behave unexpectedly. Apart from errant pointers, the most common way to suffer from data corruption in an OSEK/VDX system is due to a stack overflow. Stack overflow is defined as an error condition which results from attempting to push more items onto a stack than space has been allocated for.

Often, stack overflow will simply overwrite the adjacent memory locations causing bugs that are hard to trace. A task could unintentionally corrupt the data or stack of another task. A misbehaved task could even corrupt the RTOS's own code or internal data structures.

In our OSEK/VDX implementation, a static stack area is allocated for every task. The user configures the size of the stack in the OIL file. The stack area of a task normally tracks the history of return addresses, automatics and parameters of every task.

The RTOS statically allocates buffers for all the stacks at compile time in the generated file `g_conf.c`. These buffers occupy contiguous positions in data area. If you set the size of stack for task *T* to 40 bytes, the following code for task *T* would invariably lead to data corruption:

```
#include <string.h>

TASK (T)
{
    char local[41];
    memset(&local[0], 'a', sizeof(local));
    ...
}
```

This stack overflow example would cause serious problems. Since the whole memory area is accessible, there has been data corruption. The corruption can affect the RTOS's internal data, the stack of another task or the application data; anything is possible. Finding the cause of the problem can be extremely difficult since the failure might occur at a time after the moment when the stack actually suffered the overflow.

In order to avoid stack overflow, you could over allocate memory to the stack of each task, thus providing a safety margin. However, in embedded applications, RAM is often the most precious resource and over allocating extra memory for all stacks could severely increase the final cost of the product.



Some optimizations can be achieved by sharing stack areas between tasks that can never preempt each other. For instance, basic tasks with the same priority level, non-preemptable basic tasks or tasks owning the same internal resource (group of tasks).

With the help of a Stack Analyzer you could even predict beforehand the maximum size of the stack for a given task. A Stack Analyzer inspects the call graph of a task and calculates the stack usage for a worst-case scenario. With these results you can set new sizes for the stacks in the OIL file and (without any other change in the source code) build a new image.

The next section presents mechanisms to detect stack overflows at run-time.

B.2 Run-time Stack Monitoring

The RTOS provides you with mechanisms to detect stack overflows at run-time. To enable these mechanisms, you must set the non-standard attribute `STACKMONITOR` to `TRUE` in the OS OIL object. The default value of `STACKMONITOR` is `FALSE` (less run-time overhead).

With the non-standard attribute `STACKMONITOR` set `TRUE`, you request the RTOS to continuously monitor possible stack overflows. Although expensive in run-time performance, the RTOS will inform you instantly (in every context switch) with the precise cause of an overflow.

If errors for stack overflow have been encountered during the last run, the RTOS code calls the service `ShutdownOS ()`. The value of the call parameter will help you determining the precise cause of the overflow. The possible values are listed in the table below.

This method leaves almost no chance to the system to either hang or crash since the corrupted data would normally belong to another task (which still had no chance to run).



It is recommended to run every application at least once with `STACKMONITOR` set to `TRUE` during the debugging phase (with a code breakpoint set in `ShutdownOS ()`).

StatusType	Description
E_OK	No conditions for stack overflow have been detected.
E_OS_SYS_UOFLW	Conditions for stack overflow have been detected in the stack of the exiting task. You should increase the stack size of the exiting task.
E_OS_SYS_SOFLW	Conditions for stack overflow in a system stack have been detected during the last run of the exiting task. Please check the sizes of all system stacks in your project.
E_OS_SYS_TOFLW	Conditions for stack overflow in an internal RTOS stack buffer have been detected during the last run of the exiting task. Please check the sizes of internal rtos stack buffers in the OS OIL object.

You can now study the body of the hook routine `ShutdownHook` to find the reason for the overflow. Obviously, the `SHUTDOWNHOOK` standard attribute of the OS OIL object must have been set to `TRUE`:

```
OS StdOS
{
    SHUTDOWNHOOK = TRUE;
    STACKMONITOR = TRUE; } ;
```

The `ShutdownHook` routine could look like follows:

```
void ShutdownHook ( StatusType Error)
{
    switch(Error)
    {
        case E_OK:
            /* application software reset? */
            break;
        case E_OS_SYS_UOFLW:
        case E_OS_SYS_SOFLW:
        case E_OS_SYS_TOFLW:
            /* remeMber: ISR2s disabled */
            Log("\nSTACK OVERFLOW:");
            /* something else to do? */
            StackHandler(Error);
            default: break;
    }
    return;
}
```

And the a StackHandler routine could look like follows:

```
void StackHandler(StatusType Error)
{
    TaskType task;
    GetTaskID(&task);
    switch(Error)
    {
        case E_OS_SYS_UOFLW:
            Log("Task: %d Err: U",task);break;
        case E_OS_SYS_SOFLW:
            Log("Task: %d Err: S",task);break;
        case E_OS_SYS_TOFLW:
            Log("Task: %d Err: T",task);break;
        default: break;
    }

    /* Reset: Data corrupted */
    Reset();
    /* never here */
    return;
}
```

B.2.1 IsStackInRange

Once you know you are suffering from stack overflows, you can try to detect possible conditions for stack overflows directly from you application code by including the service:

```
StatusType IsStackInRange(void);
```

This service compares current values of stack pointers with their absolute limits. Checking the return value of this service helps you determine whether conditions of overflow exist at the moment of the call.

StatusType	Description
E_OK	No conditions for stack overflow have been detected.
E_OS_SYS_UOFLW	An overflow has been detected in the stack of the running task. You should increase the size of the stack of the running task.
E_OS_SYS_SOFLW	A stack overflow has been detected in a system stack. Please check the sizes of the stacks that are configured in the linker options of your project.
E_OS_SYS_TOFLW	An overflow in an internal RTOS stack buffer. Please check the sizes of the internal RTOS stacks that are configured in the OS OIL object.



Please be aware that a E_OK return value does not imply that no data corruption exists in the system. A E_OK return value only means that the stack pointers are all in range at the moment of the call; it tells you nothing about previous out of range situations.



If the non-standard attribute (STACKMONITOR) is set to FALSE, this service returns always E_OK.

Index

A

alarm, [8-1](#)
 expiring, [8-1](#)
 interface, [8-8](#)
Altium Designer
 build application, [2-9](#)
 create a project space, [2-5](#)
application OIL file, [2-2](#)
application oil file, [2-1](#)
applicatoin modes, [4-2](#)
 changing, [4-3](#)
 defining, [4-2](#)

B

boot system, [4-1](#)

C

callback routine, [8-4](#), [10-11](#)
CCCB, [10-1](#)
ceiling priority, calculating, [7-9](#)
ceiling priority protocol, [7-8](#)
conformance class, [10-1](#)
context switch latency time, [A-7](#)
counter, [8-1](#)
creating a makefile, [2-6](#)
critical code section, [7-1](#)

D

deadlock, [7-1](#), [7-8](#)
debug
 alarms, [12-4](#)
 contexts, [12-5](#)
 interrupts, [12-4](#)
 messages, [12-5](#)
 resources, [12-3](#)
 stacks, [12-6](#)
 system status, [12-2](#)
 tasks, [12-3](#)

E

error handling, [11-1](#)
 extended status, [11-1](#)
 standard status, [11-1](#)
event, [10-11](#)
 configuring, [6-1](#)
 interface, [6-5](#)
 using, [6-1](#)

F

fatal error, [11-2](#)
file extensions, [2-2](#)
flag, [10-11](#)
functionality implementation parameters, [A-1](#)

H

hardware resources implementation parameters, [A-1](#)
hook routine, [11-1](#)

I

implementation OIL file, [2-1](#), [2-2](#)
implementation parameters, [A-1](#)
 context switch latency, [A-7](#)
 hardware resources, [A-3](#)
 ISR latency, [A-6](#)
 memory usage, [A-5](#)
 performance, [A-6](#)
 ROM usage, [A-4](#)
 system timer latency, [A-7](#)
internal resource, [7-11](#)
interrupt
 defining, [9-2](#)
 enable/disable all, [9-6](#)
 interface, [9-9](#)
 suspend/resume all, [9-8](#)
 suspend/resume os interrupts, [9-8](#)
interrupt object, [9-1](#)
interrupt service routine, [9-1](#)
isr, non-standard attributes, [9-2](#)
ISR entry latency, [A-6](#)
ISR exit latency, [A-6](#)
ISR latency time, [A-6](#)
isr object, [9-1](#)

L

linked resource, [7-7](#)

M

makefile
 automatic creation of, [2-6](#)
 updating, [2-6](#)
memory model, [5-10](#)
message, [10-2](#)
 defining data type, [10-5](#)
 interface, [10-17](#)
 notification, [10-10](#)
 queued, [10-2](#), [10-6](#)
 receiving, [10-6](#)
 sending, [10-5](#)
 unqueued, [10-2](#), [10-8](#)
message notification, [10-10](#)
 callback routine, [10-11](#)
 event, [10-11](#)
 flag, [10-11](#)
 task, [10-11](#)
mutex, [7-1](#)
mutex lock, [7-2](#)

N

non-standard attributes, [3-1](#), [3-3](#)
overview, [3-2](#)

O

OIL, system objects, [3-1](#)
OIL (OSEK Implementation Language), [2-1](#)
OIL compiler, [2-1](#)
OIL file
application part, [3-5](#)
implementation part, [3-5](#)
preprocessor commands, [3-10](#)
restrictions, [3-5](#)
structure, [3-5](#)
ORTI, [12-1](#)
ORTI (OSEK/VDX Run-time Interface), [1-2](#)
os interrupt, suspend/resume, [9-8](#)
OSEK Implementation Language (OIL), [1-2](#), [2-1](#)
OSEK Run Time Interface (ORTI), [12-1](#)
OSEK/VDX, [1-2](#)
application, [1-2](#)
communication system, [1-2](#)
implementation, [1-2](#)
operating system, [1-2](#)
OSEK/VDX Run-time Interface (ORTI), [1-2](#)

P

performance implementation parameters, [A-1](#)
physical priority, [5-4](#)
priority
physical, [5-4](#)
virtual, [5-4](#)
priority ceiling protocol, [7-2](#)
priority inversion, [7-1](#), [7-8](#)
project, add new files, [2-6](#)
project space, create, [2-5](#)

Q

queued message, [10-2](#), [10-6](#)

R

real-time applications, [1-1](#)
hard real-time system, [1-1](#)
soft real-time system, [1-1](#)
Real-Time Operating System, [1-1](#)
receive message object, [10-3](#)
receiver, [10-2](#)
resource, [7-2](#)
C interface, [7-13](#)
internal, [7-11](#)
linked resource, [7-7](#)
scheduler, [7-13](#)
scheduler, [7-13](#)

RTOS, [1-1](#)

rtos initialization, [4-4](#)
run-time system stack, [5-11](#)
run-time virtual stack, [5-12](#)

S

scheduling tasks
full-preemptable, [5-8](#)
non-preemptable, [5-8](#)
policy, [5-9](#)
send message object, [10-2](#)
sender, [10-2](#)
shut-down, [4-6](#)
stack
implementation parameters, [5-13](#)
system, [5-11](#)
virtual, [5-12](#)
stack of a task, [5-10](#)
standard attributes, [3-1](#)
startup code, [4-1](#)
system boot, [4-1](#)
system counter, [8-2](#)
system objects, [3-1](#)
system services, [1-2](#), [5-14](#)
system stack, [5-11](#)
run-time, [5-11](#)
saving, [5-12](#)
system timer latency time, [A-7](#)

T

task, [5-1](#), [10-11](#)
activating, [5-6](#)
basic, [5-2](#)
extended, [5-3](#)
system services, [5-14](#)
defining, [5-1](#)
grouping, [7-11](#)
idle, [5-1](#), [5-3](#)
non-standard attribute, [5-10](#)
scheduling, [5-8](#)
stack, [5-10](#)
state, [5-2](#)
terminating, [5-6](#)

U

unqueued message, [10-2](#), [10-8](#)
initializing, [10-8](#)
updating makefile, [2-6](#)

V

virtual priority, [5-4](#)
virtual stack, [5-12](#)
run-time, [5-12](#)